J2
401:B61
1993
c.2

BASIC AUTOMATED BIRTH YEARBOOK

SCHES
State Center for Health
and Environmental Statistics

North Carolina Residents-1993

Digitized by the Internet Archive
in 2016

https://archive.org/details/basicautomatedbi1993nort

BASIC AUTOMATED BIRTH YEARBOOK

North Carolina Residents

1993

N.C. DOCUMENTS
CLEARINGHOUSE
NOV 8 1994
N.C. STATE LIBRARY
RALEIGH

This report, referred to as ***The Baby Book,*** contains computerized tables showing statewide counts and percentages for 1993 resident live births classified according to selected infant and maternal characteristics. This volume and corresponding county microfiche are prepared and distributed for the use of maternal and child health programs and other users of baseline birth data.

There must be something in the water at the Cotton Building. This year's cover features State Center babies (counter-clockwise from top): Selea Cayenne Burns, born March 12, 1994; Danielle Georgaé Prince, born April 9, 1994; and Farrah Mojdeh Whitmire, born June 20, 1994, as photographed by Bill Ellington.

The parents are employees of the State Center for Health and Environmental Statistics in the Department of Environment, Health, and Natural Resources. Selea's mother is Beverly Burns; Danielle's mother is Georgette Prince, and Farrah's father is Tim Whitmire. And the State Center baby boom continues...

Department of Environment, Health, and Natural Resources
State Center for Health and Environmental Statistics
Post Office Box 29538
Raleigh, North Carolina 27626-0538

STATE OF NORTH CAROLINA
James B. Hunt, Jr., Governor

DEPARTMENT OF ENVIRONMENT, HEALTH, AND NATURAL RESOURCES
Jonathan B. Howes, Secretary

STATE CENTER FOR HEALTH AND ENVIRONMENTAL STATISTICS
Delton Atkinson, M.S.P.H., M.P.H., Director

DEHNR

September 1994

DEFINITIONS

A ***'live birth'*** is the complete expulsion or extraction from its mother of a product of conception irrespective of the duration of pregnancy, which, after such separation, breathes or shows any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or any definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached (Definition adopted by the World Health Organization in 1950.).

A ***'not married'*** mother is one who has never been legally married or who has been widowed or legally divorced from her husband in excess of 280 days.

'Birth order' is the sum of all previous deliveries (live births plus other reported terminations, i.e., spontaneous and induced at any time after conception) plus the present live birth.

'Birth weight' is expressed in grams. A low-weight birth is defined as a live born infant weighing 2500 grams (5 pounds, 8 ounces) or less at birth, regardless of the period of gestation (Birth Weight Index recommended by the expert group on prematurity of the World Health Organization, 1950.).

'Age of mother' is reported age in completed years at last birthday.

'Education of mother' is the number of years of schooling completed by the mother at time of the birth.

Beginning in 1990, the last seven tables of this report (Tables 16-22) provide crosstabulations of new birth certificate items by birth weight by race. These pertain to medical history of the mother, maternal smoking and weight gain, obstetric procedures, events of labor and delivery, method of delivery, and conditions of the newborn. These items were added to the North Carolina birth certificate in 1988. In Tables 16 and 19-22, the row totals do not equal the total number of live births because some births involve multiple conditions within a variable.

RESIDENCE ALLOCATION

Births are allocated to the usual residence of the mother, regardless of the place of occurrence.

RACE ALLOCATION

Two broad categories, 'white' and 'nonwhite,' are used. In cases of mixed parentage, the newborn is considered to be the race of the mother.

COMPLETENESS OF BIRTH REGISTRATION

Counts and percentages in this report are based on live births filed with the local registrar prior to April and processed in the state office prior to May of the year following the birth. The number filed subsequently is considered negligible for statistical purposes.

INSTRUCTIONS FOR READING THE TABLES

The page following the Table of Contents provides an example and instructions for reading the tables of this printout.

LISTING OF CROSS TABULATIONS OF RESIDENT LIVE BIRTHS

TABLE		Page
1.	Age of Mother by Birth Order by Marital Status by Race (AGE/BTH ORDR/MS/RACE)	1
2.	Age of Mother by Birth Order by Race (AGE/BTH ORDR/RACE)	11
3.	Age of Mother by Birth Weight by Race (AGE/BTH WT/RACE)	17
4.	Education of Mother by Birth Weight by Race (ED/BTH WT/RACE)	23
5.	Month Prenatal Care Began by Education of Mother by Race (MPCB/ED/RACE)	26
6.	Month Prenatal Care Began by Age of Mother by Race (MPCB/AGE/RACE)	29
7.	Month Prenatal Care Began by Marital Status by Race (MPCB/MS/RACE)	35
8.	Month Prenatal Care Began by Birth Order by Race (MPCB/BTH ORDR/RACE)	38
9.	Month Prenatal Care Began by Birth Weight by Race (MPCB/BTH WT/RACE)	41
10.	Number of Prenatal Visits by Education of Mother by Race (PRENTL VSTS/ED/RACE)	44
11.	Number of Prenatal Visits by Age of Mother by Race (PRENTL VSTS/AGE/RACE)	50

12. Number of Prenatal Visits by Marital Status by Race 62
(PRENTL VSTS/MS/RACE)

13. Number of Prenatal Visits by Birth Order by Race 68
(PRENTL VSTS/BTH ORDR/RACE

14. Number of Prenatal Visits by Birth Weight by Race 74
(PRENTL VSTS/BTH WT/RACE)

15. Month Prenatal Care Began by Number of Prenatal Visits by Race 80
(MPCB/PRENTL VSTS/RACE)

16. Medical History by Birth Weight by Race 86
(MED HIS/BTH WT/RACE)

17. Maternal Smoking by Birth Weight by Race 89
(SMOKING/BTH WT/RACE)

18. Maternal Weight Gain by Birth Weight by Race 92
(WT GAIN/BTH WT/RACE)

19. Obstetric Procedures by Birth Weight by Race 95
(OB PROCS/BTH WT/RACE)

20. Events of Labor/Delivery by Birth Weight by Race 98
(EV OF LAB/BTH WT/RACE)

21 Method of Delivery by Birth Weight by Race 101
(METH DEL/BTH WT/RACE)

22. Conditions of Newborn by Birth Weight by Race 104
(CONDITION/BTH WT/RACE)

EXAMPLE

RESIDENT BIRTHS, YEAR 0001
AGE/BW/MS/RACE

AGE AGE OF MOTHER BY BW BIRTH WEIGHT IN GRAMS
CONTROLLING FOR..
MS MARITAL STATUS OF MOTHER VALUE = 1 MARRIED
RACE VALUE = 1 WHITE

AGE	COUNT / ROW PCT / COL PCT	BW: 2500 GMS OR LESS (1)	BW: OVER 2500 GMS (2)	ROW TOTAL
	20	355	2150	2505
		14.2	85.8	9.5
		10.4	9.4	
	21	275	1855	2130
		12.9	87.1	8.1
		8.0	8.1	
	22	209	1615	1824
		11.5	88.5	6.9
		6.1	7.0	
	23	175	1420	1595
		11.0	89.0	6.1
		5.1	6.2	
	24	177	1190	1367
		12.9	87.1	5.2
		5.2	5.2	
25 - 29	25	503	3990	4493
		11.2	88.8	17.1
		14.7	17.4	
30 - 34	26	216	1678	1894
		11.4	88.6	7.2
		6.3	7.3	
35 - 39	27	97	685	782
		12.4	87.6	3.0
		2.8	3.0	
40 - 44	28	35	199	234
		15.0	85.0	0.9
		1.0	0.9	
	COLUMN TOTAL	3425	22925	26350
		13.0	87.0	100.0

(CONTINUED)

INSTRUCTIONS FOR READING THE TABLES

TABLES PRODUCED BY THE STATISTICAL PACKAGE FOR THE SOCIAL SCIENCES (SPSS) HAVE THREE SECTIONS. THE FIRST SECTION INCLUDES A TITLE AND/OR OTHER INFORMATION. IN THIS EXAMPLE, WE HAVE RESIDENT BIRTHS FOR THE YEAR 0001.

THE SECOND SECTION SHOWS THE VARIABLES ASSOCIATED WITH THE TABLE. IN THIS EXAMPLE, THE TABLE CROSSTABULATES 'AGE OF MOTHER' AND 'BIRTH WEIGHT IN GRAMS' FOR MARRIED WHITE BIRTHS. THIS TABLE WILL BE PRINTED ON 3 PAGES OF WHICH THIS IS THE SECOND (PAGE 2 OF 3).

THE THIRD SECTION IS THE TABLE ITSELF. THE LOWER RIGHT HAND NUMBER IS THE TOTAL NUMBER OF EVENTS SHOWN IN THE ENTIRE TABLE. IN THIS EXAMPLE, A TOTAL OF 26350 BIRTHS ARE TABULATED IN THE 3-PAGE TABLE.

AT THE LEFT OF THE TABLE IS THE ROW VARIABLE 'AGE' (AGE OF MOTHER) AND ITS VALUES. AT THE RIGHT ARE THE ROW COUNTS AND PERCENTS. FOR EXAMPLE, THERE WERE 2505 MARRIED WHITE BIRTHS TO WOMEN AGE 20 AND THESE CONSTITUTED 9.5 PERCENT OF 26350 MARRIED WHITE BIRTHS.

AT THE TOP OF THE TABLE IS THE COLUMN VARIABLE 'BW' (BIRTH WEIGHT IN GRAMS) AND ITS VALUES. AT THE BOTTOM ARE THE COLUMN COUNTS AND PERCENTS. FOR EXAMPLE, THERE WERE 3425 MARRIED WHITE BIRTHS THAT WEIGHED 2500 GRAMS OR LESS AND THESE CONSTITUTED 13.0 PERCENT OF THE 26350 MARRIED WHITE BIRTHS.

THE BODY OF THE TABLE IS DIVIDED INTO CELLS, EACH CONTAINING THREE NUMBERS. THE FIRST NUMBER IS THE COUNT (E.G., THE NUMBER OF BIRTHS FOR THE SPECIFIED AGE AND BIRTH WEIGHT). THE SECOND NUMBER IS THE ROW PERCENT (E.G., THE PERCENTAGE OF THE SPECIFIED AGE GROUP THAT WERE OF A PARTICULAR BIRTH WEIGHT). THE THIRD NUMBER IS THE COLUMN PERCENT (E.G., THE PERCENTAGE OF THE SPECIFIED BIRTH WEIGHT GROUP THAT WERE BORN TO WOMEN OF A PARTICULAR AGE). TO ILLUSTRATE, IN THE UPPER LEFT CELL ARE THE NUMBERS 355, 14.2, AND 10.4. THIS MEANS THAT

- 355 MARRIED WHITE BIRTHS TO WOMEN AGE 20 HAD A BIRTH WEIGHT OF 2500 GRAMS OR LESS.
- 14.2 PERCENT OF 2505 MARRIED WHITE BIRTHS TO WOMEN AGE 20 HAD A BIRTH WEIGHT OF 2500 GRAMS OR LESS.
- 10.4 PERCENT OF 3425 MARRIED WHITE BIRTHS WEIGHING 2500 GRAMS OR LESS WERE TO WOMEN AGE 20.

AGE OF MOTHER BY BIRTH ORDER

BY MARITAL STATUS

BY RACE

TABLE 1

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
STATUS MARITAL STATUS OF MOTHER Value = 1 MARRIED
RACE Value = 1 WHITE

AGE (Count / Row Pct / Col Pct)	BO 1ST 1	2ND 2	3RD 3	4TH 4	5TH 5	6TH 6	7TH 7	8TH 8	9TH AND OVER 9	NOT STATED 10	Row Total
13	2 100.0 .0										2 .0
14	7 77.8 .0	2 22.2 .0									9 .0
15	65 89.0 .3	8 11.0 .0									73 .1
16	190 82.6 1.0	34 14.8 .2	5 2.2 .0							1 .4 1.8	230 .4
17	423 76.6 2.2	107 19.4 .5	17 3.1 .2	2 .4 .0	2 .4 .1					1 .2 1.8	552 1.0
18	741 69.9 3.8	265 25.0 1.3	36 3.4 .3	17 1.6 .4						1 .1 1.8	1060 1.9
19	1011 57.8 5.2	552 31.6 2.8	142 8.1 1.4	33 1.9 .7	9 .5 .5	1 .1 .1	1 .1 .3				1749 3.1
20	1214 52.1 6.3	781 33.5 3.9	245 10.5 2.3	76 3.3 1.7	9 .4 .5	4 .2 .5				1 .0 1.8	2330 4.1
21	1190 43.0 6.2	1031 37.3 5.2	377 13.6 3.6	121 4.4 2.7	34 1.2 1.9	9 .3 1.2	1 .0 .3			2 .1 3.6	2765 4.8
22	1271 40.1 6.6	1144 36.1 5.8	512 16.2 4.9	161 5.1 3.7	56 1.8 3.1	10 .3 1.3	7 .2 2.3	3 .1 2.3		3 .1 5.4	3167 5.5
23	1256 39.6 6.5	1171 36.9 5.9	489 15.4 4.6	168 5.3 3.8	49 1.5 2.7	25 .8 3.4	6 .2 2.0	2 .1 1.5	2 .1 1.6	3 .1 5.4	3171 5.5
Column Total	19280 33.7	19880 34.7	10518 18.4	4403 7.7	1802 3.1	743 1.3	305 .5	130 .2	123 .2	56 .1	57240 100.0

(Continued)

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
STATUS MARITAL STATUS OF MOTHER Value = 1 MARRIED
RACE Value = 1 WHITE

AGE	Count / Row Pct / Col Pct	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	Row Total
	24	1163	1175	588	222	67	29	11	2	2	3	3262
		35.7	36.0	18.0	6.8	2.1	.9	.3	.1	.1	.1	5.7
		6.0	5.9	5.6	5.0	3.7	3.9	3.6	1.5	1.6	5.4	
25 - 29	25	6326	6490	3230	1235	481	172	63	34	23	16	18070
		35.0	35.9	17.9	6.8	2.7	1.0	.3	.2	.1	.1	31.6
		32.8	32.6	30.7	28.0	26.7	23.1	20.7	26.2	18.7	28.6	
30 - 34	26	3461	5373	3391	1495	647	278	106	32	36	18	14837
		23.3	36.2	22.9	10.1	4.4	1.9	.7	.2	.2	.1	25.9
		18.0	27.0	32.2	34.0	35.9	37.4	34.8	24.6	29.3	32.1	
35 - 39	27	847	1550	1309	762	382	172	77	50	42	6	5197
		16.3	29.8	25.2	14.7	7.4	3.3	1.5	1.0	.8	.1	9.1
		4.4	7.8	12.4	17.3	21.2	23.1	25.2	38.5	34.1	10.7	
40 - 44	28	92	181	172	107	63	43	30	7	17		712
		12.9	25.4	24.2	15.0	8.8	6.0	4.2	1.0	2.4		1.2
		.5	.9	1.6	2.4	3.5	5.8	9.8	5.4	13.8		
45 AND OVER	29	5	6	4	4	3		3		1		26
		19.2	23.1	15.4	15.4	11.5		11.5		3.8		.0
		.0	.0	.0	.1	.2		1.0		.8		
NOT STATED	30	16	10	1							1	28
		57.1	35.7	3.6							3.6	.0
		.1	.1	.0							1.8	
	Column Total	19280	19880	10518	4403	1802	743	305	130	123	56	57240
		33.7	34.7	18.4	7.7	3.1	1.3	.5	.2	.2	.1	100.0

TABLE 1

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
STATUS MARITAL STATUS OF MOTHER Value = 2 NOT MARRIED
RACE Value = 1 WHITE

AGE	Count / Row Pct / Col Pct	BO 1ST 1	2ND 2	3RD 3	4TH 4	5TH 5	6TH 6	7TH 7	8TH 8	9TH AND OVER 9	NOT STATED 10	Row Total
12		2										2
		100.0										.0
		.0										
13		15	1									16
		93.8	6.3									.1
		.3	.0									
14		75	2								1	78
		96.2	2.6								1.3	.7
		1.3	.1								5.0	
15		214	16		1							231
		92.6	6.9		.4							2.0
		3.7	.5		.1							
16		493	51	4								548
		90.0	9.3	.7								4.7
		8.5	1.7	.3								
17		864	145	21	8	1					2	1041
		83.0	13.9	2.0	.8	.1					.2	8.9
		14.9	4.9	1.4	1.1	.3					10.0	
18		858	276	67	9	1					1	1212
		70.8	22.8	5.5	.7	.1					.1	10.4
		14.8	9.3	4.4	1.2	.3					5.0	
19		740	350	93	22	5	1				1	1212
		61.1	28.9	7.7	1.8	.4	.1				.1	10.4
		12.8	11.8	6.0	3.0	1.4	.7				5.0	
20		589	351	137	40	8	2				2	1129
		52.2	31.1	12.1	3.5	.7	.2				.2	9.7
		10.2	11.8	8.9	5.4	2.2	1.4				10.0	
21		466	290	141	56	22	6	2		1		984
		47.4	29.5	14.3	5.7	2.2	.6	.2		.1		8.4
		8.1	9.8	9.2	7.6	6.1	4.3	2.6		3.0		
22		364	277	159	72	27	4	3	1	1	3	911
		40.0	30.4	17.5	7.9	3.0	.4	.3	.1	.1	.3	7.8
		6.3	9.3	10.3	9.8	7.5	2.9	3.9	2.6	3.0	15.0	
(Continued)	Column Total	5786	2964	1540	737	360	138	77	39	33	20	11694
		49.5	25.3	13.2	6.3	3.1	1.2	.7	.3	.3	.2	100.0

NORTH CAROLINA RESIDENT BIRTHS, 1993
AGE/BTH ORDR/MS/RACE

TABLE 1

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
STATUS MARITAL STATUS OF MOTHER Value = 2 NOT MARRIED
RACE Value = 1 WHITE

AGE	Count / Row Pct / Col Pct	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	Row Total
	23	234	207	161	70	23	8	3	1		5	712
		32.9	29.1	22.6	9.8	3.2	1.1	.4	.1		.7	6.1
		4.0	7.0	10.5	9.5	6.4	5.8	3.9	2.6		25.0	
	24	183	152	85	56	24	6	5	4		2	517
		35.4	29.4	16.4	10.8	4.6	1.2	1.0	.8		.4	4.4
		3.2	5.1	5.5	7.6	6.7	4.3	6.5	10.3		10.0	
25 - 29	25	430	549	392	205	126	57	29	13	9	3	1813
		23.7	30.3	21.6	11.3	6.9	3.1	1.6	.7	.5	.2	15.5
		7.4	18.5	25.5	27.8	35.0	41.3	37.7	33.3	27.3	15.0	
30 - 34	26	174	231	197	128	73	33	21	11	17		885
		19.7	26.1	22.3	14.5	8.2	3.7	2.4	1.2	1.9		7.6
		3.0	7.8	12.8	17.4	20.3	23.9	27.3	28.2	51.5		
35 - 39	27	67	53	73	59	45	20	14	7	5		343
		19.5	15.5	21.3	17.2	13.1	5.8	4.1	2.0	1.5		2.9
		1.2	1.8	4.7	8.0	12.5	14.5	18.2	17.9	15.2		
40 - 44	28	12	12	9	10	3	1		1			48
		25.0	25.0	18.8	20.8	6.3	2.1		2.1			.4
		.2	.4	.6	1.4	.8	.7		2.6			
45 AND OVER	29	1			1							2
		50.0			50.0							.0
		.0			.1							
NOT STATED	30	5	1	1		2			1			10
		50.0	10.0	10.0		20.0			10.0			.1
		.1	.0	.1		.6			2.6			
	Column Total	5786	2964	1540	737	360	138	77	39	33	20	11694
		49.5	25.3	13.2	6.3	3.1	1.2	.7	.3	.3	.2	100.0

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
STATUS MARITAL STATUS OF MOTHER Value = 3 NOT STATED
RACE Value = 1 WHITE

AGE	Count / Row Pct / Col Pct	BO 1ST 1	2ND 2	3RD 3	4TH 4	5TH 5	NOT STATED 10	Row Total
	16	3 100.0 37.5						3 11.5
	17	1 100.0 12.5						1 3.8
	18	1 50.0 12.5		1 50.0 25.0				2 7.7
	19		1 50.0 20.0	1 50.0 25.0				2 7.7
	21						1 100.0 14.3	1 3.8
	22	1 33.3 12.5	2 66.7 40.0					3 11.5
	23	1 33.3 12.5	1 33.3 20.0				1 33.3 14.3	3 11.5
25 - 29	25	1 20.0 12.5		1 20.0 25.0		1 20.0 100.0	2 40.0 28.6	5 19.2
30 - 34	26		1 33.3 20.0	1 33.3 25.0	1 33.3 100.0			3 11.5
35 - 39	27						1 100.0 14.3	1 3.8
NOT STATED	30						2 100.0 28.6	2 7.7
	Column Total	8 30.8	5 19.2	4 15.4	1 3.8	1 3.8	7 26.9	26 100.0

TABLE 1

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
STATUS MARITAL STATUS OF MOTHER Value = 1 MARRIED
RACE Value = 2 NONWHITE

AGE (Count / Row Pct / Col Pct)	BO 1ST 1	2ND 2	3RD 3	4TH 4	5TH 5	6TH 6	7TH 7	8TH 8	9TH AND OVER 9	NOT STATED 10	Row Total
13	2 100.0 .1										2 .0
14	1 33.3 .0	2 66.7 .1									3 .0
15	4 80.0 .2	1 20.0 .0									5 .0
16	8 80.0 .3	2 20.0 .1									10 .1
17	24 66.7 1.0	7 19.4 .2	3 8.3 .1	1 2.8 .1						1 2.8 4.0	36 .3
18	38 53.5 1.5	22 31.0 .6	7 9.9 .3	1 1.4 .1	3 4.2 .4						71 .6
19	92 44.4 3.7	65 31.4 1.9	32 15.5 1.2	13 6.3 .9	3 1.4 .4	1 .5 .3	1 .5 .6				207 1.8
20	123 32.7 5.0	137 36.4 4.0	72 19.1 2.7	34 9.0 2.4	10 2.7 1.3						376 3.3
21	154 28.4 6.2	185 34.1 5.3	105 19.3 3.9	59 10.9 4.1	29 5.3 3.9	5 .9 1.5	3 .6 1.8	1 .2 1.3		2 .4 8.0	543 4.7
22	172 26.0 6.9	225 34.0 6.5	157 23.7 5.9	70 10.6 4.9	22 3.3 3.0	6 .9 1.8	1 .2 .6	7 1.1 9.2		2 .3 8.0	662 5.8
23	173 25.4 7.0	233 34.3 6.7	151 22.2 5.7	79 11.6 5.5	27 4.0 3.6	10 1.5 2.9	4 .6 2.4	2 .3 2.6		1 .1 4.0	680 5.9
Column Total	2481 21.6	3463 30.1	2666 23.2	1434 12.5	742 6.5	340 3.0	169 1.5	76 .7	91 .8	25 .2	11487 100.0

(Continued)

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
STATUS MARITAL STATUS OF MOTHER Value = 1 MARRIED
RACE Value = 2 NONWHITE

AGE	Count / Row Pct / Col Pct	BO 1ST 1	2ND 2	3RD 3	4TH 4	5TH 5	6TH 6	7TH 7	8TH 8	9TH AND OVER 9	NOT STATED 10	Row Total
	24	191	233	171	77	33	18	7	3		6	739
		25.8	31.5	23.1	10.4	4.5	2.4	.9	.4		.8	6.4
		7.7	6.7	6.4	5.4	4.4	5.3	4.1	3.9		24.0	
25 - 29	25	884	1204	950	495	228	109	48	19	19	7	3963
		22.3	30.4	24.0	12.5	5.8	2.8	1.2	.5	.5	.2	34.5
		35.6	34.8	35.6	34.5	30.7	32.1	28.4	25.0	20.9	28.0	
30 - 34	26	474	831	715	378	232	94	55	25	25	6	2835
		16.7	29.3	25.2	13.3	8.2	3.3	1.9	.9	.9	.2	24.7
		19.1	24.0	26.8	26.4	31.3	27.6	32.5	32.9	27.5	24.0	
35 - 39	27	114	276	270	189	127	84	37	11	31		1139
		10.0	24.2	23.7	16.6	11.2	7.4	3.2	1.0	2.7		9.9
		4.6	8.0	10.1	13.2	17.1	24.7	21.9	14.5	34.1		
40 - 44	28	22	39	32	35	28	13	13	8	16		206
		10.7	18.9	15.5	17.0	13.6	6.3	6.3	3.9	7.8		1.8
		.9	1.1	1.2	2.4	3.8	3.8	7.7	10.5	17.6		
45 AND OVER	29	2		1	1							4
		50.0		25.0	25.0							.0
		.1		.0	.1							
NOT STATED	30	3	1		2							6
		50.0	16.7		33.3							.1
		.1	.0		.1							
	Column Total	2481	3463	2666	1434	742	340	169	76	91	25	11487
		21.6	30.1	23.2	12.5	6.5	3.0	1.5	.7	.8	.2	100.0

NORTH CAROLINA RESIDENT BIRTHS, 1993
AGE/BTH ORDR/MS/RACE

TABLE 1

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
STATUS MARITAL STATUS OF MOTHER Value = 2 NOT MARRIED
RACE Value = 2 NONWHITE

AGE	Count / Row Pct / Col Pct	BO 1ST 1	2ND 2	3RD 3	4TH 4	5TH 5	6TH 6	7TH 7	8TH 8	9TH AND OVER 9	NOT STATED 10	Row Total
	12	15										15
		100.0										.1
		.2										
	13	72	1									73
		98.6	1.4									.3
		.9	.0									
	14	218	15	2							1	236
		92.4	6.4	.8							.4	1.1
		2.8	.3	.1							3.1	
	15	544	52	5								601
		90.5	8.7	.8								2.9
		7.0	.9	.1								
	16	799	158	24	2						1	984
		81.2	16.1	2.4	.2						.1	4.7
		10.3	2.8	.7	.1						3.1	
	17	967	358	85	12	3						1425
		67.9	25.1	6.0	.8	.2						6.8
		12.5	6.3	2.3	.6	.3						
	18	1051	559	198	44	8					4	1864
		56.4	30.0	10.6	2.4	.4					.2	8.9
		13.5	9.8	5.4	2.3	.8					12.5	
	19	922	676	268	90	17	1				5	1979
		46.6	34.2	13.5	4.5	.9	.1				.3	9.5
		11.9	11.8	7.4	4.7	1.8	.2				15.6	
	20	778	613	400	164	54	18	4	1		2	2034
		38.2	30.1	19.7	8.1	2.7	.9	.2	.0		.1	9.7
		10.0	10.7	11.0	8.6	5.7	3.8	1.9	1.0		6.3	
	21	593	599	410	202	80	24	3		1	1	1913
		31.0	31.3	21.4	10.6	4.2	1.3	.2		.1	.1	9.2
		7.6	10.5	11.3	10.6	8.5	5.0	1.4		1.3	3.1	
	22	414	507	396	192	92	32	10	2	1	4	1650
		25.1	30.7	24.0	11.6	5.6	1.9	.6	.1	.1	.2	7.9
		5.3	8.9	10.9	10.1	9.8	6.7	4.8	2.0	1.3	12.5	
(Continued)	Column Total	7767	5715	3644	1908	942	476	209	101	78	32	20872
		37.2	27.4	17.5	9.1	4.5	2.3	1.0	.5	.4	.2	100.0

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
STATUS MARITAL STATUS OF MOTHER Value = 2 NOT MARRIED
RACE Value = 2 NONWHITE

AGE	Count / Row Pct / Col Pct	BO 1ST 1	2ND 2	3RD 3	4TH 4	5TH 5	6TH 6	7TH 7	8TH 8	9TH AND OVER 9	NOT STATED 10	Row Total
	23	310	371	323	180	88	31	11	6	1	1	1322
		23.4	28.1	24.4	13.6	6.7	2.3	.8	.5	.1	.1	6.3
		4.0	6.5	8.9	9.4	9.3	6.5	5.3	5.9	1.3	3.1	
	24	218	321	213	141	70	28	10	4	2	1	1008
		21.6	31.8	21.1	14.0	6.9	2.8	1.0	.4	.2	.1	4.8
		2.8	5.6	5.8	7.4	7.4	5.9	4.8	4.0	2.6	3.1	
	25	590	905	807	524	297	171	84	34	22	7	3441
25 - 29		17.1	26.3	23.5	15.2	8.6	5.0	2.4	1.0	.6	.2	16.5
		7.6	15.8	22.1	27.5	31.5	35.9	40.2	33.7	28.2	21.9	
	26	212	425	373	243	168	107	58	28	30	3	1647
30 - 34		12.9	25.8	22.6	14.8	10.2	6.5	3.5	1.7	1.8	.2	7.9
		2.7	7.4	10.2	12.7	17.8	22.5	27.8	27.7	38.5	9.4	
	27	52	135	117	91	58	59	23	19	16		570
35 - 39		9.1	23.7	20.5	16.0	10.2	10.4	4.0	3.3	2.8		2.7
		.7	2.4	3.2	4.8	6.2	12.4	11.0	18.8	20.5		
	28	7	16	20	23	5	5	6	6	5		93
40 - 44		7.5	17.2	21.5	24.7	5.4	5.4	6.5	6.5	5.4		.4
		.1	.3	.5	1.2	.5	1.1	2.9	5.9	6.4		
	29					1						1
45 AND OVER						100.0						.0
						.1						
	30	5	4	3		1			1		2	16
NOT STATED		31.3	25.0	18.8		6.3			6.3		12.5	.1
		.1	.1	.1		.1			1.0		6.3	
	Column Total	7767	5715	3644	1908	942	476	209	101	78	32	20872
		37.2	27.4	17.5	9.1	4.5	2.3	1.0	.5	.4	.2	100.0

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
STATUS MARITAL STATUS OF MOTHER Value = 3 NOT STATED
RACE Value = 2 NONWHITE

AGE	Count / Row Pct / Col Pct	BO 1 1ST	2 2ND	3 3RD	4 4TH	5 5TH	8 8TH	9 9TH AND OVER	10 NOT STATED	Row Total
	16	1 100.0 25.0								1 7.1
	18	1 100.0 25.0								1 7.1
	19								1 100.0 50.0	1 7.1
	20	1 100.0 25.0								1 7.1
	21								1 100.0 50.0	1 7.1
	22	1 100.0 25.0								1 7.1
25 - 29	25			2 66.7 66.7	1 33.3 100.0					3 21.4
30 - 34	26						1 100.0 100.0			1 7.1
35 - 39	27		1 33.3 100.0	1 33.3 33.3				1 33.3 100.0		3 21.4
40 - 44	28					1 100.0 100.0				1 7.1
	Column Total	4 28.6	1 7.1	3 21.4	1 7.1	1 7.1	1 7.1	1 7.1	2 14.3	14 100.0

Number of Missing Observations: 0

AGE OF MOTHER

BY BIRTH ORDER

BY RACE

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
XRACE Value = 0 TOTAL

AGE	Count / Row Pct / Col Pct	BO 1ST 1	2ND 2	3RD 3	4TH 4	5TH 5	6TH 6	7TH 7	8TH 8	9TH AND OVER 9	NOT STATED 10	Row Total
12		17										17
		100.0										.0
		.0										
13		91	2									93
		97.8	2.2									.1
		.3	.0									
14		301	21	2							2	326
		92.3	6.4	.6							.6	.3
		.9	.1	.0							1.4	
15		827	77	5	1							910
		90.9	8.5	.5	.1							.9
		2.3	.2	.0	.0							
16		1494	245	33	2						2	1776
		84.1	13.8	1.9	.1						.1	1.8
		4.2	.8	.2	.0						1.4	
17		2279	617	126	23	6					4	3055
		74.6	20.2	4.1	.8	.2					.1	3.0
		6.5	1.9	.7	.3	.2					2.8	
18		2690	1122	309	71	12					6	4210
		63.9	26.7	7.3	1.7	.3					.1	4.2
		7.6	3.5	1.7	.8	.3					4.2	
19		2765	1644	536	158	34	4	2			7	5150
		53.7	31.9	10.4	3.1	.7	.1	.0			.1	5.1
		7.8	5.1	2.9	1.9	.9	.2	.3			4.9	
20		2705	1882	854	314	81	24	4	1		5	5870
		46.1	32.1	14.5	5.3	1.4	.4	.1	.0		.1	5.8
		7.7	5.9	4.6	3.7	2.1	1.4	.5	.3		3.5	
21		2403	2105	1033	438	165	44	9	1	2	7	6207
		38.7	33.9	16.6	7.1	2.7	.7	.1	.0	.0	.1	6.1
		6.8	6.6	5.6	5.2	4.3	2.6	1.2	.3	.6	4.9	
22		2223	2155	1224	495	197	52	21	13	2	12	6394
		34.8	33.7	19.1	7.7	3.1	.8	.3	.2	.0	.2	6.3
		6.3	6.7	6.7	5.8	5.1	3.1	2.8	3.7	.6	8.5	
(Continued)	Column Total	35326	32028	18375	8484	3848	1697	760	347	326	142	101333
		34.9	31.6	18.1	8.4	3.8	1.7	.8	.3	.3	.1	100.0

NORTH CAROLINA RESIDENT BIRTHS, 1993
AGE/BTH ORDR/RACE

TABLE 2

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
XRACE Value = 0 TOTAL

AGE	BO Count / Row Pct / Col Pct	1ST 1	2ND 2	3RD 3	4TH 4	5TH 5	6TH 6	7TH 7	8TH 8	9TH AND OVER 9	NOT STATED 10	Row Total
	23	1974	1983	1124	497	187	74	24	11	3	11	5888
		33.5	33.7	19.1	8.4	3.2	1.3	.4	.2	.1	.2	5.8
		5.6	6.2	6.1	5.9	4.9	4.4	3.2	3.2	.9	7.7	
	24	1755	1881	1057	496	194	81	33	13	4	12	5526
		31.8	34.0	19.1	9.0	3.5	1.5	.6	.2	.1	.2	5.5
		5.0	5.9	5.8	5.8	5.0	4.8	4.3	3.7	1.2	8.5	
	25	8231	9148	5382	2460	1133	509	224	100	73	35	27295
25 - 29		30.2	33.5	19.7	9.0	4.2	1.9	.8	.4	.3	.1	26.9
		23.3	28.6	29.3	29.0	29.4	30.0	29.5	28.8	22.4	24.6	
	26	4321	6861	4677	2245	1120	512	240	97	108	27	20208
30 - 34		21.4	34.0	23.1	11.1	5.5	2.5	1.2	.5	.5	.1	19.9
		12.2	21.4	25.5	26.5	29.1	30.2	31.6	28.0	33.1	19.0	
	27	1080	2015	1770	1101	612	335	151	87	95	7	7253
35 - 39		14.9	27.8	24.4	15.2	8.4	4.6	2.1	1.2	1.3	.1	7.2
		3.1	6.3	9.6	13.0	15.9	19.7	19.9	25.1	29.1	4.9	
	28	133	248	233	175	100	62	49	22	38		1060
40 - 44		12.5	23.4	22.0	16.5	9.4	5.8	4.6	2.1	3.6		1.0
		.4	.8	1.3	2.1	2.6	3.7	6.4	6.3	11.7		
	29	8	6	5	6	4		3		1		33
45 AND OVER		24.2	18.2	15.2	18.2	12.1		9.1		3.0		.0
		.0	.0	.0	.1	.1		.4		.3		
	30	29	16	5	2	3			2		5	62
NOT STATED		46.8	25.8	8.1	3.2	4.8			3.2		8.1	.1
		.1	.0	.0	.0	.1			.6		3.5	
	Column Total	35326	32028	18375	8484	3848	1697	760	347	326	142	101333
		34.9	31.6	18.1	8.4	3.8	1.7	.8	.3	.3	.1	100.0

Number of Missing Observations: 0

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
RACE Value = 1 WHITE

AGE	BO: 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	Row Total
12	2										2
	100.0										.0
	.0										
13	17	1									18
	94.4	5.6									.0
	.1	.0									
14	82	4								1	87
	94.3	4.6								1.1	.1
	.3	.0								1.2	
15	279	24		1							304
	91.8	7.9		.3							.4
	1.1	.1		.0							
16	686	85	9							1	781
	87.8	10.9	1.2							.1	1.1
	2.7	.4	.1							1.2	
17	1288	252	38	10	3					3	1594
	80.8	15.8	2.4	.6	.2					.2	2.3
	5.1	1.1	.3	.2	.1					3.6	
18	1600	541	104	26	1					2	2274
	70.4	23.8	4.6	1.1	.0					.1	3.3
	6.4	2.4	.9	.5	.0					2.4	
19	1751	903	236	55	14	2	1			1	2963
	59.1	30.5	8.0	1.9	.5	.1	.0			.0	4.3
	7.0	4.0	2.0	1.1	.6	.2	.3			1.2	
20	1803	1132	382	116	17	6				3	3459
	52.1	32.7	11.0	3.4	.5	.2				.1	5.0
	7.2	5.0	3.2	2.3	.8	.7				3.6	
21	1656	1321	518	177	56	15	3		1	3	3750
	44.2	35.2	13.8	4.7	1.5	.4	.1		.0	.1	5.4
	6.6	5.8	4.3	3.4	2.6	1.7	.8		.6	3.6	
22	1636	1423	671	233	83	14	10	4	1	6	4081
	40.1	34.9	16.4	5.7	2.0	.3	.2	.1	.0	.1	5.9
	6.5	6.2	5.6	4.5	3.8	1.6	2.6	2.4	.6	7.2	
Column Total	25074	22849	12062	5141	2163	881	382	169	156	83	68960
	36.4	33.1	17.5	7.5	3.1	1.3	.6	.2	.2	.1	100.0

(Continued)

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
RACE Value = 1 WHITE

AGE	Count / Row Pct / Col Pct	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	Row Total
	23	1491	1379	650	238	72	33	9	3	2	9	3886
		38.4	35.5	16.7	6.1	1.9	.8	.2	.1	.1	.2	5.6
		5.9	6.0	5.4	4.6	3.3	3.7	2.4	1.8	1.3	10.8	
	24	1346	1327	673	278	91	35	16	6	2	5	3779
		35.6	35.1	17.8	7.4	2.4	.9	.4	.2	.1	.1	5.5
		5.4	5.8	5.6	5.4	4.2	4.0	4.2	3.6	1.3	6.0	
	25	6757	7039	3623	1440	608	229	92	47	32	21	19888
25 - 29		34.0	35.4	18.2	7.2	3.1	1.2	.5	.2	.2	.1	28.8
		26.9	30.8	30.0	28.0	28.1	26.0	24.1	27.8	20.5	25.3	
	26	3635	5605	3589	1624	720	311	127	43	53	18	15725
30 - 34		23.1	35.6	22.8	10.3	4.6	2.0	.8	.3	.3	.1	22.8
		14.5	24.5	29.8	31.6	33.3	35.3	33.2	25.4	34.0	21.7	
	27	914	1603	1382	821	427	192	91	57	47	7	5541
35 - 39		16.5	28.9	24.9	14.8	7.7	3.5	1.6	1.0	.8	.1	8.0
		3.6	7.0	11.5	16.0	19.7	21.8	23.8	33.7	30.1	8.4	
	28	104	193	181	117	66	44	30	8	17		760
40 - 44		13.7	25.4	23.8	15.4	8.7	5.8	3.9	1.1	2.2		1.1
		.4	.8	1.5	2.3	3.1	5.0	7.9	4.7	10.9		
	29	6	6	4	5	3		3		1		28
45 AND OVER		21.4	21.4	14.3	17.9	10.7		10.7		3.6		.0
		.0	.0	.0	.1	.1		.8		.6		
	30	21	11	2		2			1		3	40
NOT STATED		52.5	27.5	5.0		5.0			2.5		7.5	.1
		.1	.0	.0		.1			.6		3.6	
	Column Total	25074	22849	12062	5141	2163	881	382	169	156	83	68960
		36.4	33.1	17.5	7.5	3.1	1.3	.6	.2	.2	.1	100.0

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
RACE Value = 2 NONWHITE

AGE	Count / Row Pct / Col Pct	BO 1ST 1	2ND 2	3RD 3	4TH 4	5TH 5	6TH 6	7TH 7	8TH 8	9TH AND OVER 9	NOT STATED 10	Row Total
12		15										15
		100.0										.0
		.1										
13		74	1									75
		98.7	1.3									.2
		.7	.0									
14		219	17	2							1	239
		91.6	7.1	.8							.4	.7
		2.1	.2	.0							1.7	
15		548	53	5								606
		90.4	8.7	.8								1.9
		5.3	.6	.1								
16		808	160	24	2						1	995
		81.2	16.1	2.4	.2						.1	3.1
		7.9	1.7	.4	.1						1.7	
17		991	365	88	13	3					1	1461
		67.8	25.0	6.0	.9	.2					.1	4.5
		9.7	4.0	1.4	.4	.2					1.7	
18		1090	581	205	45	11					4	1936
		56.3	30.0	10.6	2.3	.6					.2	6.0
		10.6	6.3	3.2	1.3	.7					6.8	
19		1014	741	300	103	20	2	1			6	2187
		46.4	33.9	13.7	4.7	.9	.1	.0			.3	6.8
		9.9	8.1	4.8	3.1	1.2	.2	.3			10.2	
20		902	750	472	198	64	18	4	1		2	2411
		37.4	31.1	19.6	8.2	2.7	.7	.2	.0		.1	7.4
		8.8	8.2	7.5	5.9	3.8	2.2	1.1	.6		3.4	
21		747	784	515	261	109	29	6	1	1	4	2457
		30.4	31.9	21.0	10.6	4.4	1.2	.2	.0	.0	.2	7.6
		7.3	8.5	8.2	7.8	6.5	3.6	1.6	.6	.6	6.8	
22		587	732	553	262	114	38	11	9	1	6	2313
		25.4	31.6	23.9	11.3	4.9	1.6	.5	.4	.0	.3	7.1
		5.7	8.0	8.8	7.8	6.8	4.7	2.9	5.1	.6	10.2	
(Continued)	Column Total	10252 31.7	9179 28.4	6313 19.5	3343 10.3	1685 5.2	816 2.5	378 1.2	178 .5	170 .5	59 .2	32373 100.0

TABLE 2

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
RACE Value = 2 NONWHITE

AGE	BO: 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	Row Total
23	483	604	474	259	115	41	15	8	1	2	2002
	24.1	30.2	23.7	12.9	5.7	2.0	.7	.4	.0	.1	6.2
	4.7	6.6	7.5	7.7	6.8	5.0	4.0	4.5	.6	3.4	
24	409	554	384	218	103	46	17	7	2	7	1747
	23.4	31.7	22.0	12.5	5.9	2.6	1.0	.4	.1	.4	5.4
	4.0	6.0	6.1	6.5	6.1	5.6	4.5	3.9	1.2	11.9	
25 - 29 (25)	1474	2109	1759	1020	525	280	132	53	41	14	7407
	19.9	28.5	23.7	13.8	7.1	3.8	1.8	.7	.6	.2	22.9
	14.4	23.0	27.9	30.5	31.2	34.3	34.9	29.8	24.1	23.7	
30 - 34 (26)	686	1256	1088	621	400	201	113	54	55	9	4483
	15.3	28.0	24.3	13.9	8.9	4.5	2.5	1.2	1.2	.2	13.8
	6.7	13.7	17.2	18.6	23.7	24.6	29.9	30.3	32.4	15.3	
35 - 39 (27)	166	412	388	280	185	143	60	30	48		1712
	9.7	24.1	22.7	16.4	10.8	8.4	3.5	1.8	2.8		5.3
	1.6	4.5	6.1	8.4	11.0	17.5	15.9	16.9	28.2		
40 - 44 (28)	29	55	52	58	34	18	19	14	21		300
	9.7	18.3	17.3	19.3	11.3	6.0	6.3	4.7	7.0		.9
	.3	.6	.8	1.7	2.0	2.2	5.0	7.9	12.4		
45 AND OVER (29)	2		1	1	1						5
	40.0		20.0	20.0	20.0						.0
	.0		.0	.0	.1						
NOT STATED (30)	8	5	3	2	1			1		2	22
	36.4	22.7	13.6	9.1	4.5			4.5		9.1	.1
	.1	.1	.0	.1	.1			.6		3.4	
Column Total	10252	9179	6313	3343	1685	816	378	178	170	59	32373
	31.7	28.4	19.5	10.3	5.2	2.5	1.2	.5	.5	.2	100.0

Number of Missing Observations: 0

AGE OF MOTHER

BY BIRTH WEIGHT

BY RACE

AGE AGE OF MOTHER by BW BIRTH WEIGHT IN GRAMS
Controlling for..
XRACE Value = 0 TOTAL

AGE	Count / Row Pct / Col Pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
12		1	5	11		17
		5.9	29.4	64.7		.0
		.1	.1	.0		
13		5	11	77		93
		5.4	11.8	82.8		.1
		.3	.2	.1		
14		9	32	285		326
		2.8	9.8	87.4		.3
		.5	.5	.3		
15		17	90	801	2	910
		1.9	9.9	88.0	.2	.9
		.9	1.3	.9	4.3	
16		40	164	1568	4	1776
		2.3	9.2	88.3	.2	1.8
		2.2	2.4	1.7	8.7	
17		81	253	2720	1	3055
		2.7	8.3	89.0	.0	3.0
		4.5	3.6	2.9	2.2	
18		97	356	3755	2	4210
		2.3	8.5	89.2	.0	4.2
		5.3	5.1	4.1	4.3	
19		113	388	4646	3	5150
		2.2	7.5	90.2	.1	5.1
		6.2	5.6	5.0	6.5	
20		105	449	5315	1	5870
		1.8	7.6	90.5	.0	5.8
		5.8	6.5	5.7	2.2	
21		101	443	5661	2	6207
		1.6	7.1	91.2	.0	6.1
		5.6	6.4	6.1	4.3	
22		132	437	5822	3	6394
		2.1	6.8	91.1	.0	6.3
		7.3	6.3	6.3	6.5	
	Column Total	1815	6953	92519	46	101333
		1.8	6.9	91.3	.0	100.0

(Continued)

AGE AGE OF MOTHER by BW BIRTH WEIGHT IN GRAMS
Controlling for..
XRACE Value = 0 TOTAL

Page 2 of 2

AGE	Count / Row Pct / Col Pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
	23	98	394	5393	3	5888
		1.7	6.7	91.6	.1	5.8
		5.4	5.7	5.8	6.5	
	24	104	320	5099	3	5526
		1.9	5.8	92.3	.1	5.5
		5.7	4.6	5.5	6.5	
	25	423	1692	25167	13	27295
25 - 29		1.5	6.2	92.2	.0	26.9
		23.3	24.3	27.2	28.3	
	26	336	1263	18603	6	20208
30 - 34		1.7	6.3	92.1	.0	19.9
		18.5	18.2	20.1	13.0	
	27	127	544	6580	2	7253
35 - 39		1.8	7.5	90.7	.0	7.2
		7.0	7.8	7.1	4.3	
	28	24	101	935		1060
40 - 44		2.3	9.5	88.2		1.0
		1.3	1.5	1.0		
	29		4	29		33
45 AND OVER			12.1	87.9		.0
			.1	.0		
	30	2	7	52	1	62
NOT STATED		3.2	11.3	83.9	1.6	.1
		.1	.1	.1	2.2	
	Column Total	1815	6953	92519	46	101333
		1.8	6.9	91.3	.0	100.0

Number of Missing Observations: 0

AGE AGE OF MOTHER by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 1 WHITE

Page 1 of 2

AGE	Count / Row Pct / Col Pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
12				2		2
				100.0		.0
				.0		
13			3	15		18
			16.7	83.3		.0
			.1	.0		
14		3	9	75		87
		3.4	10.3	86.2		.1
		.4	.2	.1		
15		2	28	274		304
		.7	9.2	90.1		.4
		.2	.7	.4		
16		11	70	699	1	781
		1.4	9.0	89.5	.1	1.1
		1.3	1.9	1.1	3.8	
17		26	102	1466		1594
		1.6	6.4	92.0		2.3
		3.2	2.7	2.3		
18		38	159	2077		2274
		1.7	7.0	91.3		3.3
		4.7	4.2	3.2		
19		42	176	2743	2	2963
		1.4	5.9	92.6	.1	4.3
		5.2	4.7	4.3	7.7	
20		33	218	3208		3459
		1.0	6.3	92.7		5.0
		4.0	5.8	5.0		
21		33	220	3496	1	3750
		.9	5.9	93.2	.0	5.4
		4.0	5.9	5.4	3.8	
22		60	229	3790	2	4081
		1.5	5.6	92.9	.0	5.9
		7.4	6.1	5.9	7.7	
	Column	815	3744	64375	26	68960
(Continued)	Total	1.2	5.4	93.4	.0	100.0

NORTH CAROLINA RESIDENT BIRTHS, 1993
AGE/BTH WT/RACE

TABLE 3

AGE AGE OF MOTHER by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 1 WHITE

Page 2 of 2

AGE	Count / Row Pct / Col Pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
	23	47	193	3644	2	3886
		1.2	5.0	93.8	.1	5.6
		5.8	5.2	5.7	7.7	
	24	43	186	3547	3	3779
		1.1	4.9	93.9	.1	5.5
		5.3	5.0	5.5	11.5	
25 - 29	25	213	937	18729	9	19888
		1.1	4.7	94.2	.0	28.8
		26.1	25.0	29.1	34.6	
30 - 34	26	183	798	14740	4	15725
		1.2	5.1	93.7	.0	22.8
		22.5	21.3	22.9	15.4	
35 - 39	27	68	349	5123	1	5541
		1.2	6.3	92.5	.0	8.0
		8.3	9.3	8.0	3.8	
40 - 44	28	13	59	688		760
		1.7	7.8	90.5		1.1
		1.6	1.6	1.1		
45 AND OVER	29		3	25		28
			10.7	89.3		.0
			.1	.0		
NOT STATED	30		5	34	1	40
			12.5	85.0	2.5	.1
			.1	.1	3.8	
	Column Total	815	3744	64375	26	68960
		1.2	5.4	93.4	.0	100.0

AGE AGE OF MOTHER by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 2 NONWHITE

Page 1 of 2

AGE	Count / Row Pct / Col Pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
	12	1	5	9		15
		6.7	33.3	60.0		.0
		.1	.2	.0		
	13	5	8	62		75
		6.7	10.7	82.7		.2
		.5	.2	.2		
	14	6	23	210		239
		2.5	9.6	87.9		.7
		.6	.7	.7		
	15	15	62	527	2	606
		2.5	10.2	87.0	.3	1.9
		1.5	1.9	1.9	10.0	
	16	29	94	869	3	995
		2.9	9.4	87.3	.3	3.1
		2.9	2.9	3.1	15.0	
	17	55	151	1254	1	1461
		3.8	10.3	85.8	.1	4.5
		5.5	4.7	4.5	5.0	
	18	59	197	1678	2	1936
		3.0	10.2	86.7	.1	6.0
		5.9	6.1	6.0	10.0	
	19	71	212	1903	1	2187
		3.2	9.7	87.0	.0	6.8
		7.1	6.6	6.8	5.0	
	20	72	231	2107	1	2411
		3.0	9.6	87.4	.0	7.4
		7.2	7.2	7.5	5.0	
	21	68	223	2165	1	2457
		2.8	9.1	88.1	.0	7.6
		6.8	6.9	7.7	5.0	
	22	72	208	2032	1	2313
		3.1	9.0	87.9	.0	7.1
		7.2	6.5	7.2	5.0	
	Column Total	1000	3209	28144	20	32373
		3.1	9.9	86.9	.1	100.0

(Continued)

AGE AGE OF MOTHER by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 2 NONWHITE

Page 2 of 2

AGE	Count / Row Pct / Col Pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
	23	51	201	1749	1	2002
		2.5	10.0	87.4	.0	6.2
		5.1	6.3	6.2	5.0	
	24	61	134	1552		1747
		3.5	7.7	88.8		5.4
		6.1	4.2	5.5		
	25	210	755	6438	4	7407
25 - 29		2.8	10.2	86.9	.1	22.9
		21.0	23.5	22.9	20.0	
	26	153	465	3863	2	4483
30 - 34		3.4	10.4	86.2	.0	13.8
		15.3	14.5	13.7	10.0	
	27	59	195	1457	1	1712
35 - 39		3.4	11.4	85.1	.1	5.3
		5.9	6.1	5.2	5.0	
	28	11	42	247		300
40 - 44		3.7	14.0	82.3		.9
		1.1	1.3	.9		
	29		1	4		5
45 AND OVER			20.0	80.0		.0
			.0	.0		
	30	2	2	18		22
NOT STATED		9.1	9.1	81.8		.1
		.2	.1	.1		
	Column Total	1000	3209	28144	20	32373
		3.1	9.9	86.9	.1	100.0

Number of Missing Observations: 0

EDUCATION OF MOTHER

BY BIRTH WEIGHT

BY RACE

EDUC EDUCATION OF MOTHER by BW BIRTH WEIGHT IN GRAMS
Controlling for..
XRACE Value = 0 TOTAL

Page 1 of 1

EDUC	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
1 NONE OR ELEM.	59	285	3198	1	3543
Row Pct	1.7	8.0	90.3	.0	3.5
Col Pct	3.3	4.1	3.5	2.2	
2 H.S. 1-3 YEARS	441	1720	16173	16	18350
Row Pct	2.4	9.4	88.1	.1	18.1
Col Pct	24.3	24.7	17.5	34.8	
3 H.S. 4 YEARS	700	2690	34767	11	38168
Row Pct	1.8	7.0	91.1	.0	37.7
Col Pct	38.6	38.7	37.6	23.9	
4 COL.1-3 YEARS	387	1340	20119	3	21849
Row Pct	1.8	6.1	92.1	.0	21.6
Col Pct	21.3	19.3	21.7	6.5	
5 COL. 4+ YEARS	215	908	18131	4	19258
Row Pct	1.1	4.7	94.1	.0	19.0
Col Pct	11.8	13.1	19.6	8.7	
6 NOT STATED	13	10	131	11	165
Row Pct	7.9	6.1	79.4	6.7	.2
Col Pct	.7	.1	.1	23.9	
Column Total	1815	6953	92519	46	101333
	1.8	6.9	91.3	.0	100.0

Number of Missing Observations: 0

NORTH CAROLINA RESIDENT BIRTHS, 1993
ED/BTH WT/RACE

TABLE 4

EDUC EDUCATION OF MOTHER by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 1 WHITE

EDUC	BW: Count / Row Pct / Col Pct	UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
NONE OR ELEM.	1	27	180	2242		2449
		1.1	7.3	91.5		3.6
		3.3	4.8	3.5		
H.S. 1-3 YEARS	2	167	803	9378	7	10355
		1.6	7.8	90.6	.1	15.0
		20.5	21.4	14.6	26.9	
H.S. 4 YEARS	3	298	1306	22548	7	24159
		1.2	5.4	93.3	.0	35.0
		36.6	34.9	35.0	26.9	
COL.1-3 YEARS	4	179	781	14681	2	15643
		1.1	5.0	93.9	.0	22.7
		22.0	20.9	22.8	7.7	
COL. 4+ YEARS	5	139	667	15447	3	16256
		.9	4.1	95.0	.0	23.6
		17.1	17.8	24.0	11.5	
NOT STATED	6	5	7	79	7	98
		5.1	7.1	80.6	7.1	.1
		.6	.2	.1	26.9	
	Column Total	815	3744	64375	26	68960
		1.2	5.4	93.4	.0	100.0

EDUC EDUCATION OF MOTHER by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 2 NONWHITE

Page 1 of 1

EDUC	Count / Row Pct / Col Pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
NONE OR ELEM.	1	32	105	956	1	1094
		2.9	9.6	87.4	.1	3.4
		3.2	3.3	3.4	5.0	
H.S. 1-3 YEARS	2	274	917	6795	9	7995
		3.4	11.5	85.0	.1	24.7
		27.4	28.6	24.1	45.0	
H.S. 4 YEARS	3	402	1384	12219	4	14009
		2.9	9.9	87.2	.0	43.3
		40.2	43.1	43.4	20.0	
COL.1-3 YEARS	4	208	559	5438	1	6206
		3.4	9.0	87.6	.0	19.2
		20.8	17.4	19.3	5.0	
COL. 4+ YEARS	5	76	241	2684	1	3002
		2.5	8.0	89.4	.0	9.3
		7.6	7.5	9.5	5.0	
NOT STATED	6	8	3	52	4	67
		11.9	4.5	77.6	6.0	.2
		.8	.1	.2	20.0	
	Column Total	1000	3209	28144	20	32373
		3.1	9.9	86.9	.1	100.0

Number of Missing Observations: 0

MONTH PRENATAL CARE BEGAN

BY EDUCATION OF MOTHER

BY RACE

MPCB MONTH PRENATAL CARE BEGAN by EDUC EDUCATION OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

Page 1 of 1

MPCB	Count / Row Pct / Col Pct	EDUC NONE OR ELEM. 1	H.S. 1-3 YEARS 2	H.S. 4 YEARS 3	COL.1-3 YEARS 4	COL. 4+ YEARS 5	NOT STATED 6	Row Total
NONE	0	91	444	517	161	53	13	1279
		7.1	34.7	40.4	12.6	4.1	1.0	1.3
		2.6	2.4	1.4	.7	.3	7.9	
FIRST MONTH	1	294	1909	5680	4342	5084	17	17326
		1.7	11.0	32.8	25.1	29.3	.1	17.1
		8.3	10.4	14.9	19.9	26.4	10.3	
SECOND MONTH	2	1035	6059	16602	10971	11059	39	45765
		2.3	13.2	36.3	24.0	24.2	.1	45.2
		29.2	33.0	43.5	50.2	57.4	23.6	
THIRD MONTH	3	752	3994	7714	3682	2251	28	18421
		4.1	21.7	41.9	20.0	12.2	.2	18.2
		21.2	21.8	20.2	16.9	11.7	17.0	
FOURTH MONTH	4	488	2345	3514	1361	452	16	8176
		6.0	28.7	43.0	16.6	5.5	.2	8.1
		13.8	12.8	9.2	6.2	2.3	9.7	
FIFTH MONTH	5	359	1564	1911	627	173	8	4642
		7.7	33.7	41.2	13.5	3.7	.2	4.6
		10.1	8.5	5.0	2.9	.9	4.8	
SIXTH MONTH	6	224	985	1090	318	79	9	2705
		8.3	36.4	40.3	11.8	2.9	.3	2.7
		6.3	5.4	2.9	1.5	.4	5.5	
SEVENTH MONTH	7	145	578	626	216	51	4	1620
		9.0	35.7	38.6	13.3	3.1	.2	1.6
		4.1	3.1	1.6	1.0	.3	2.4	
EIGHTH MONTH	8	100	300	309	101	23	2	835
		12.0	35.9	37.0	12.1	2.8	.2	.8
		2.8	1.6	.8	.5	.1	1.2	
NINTH MONTH	9	28	85	95	27	16	7	258
		10.9	32.9	36.8	10.5	6.2	2.7	.3
		.8	.5	.2	.1	.1	4.2	
NOT STATED	10	27	87	110	43	17	22	306
		8.8	28.4	35.9	14.1	5.6	7.2	.3
		.8	.5	.3	.2	.1	13.3	
	Column Total	3543	18350	38168	21849	19258	165	101333
		3.5	18.1	37.7	21.6	19.0	.2	100.0

Number of Missing Observations: 0

TABLE 5

MPCB MONTH PRENATAL CARE BEGAN by EDUC EDUCATION OF MOTHER
Controlling for..
RACE Value = 1 WHITE

MPCB	Count / Row Pct / Col Pct	EDUC: NONE OR ELEM. 1	H.S. 1-3 YEARS 2	H.S. 4 YEARS 3	COL.1-3 YEARS 4	COL. 4+ YEARS 5	NOT STATED 6	Row Total
NONE	0	54 12.8 2.2	112 26.5 1.1	149 35.3 .6	66 15.6 .4	35 8.3 .2	6 1.4 6.1	422 .6
FIRST MONTH	1	219 1.7 8.9	1195 9.0 11.5	4045 30.5 16.7	3368 25.4 21.5	4424 33.4 27.2	13 .1 13.3	13264 19.2
SECOND MONTH	2	779 2.2 31.8	4013 11.6 38.8	11900 34.3 49.3	8432 24.3 53.9	9555 27.5 58.8	25 .1 25.5	34704 50.3
THIRD MONTH	3	537 4.6 21.9	2354 20.0 22.7	4656 39.6 19.3	2442 20.8 15.6	1740 14.8 10.7	16 .1 16.3	11745 17.0
FOURTH MONTH	4	332 7.6 13.6	1211 27.9 11.7	1747 40.2 7.2	749 17.3 4.8	296 6.8 1.8	7 .2 7.1	4342 6.3
FIFTH MONTH	5	213 10.2 8.7	701 33.6 6.8	801 38.3 3.3	275 13.2 1.8	93 4.5 .6	6 .3 6.1	2089 3.0
SIXTH MONTH	6	132 11.6 5.4	385 33.9 3.7	441 38.8 1.8	124 10.9 .8	49 4.3 .3	5 .4 5.1	1136 1.6
SEVENTH MONTH	7	83 13.0 3.4	211 33.0 2.0	224 35.1 .9	93 14.6 .6	27 4.2 .2	1 .2 1.0	639 .9
EIGHTH MONTH	8	67 20.2 2.7	98 29.6 .9	102 30.8 .4	50 15.1 .3	14 4.2 .1		331 .5
NINTH MONTH	9	18 15.7 .7	30 26.1 .3	39 33.9 .2	14 12.2 .1	9 7.8 .1	5 4.3 5.1	115 .2
NOT STATED	10	15 8.7 .6	45 26.0 .4	55 31.8 .2	30 17.3 .2	14 8.1 .1	14 8.1 14.3	173 .3
	Column Total	2449 3.6	10355 15.0	24159 35.0	15643 22.7	16256 23.6	98 .1	68960 100.0

MPCB MONTH PRENATAL CARE BEGAN by EDUC EDUCATION OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

MPCB	Count / Row Pct / Col Pct	EDUC: NONE OR ELEM. 1	H.S. 1-3 YEARS 2	H.S. 4 YEARS 3	COL.1-3 YEARS 4	COL. 4+ YEARS 5	NOT STATED 6	Row Total
NONE	0	37 4.3 3.4	332 38.7 4.2	368 42.9 2.6	95 11.1 1.5	18 2.1 .6	7 .8 10.4	857 2.6
FIRST MONTH	1	75 1.8 6.9	714 17.6 8.9	1635 40.3 11.7	974 24.0 15.7	660 16.2 22.0	4 .1 6.0	4062 12.5
SECOND MONTH	2	256 2.3 23.4	2046 18.5 25.6	4702 42.5 33.6	2539 23.0 40.9	1504 13.6 50.1	14 .1 20.9	11061 34.2
THIRD MONTH	3	215 3.2 19.7	1640 24.6 20.5	3058 45.8 21.8	1240 18.6 20.0	511 7.7 17.0	12 .2 17.9	6676 20.6
FOURTH MONTH	4	156 4.1 14.3	1134 29.6 14.2	1767 46.1 12.6	612 16.0 9.9	156 4.1 5.2	9 .2 13.4	3834 11.8
FIFTH MONTH	5	146 5.7 13.3	863 33.8 10.8	1110 43.5 7.9	352 13.8 5.7	80 3.1 2.7	2 .1 3.0	2553 7.9
SIXTH MONTH	6	92 5.9 8.4	600 38.2 7.5	649 41.4 4.6	194 12.4 3.1	30 1.9 1.0	4 .3 6.0	1569 4.8
SEVENTH MONTH	7	62 6.3 5.7	367 37.4 4.6	402 41.0 2.9	123 12.5 2.0	24 2.4 .8	3 .3 4.5	981 3.0
EIGHTH MONTH	8	33 6.5 3.0	202 40.1 2.5	207 41.1 1.5	51 10.1 .8	9 1.8 .3	2 .4 3.0	504 1.6
NINTH MONTH	9	10 7.0 .9	55 38.5 .7	56 39.2 .4	13 9.1 .2	7 4.9 .2	2 1.4 3.0	143 .4
NOT STATED	10	12 9.0 1.1	42 31.6 .5	55 41.4 .4	13 9.8 .2	3 2.3 .1	8 6.0 11.9	133 .4
	Column Total	1094 3.4	7995 24.7	14009 43.3	6206 19.2	3002 9.3	67 .2	32373 100.0

Number of Missing Observations: 0

MONTH PRENATAL CARE BEGAN

BY AGE OF MOTHER

BY RACE

MPCB MONTH PRENATAL CARE BEGAN by AGE AGE OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

MPCB	Count / Row Pct / Col Pct	AGE 12	13	14	15	16	17	18	19	20	21	22	Row Total
NONE	0	1	4	14	21	33	60	86	92	99	107	86	1279
		.1	.3	1.1	1.6	2.6	4.7	6.7	7.2	7.7	8.4	6.7	1.3
		5.9	4.3	4.3	2.3	1.9	2.0	2.0	1.8	1.7	1.7	1.3	
FIRST MONTH	1		2	22	62	138	269	411	526	669	817	881	17326
			.0	.1	.4	.8	1.6	2.4	3.0	3.9	4.7	5.1	17.1
			2.2	6.7	6.8	7.8	8.8	9.8	10.2	11.4	13.2	13.8	
SECOND MONTH	2	2	15	64	226	501	940	1332	1790	2184	2384	2668	45765
		.0	.0	.1	.5	1.1	2.1	2.9	3.9	4.8	5.2	5.8	45.2
		11.8	16.1	19.6	24.8	28.2	30.8	31.6	34.8	37.2	38.4	41.7	
THIRD MONTH	3	3	13	64	200	430	724	988	1188	1295	1253	1297	18421
		.0	.1	.3	1.1	2.3	3.9	5.4	6.4	7.0	6.8	7.0	18.2
		17.6	14.0	19.6	22.0	24.2	23.7	23.5	23.1	22.1	20.2	20.3	
FOURTH MONTH	4	1	14	58	141	262	413	544	643	693	733	657	8176
		.0	.2	.7	1.7	3.2	5.1	6.7	7.9	8.5	9.0	8.0	8.1
		5.9	15.1	17.8	15.5	14.8	13.5	12.9	12.5	11.8	11.8	10.3	
FIFTH MONTH	5	2	22	42	110	203	288	374	404	410	435	330	4642
		.0	.5	.9	2.4	4.4	6.2	8.1	8.7	8.8	9.4	7.1	4.6
		11.8	23.7	12.9	12.1	11.4	9.4	8.9	7.8	7.0	7.0	5.2	
SIXTH MONTH	6	2	8	33	67	105	163	244	239	271	215	239	2705
		.1	.3	1.2	2.5	3.9	6.0	9.0	8.8	10.0	7.9	8.8	2.7
		11.8	8.6	10.1	7.4	5.9	5.3	5.8	4.6	4.6	3.5	3.7	
SEVENTH MONTH	7	4	8	16	45	64	102	143	156	140	134	122	1620
		.2	.5	1.0	2.8	4.0	6.3	8.8	9.6	8.6	8.3	7.5	1.6
		23.5	8.6	4.9	4.9	3.6	3.3	3.4	3.0	2.4	2.2	1.9	
EIGHTH MONTH	8		4	8	28	26	59	57	72	69	88	69	835
			.5	1.0	3.4	3.1	7.1	6.8	8.6	8.3	10.5	8.3	.8
			4.3	2.5	3.1	1.5	1.9	1.4	1.4	1.2	1.4	1.1	
NINTH MONTH	9	1	1	2	5	4	18	13	25	30	15	23	258
		.4	.4	.8	1.9	1.6	7.0	5.0	9.7	11.6	5.8	8.9	.3
		5.9	1.1	.6	.5	.2	.6	.3	.5	.5	.2	.4	
NOT STATED	10	1	2	3	5	10	19	18	15	10	26	22	306
		.3	.7	1.0	1.6	3.3	6.2	5.9	4.9	3.3	8.5	7.2	.3
		5.9	2.2	.9	.5	.6	.6	.4	.3	.2	.4	.3	
(Continued)	Column Total	17	93	326	910	1776	3055	4210	5150	5870	6207	6394	101333
		.0	.1	.3	.9	1.8	3.0	4.2	5.1	5.8	6.1	6.3	100.0

TABLE 6

MPCB MONTH PRENATAL CARE BEGAN by AGE AGE OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

MPCB	AGE: 23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	Row Total
0 NONE	75 5.9 1.3	55 4.3 1.0	292 22.8 1.1	162 12.7 .8	70 5.5 1.0	18 1.4 1.7	1 .1 3.0	3 .2 4.8	1279 1.3
1 FIRST MONTH	848 4.9 14.4	937 5.4 17.0	5458 31.5 20.0	4466 25.8 22.1	1594 9.2 22.0	209 1.2 19.7	8 .0 24.2	9 .1 14.5	17326 17.1
2 SECOND MONTH	2624 5.7 44.6	2477 5.4 44.8	13545 29.6 49.6	10769 23.5 53.3	3694 8.1 50.9	519 1.1 49.0	9 .0 27.3	22 .0 35.5	45765 45.2
3 THIRD MONTH	1128 6.1 19.2	1102 6.0 19.9	4505 24.5 16.5	2943 16.0 14.6	1111 6.0 15.3	161 .9 15.2	8 .0 24.2	8 .0 12.9	18421 18.2
4 FOURTH MONTH	540 6.6 9.2	432 5.3 7.8	1672 20.5 6.1	923 11.3 4.6	377 4.6 5.2	63 .8 5.9	4 .0 12.1	6 .1 9.7	8176 8.1
5 FIFTH MONTH	278 6.0 4.7	236 5.1 4.3	811 17.5 3.0	447 9.6 2.2	201 4.3 2.8	42 .9 4.0	2 .0 6.1	5 .1 8.1	4642 4.6
6 SIXTH MONTH	188 7.0 3.2	137 5.1 2.5	452 16.7 1.7	234 8.7 1.2	85 3.1 1.2	19 .7 1.8		4 .1 6.5	2705 2.7
7 SEVENTH MONTH	108 6.7 1.8	67 4.1 1.2	294 18.1 1.1	124 7.7 .6	72 4.4 1.0	18 1.1 1.7	1 .1 3.0	2 .1 3.2	1620 1.6
8 EIGHTH MONTH	64 7.7 1.1	46 5.5 .8	143 17.1 .5	72 8.6 .4	24 2.9 .3	6 .7 .6			835 .8
9 NINTH MONTH	13 5.0 .2	14 5.4 .3	43 16.7 .2	32 12.4 .2	14 5.4 .2	4 1.6 .4		1 .4 1.6	258 .3
10 NOT STATED	22 7.2 .4	23 7.5 .4	80 26.1 .3	36 11.8 .2	11 3.6 .2	1 .3 .1		2 .7 3.2	306 .3
Column Total	5888 5.8	5526 5.5	27295 26.9	20208 19.9	7253 7.2	1060 1.0	33 .0	62 .1	101333 100.0

Number of Missing Observations: 0

MPCB MONTH PRENATAL CARE BEGAN by AGE AGE OF MOTHER
Controlling for..
RACE Value = 1 WHITE

MPCB (Count / Row Pct / Col Pct)	AGE 12	13	14	15	16	17	18	19	20	21	22	Row Total
0 NONE			6 1.4 6.9	6 1.4 2.0	10 2.4 1.3	20 4.7 1.3	28 6.6 1.2	25 5.9 .8	30 7.1 .9	31 7.3 .8	39 9.2 1.0	422 .6
1 FIRST MONTH		1 .0 5.6	5 .0 5.7	22 .2 7.2	69 .5 8.8	146 1.1 9.2	249 1.9 10.9	337 2.5 11.4	428 3.2 12.4	541 4.1 14.4	619 4.7 15.2	13264 19.2
2 SECOND MONTH		3 .0 16.7	21 .1 24.1	91 .3 29.9	262 .8 33.5	587 1.7 36.8	826 2.4 36.3	1170 3.4 39.5	1479 4.3 42.8	1596 4.6 42.6	1873 5.4 45.9	34704 50.3
3 THIRD MONTH	1 .0 50.0	5 .0 27.8	16 .1 18.4	82 .7 27.0	176 1.5 22.5	404 3.4 25.3	597 5.1 26.3	704 6.0 23.8	766 6.5 22.1	788 6.7 21.0	826 7.0 20.2	11745 17.0
4 FOURTH MONTH	1 .0 50.0	4 .1 22.2	14 .3 16.1	37 .9 12.2	119 2.7 15.2	177 4.1 11.1	262 6.0 11.5	339 7.8 11.4	357 8.2 10.3	397 9.1 10.6	363 8.4 8.9	4342 6.3
5 FIFTH MONTH		3 .1 16.7	11 .5 12.6	27 1.3 8.9	69 3.3 8.8	126 6.0 7.9	143 6.8 6.3	174 8.3 5.9	192 9.2 5.6	202 9.7 5.4	159 7.6 3.9	2089 3.0
6 SIXTH MONTH			5 .4 5.7	18 1.6 5.9	37 3.3 4.7	64 5.6 4.0	84 7.4 3.7	100 8.8 3.4	108 9.5 3.1	94 8.3 2.5	91 8.0 2.2	1136 1.6
7 SEVENTH MONTH		1 .2 5.6	5 .8 5.7	9 1.4 3.0	24 3.8 3.1	36 5.6 2.3	50 7.8 2.2	60 9.4 2.0	53 8.3 1.5	52 8.1 1.4	55 8.6 1.3	639 .9
8 EIGHTH MONTH			3 .9 3.4	8 2.4 2.6	8 2.4 1.0	19 5.7 1.2	22 6.6 1.0	32 9.7 1.1	25 7.6 .7	29 8.8 .8	33 10.0 .8	331 .5
9 NINTH MONTH				2 1.7 .7	3 2.6 .4	10 8.7 .6	5 4.3 .2	11 9.6 .4	16 13.9 .5	6 5.2 .2	10 8.7 .2	115 .2
10 NOT STATED		1 .6 5.6	1 .6 1.1	2 1.2 .7	4 2.3 .5	5 2.9 .3	8 4.6 .4	11 6.4 .4	5 2.9 .1	14 8.1 .4	13 7.5 .3	173 .3
Column Total	2 .0	18 .0	87 .1	304 .4	781 1.1	1594 2.3	2274 3.3	2963 4.3	3459 5.0	3750 5.4	4081 5.9	68960 100.0

(Continued)

TABLE 6

MPCB MONTH PRENATAL CARE BEGAN by AGE AGE OF MOTHER
Controlling for..
RACE Value = 1 WHITE

MPCB	Count / Row Pct / Col Pct	AGE 23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	Row Total
NONE	0	22 5.2 .6	21 5.0 .6	92 21.8 .5	55 13.0 .3	29 6.9 .5	8 1.9 1.1			422 .6
FIRST MONTH	1	610 4.6 15.7	689 5.2 18.2	4321 32.6 21.7	3722 28.1 23.7	1321 10.0 23.8	172 1.3 22.6	6 .0 21.4	6 .0 15.0	13264 19.2
SECOND MONTH	2	1931 5.6 49.7	1839 5.3 48.7	10681 30.8 53.7	8882 25.6 56.5	3030 8.7 54.7	408 1.2 53.7	8 .0 28.6	17 .0 42.5	34704 50.3
THIRD MONTH	3	728 6.2 18.7	727 6.2 19.2	2974 25.3 15.0	2066 17.6 13.1	773 6.6 14.0	99 .8 13.0	8 .1 28.6	5 .0 12.5	11745 17.0
FOURTH MONTH	4	267 6.1 6.9	245 5.6 6.5	967 22.3 4.9	552 12.7 3.5	196 4.5 3.5	39 .9 5.1	3 .1 10.7	3 .1 7.5	4342 6.3
FIFTH MONTH	5	140 6.7 3.6	112 5.4 3.0	393 18.8 2.0	230 11.0 1.5	89 4.3 1.6	14 .7 1.8	2 .1 7.1	3 .1 7.5	2089 3.0
SIXTH MONTH	6	99 8.7 2.5	78 6.9 2.1	206 18.1 1.0	102 9.0 .6	44 3.9 .8	5 .4 .7		1 .1 2.5	1136 1.6
SEVENTH MONTH	7	44 6.9 1.1	30 4.7 .8	131 20.5 .7	46 7.2 .3	31 4.9 .6	9 1.4 1.2	1 .2 3.6	2 .3 5.0	639 .9
EIGHTH MONTH	8	26 7.9 .7	19 5.7 .5	58 17.5 .3	31 9.4 .2	15 4.5 .3	3 .9 .4			331 .5
NINTH MONTH	9	6 5.2 .2	4 3.5 .1	19 16.5 .1	14 12.2 .1	6 5.2 .1	2 1.7 .3		1 .9 2.5	115 .2
NOT STATED	10	13 7.5 .3	15 8.7 .4	46 26.6 .2	25 14.5 .2	7 4.0 .1	1 .6 .1		2 1.2 5.0	173 .3
	Column Total	3886 5.6	3779 5.5	19888 28.8	15725 22.8	5541 8.0	760 1.1	28 .0	40 .1	68960 100.0

MPCB MONTH PRENATAL CARE BEGAN by AGE AGE OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

MPCB (Count / Row Pct / Col Pct)	AGE 12	13	14	15	16	17	18	19	20	21	22	Row Total
0 NONE	1 .1 6.7	4 .5 5.3	8 .9 3.3	15 1.8 2.5	23 2.7 2.3	40 4.7 2.7	58 6.8 3.0	67 7.8 3.1	69 8.1 2.9	76 8.9 3.1	47 5.5 2.0	857 2.6
1 FIRST MONTH		1 .0 1.3	17 .4 7.1	40 1.0 6.6	69 1.7 6.9	123 3.0 8.4	162 4.0 8.4	189 4.7 8.6	241 5.9 10.0	276 6.8 11.2	262 6.5 11.3	4062 12.5
2 SECOND MONTH	2 .0 13.3	12 .1 16.0	43 .4 18.0	135 1.2 22.3	239 2.2 24.0	353 3.2 24.2	506 4.6 26.1	620 5.6 28.3	705 6.4 29.2	788 7.1 32.1	795 7.2 34.4	11061 34.2
3 THIRD MONTH	2 .0 13.3	8 .1 10.7	48 .7 20.1	118 1.8 19.5	254 3.8 25.5	320 4.8 21.9	391 5.9 20.2	484 7.2 22.1	529 7.9 21.9	465 7.0 18.9	471 7.1 20.4	6676 20.6
4 FOURTH MONTH		10 .3 13.3	44 1.1 18.4	104 2.7 17.2	143 3.7 14.4	236 6.2 16.2	282 7.4 14.6	304 7.9 13.9	336 8.8 13.9	336 8.8 13.7	294 7.7 12.7	3834 11.8
5 FIFTH MONTH	2 .1 13.3	19 .7 25.3	31 1.2 13.0	83 3.3 13.7	134 5.2 13.5	162 6.3 11.1	231 9.0 11.9	230 9.0 10.5	218 8.5 9.0	233 9.1 9.5	171 6.7 7.4	2553 7.9
6 SIXTH MONTH	2 .1 13.3	8 .5 10.7	28 1.8 11.7	49 3.1 8.1	68 4.3 6.8	99 6.3 6.8	160 10.2 8.3	139 8.9 6.4	163 10.4 6.8	121 7.7 4.9	148 9.4 6.4	1569 4.8
7 SEVENTH MONTH	4 .4 26.7	7 .7 9.3	11 1.1 4.6	36 3.7 5.9	40 4.1 4.0	66 6.7 4.5	93 9.5 4.8	96 9.8 4.4	87 8.9 3.6	82 8.4 3.3	67 6.8 2.9	981 3.0
8 EIGHTH MONTH		4 .8 5.3	5 1.0 2.1	20 4.0 3.3	18 3.6 1.8	40 7.9 2.7	35 6.9 1.8	40 7.9 1.8	44 8.7 1.8	59 11.7 2.4	36 7.1 1.6	504 1.6
9 NINTH MONTH	1 .7 6.7	1 .7 1.3	2 1.4 .8	3 2.1 .5	1 .7 .1	8 5.6 .5	8 5.6 .4	14 9.8 .6	14 9.8 .6	9 6.3 .4	13 9.1 .6	143 .4
10 NOT STATED	1 .8 6.7	1 .8 1.3	2 1.5 .8	3 2.3 .5	6 4.5 .6	14 10.5 1.0	10 7.5 .5	4 3.0 .2	5 3.8 .2	12 9.0 .5	9 6.8 .4	133 .4
Column Total	15 .0	75 .2	239 .7	606 1.9	995 3.1	1461 4.5	1936 6.0	2187 6.8	2411 7.4	2457 7.6	2313 7.1	32373 100.0

(Continued)

MPCB MONTH PRENATAL CARE BEGAN by AGE AGE OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

MPCB	AGE: 23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	Row Total
0 NONE	53 6.2 2.6	34 4.0 1.9	200 23.3 2.7	107 12.5 2.4	41 4.8 2.4	10 1.2 3.3	1 .1 20.0	3 .4 13.6	857 2.6
1 FIRST MONTH	238 5.9 11.9	248 6.1 14.2	1137 28.0 15.4	744 18.3 16.6	273 6.7 15.9	37 .9 12.3	2 .0 40.0	3 .1 13.6	4062 12.5
2 SECOND MONTH	693 6.3 34.6	638 5.8 36.5	2864 25.9 38.7	1887 17.1 42.1	664 6.0 38.8	111 1.0 37.0	1 .0 20.0	5 .0 22.7	11061 34.2
3 THIRD MONTH	400 6.0 20.0	375 5.6 21.5	1531 22.9 20.7	877 13.1 19.6	338 5.1 19.7	62 .9 20.7		3 .0 13.6	6676 20.6
4 FOURTH MONTH	273 7.1 13.6	187 4.9 10.7	705 18.4 9.5	371 9.7 8.3	181 4.7 10.6	24 .6 8.0	1 .0 20.0	3 .1 13.6	3834 11.8
5 FIFTH MONTH	138 5.4 6.9	124 4.9 7.1	418 16.4 5.6	217 8.5 4.8	112 4.4 6.5	28 1.1 9.3		2 .1 9.1	2553 7.9
6 SIXTH MONTH	89 5.7 4.4	59 3.8 3.4	246 15.7 3.3	132 8.4 2.9	41 2.6 2.4	14 .9 4.7		3 .2 13.6	1569 4.8
7 SEVENTH MONTH	64 6.5 3.2	37 3.8 2.1	163 16.6 2.2	78 8.0 1.7	41 4.2 2.4	9 .9 3.0			981 3.0
8 EIGHTH MONTH	38 7.5 1.9	27 5.4 1.5	85 16.9 1.1	41 8.1 .9	9 1.8 .5	3 .6 1.0			504 1.6
9 NINTH MONTH	7 4.9 .3	10 7.0 .6	24 16.8 .3	18 12.6 .4	8 5.6 .5	2 1.4 .7			143 .4
10 NOT STATED	9 6.8 .4	8 6.0 .5	34 25.6 .5	11 8.3 .2	4 3.0 .2				133 .4
Column Total	2002 6.2	1747 5.4	7407 22.9	4483 13.8	1712 5.3	300 .9	5 .0	22 .1	32373 100.0

Number of Missing Observations: 0

MONTH PRENATAL CARE BEGAN

BY MARITAL STATUS

BY RACE

MPCB MONTH PRENATAL CARE BEGAN by STATUS MARITAL STATUS OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

Page 1 of 1

MPCB	STATUS: MARRIED (1)	NOT MARRIED (2)	NOT STATED (3)	Row Total
0 NONE	287	990	2	1279
	22.4	77.4	.2	1.3
	.4	3.0	5.0	
1 FIRST MONTH	14025	3298	3	17326
	80.9	19.0	.0	17.1
	20.4	10.1	7.5	
2 SECOND MONTH	35521	10236	8	45765
	77.6	22.4	.0	45.2
	51.7	31.4	20.0	
3 THIRD MONTH	11377	7032	12	18421
	61.8	38.2	.1	18.2
	16.6	21.6	30.0	
4 FOURTH MONTH	3834	4341	1	8176
	46.9	53.1	.0	8.1
	5.6	13.3	2.5	
5 FIFTH MONTH	1765	2875	2	4642
	38.0	61.9	.0	4.6
	2.6	8.8	5.0	
6 SIXTH MONTH	892	1811	2	2705
	33.0	67.0	.1	2.7
	1.3	5.6	5.0	
7 SEVENTH MONTH	519	1099	2	1620
	32.0	67.8	.1	1.6
	.8	3.4	5.0	
8 EIGHTH MONTH	247	587	1	835
	29.6	70.3	.1	.8
	.4	1.8	2.5	
9 NINTH MONTH	104	154		258
	40.3	59.7		.3
	.2	.5		
10 NOT STATED	156	143	7	306
	51.0	46.7	2.3	.3
	.2	.4	17.5	
Column Total	68727	32566	40	101333
	67.8	32.1	.0	100.0

Number of Missing Observations: 0

MPCB MONTH PRENATAL CARE BEGAN by STATUS MARITAL STATUS OF MOTHER
Controlling for..
RACE Value = 1 WHITE

Page 1 of 1

MPCB	Count / Row Pct / Col Pct	STATUS: MARRIED 1	NOT MARRIED 2	NOT STATED 3	Row Total
NONE	0	165	257		422
		39.1	60.9		.6
		.3	2.2		
FIRST MONTH	1	12024	1238	2	13264
		90.7	9.3	.0	19.2
		21.0	10.6	7.7	
SECOND MONTH	2	30483	4216	5	34704
		87.8	12.1	.0	50.3
		53.3	36.1	19.2	
THIRD MONTH	3	9092	2645	8	11745
		77.4	22.5	.1	17.0
		15.9	22.6	30.8	
FOURTH MONTH	4	2897	1444	1	4342
		66.7	33.3	.0	6.3
		5.1	12.3	3.8	
FIFTH MONTH	5	1249	839	1	2089
		59.8	40.2	.0	3.0
		2.2	7.2	3.8	
SIXTH MONTH	6	629	506	1	1136
		55.4	44.5	.1	1.6
		1.1	4.3	3.8	
SEVENTH MONTH	7	338	299	2	639
		52.9	46.8	.3	.9
		.6	2.6	7.7	
EIGHTH MONTH	8	175	156		331
		52.9	47.1		.5
		.3	1.3		
NINTH MONTH	9	68	47		115
		59.1	40.9		.2
		.1	.4		
NOT STATED	10	120	47	6	173
		69.4	27.2	3.5	.3
		.2	.4	23.1	
	Column Total	57240	11694	26	68960
		83.0	17.0	.0	100.0

MPCB MONTH PRENATAL CARE BEGAN by STATUS MARITAL STATUS OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

Page 1 of 1

MPCB	Count / Row Pct / Col Pct	STATUS: MARRIED (1)	NOT MARRIED (2)	NOT STATED (3)	Row Total
NONE	0	122	733	2	857
		14.2	85.5	.2	2.6
		1.1	3.5	14.3	
FIRST MONTH	1	2001	2060	1	4062
		49.3	50.7	.0	12.5
		17.4	9.9	7.1	
SECOND MONTH	2	5038	6020	3	11061
		45.5	54.4	.0	34.2
		43.9	28.8	21.4	
THIRD MONTH	3	2285	4387	4	6676
		34.2	65.7	.1	20.6
		19.9	21.0	28.6	
FOURTH MONTH	4	937	2897		3834
		24.4	75.6		11.8
		8.2	13.9		
FIFTH MONTH	5	516	2036	1	2553
		20.2	79.7	.0	7.9
		4.5	9.8	7.1	
SIXTH MONTH	6	263	1305	1	1569
		16.8	83.2	.1	4.8
		2.3	6.3	7.1	
SEVENTH MONTH	7	181	800		981
		18.5	81.5		3.0
		1.6	3.8		
EIGHTH MONTH	8	72	431	1	504
		14.3	85.5	.2	1.6
		.6	2.1	7.1	
NINTH MONTH	9	36	107		143
		25.2	74.8		.4
		.3	.5		
NOT STATED	10	36	96	1	133
		27.1	72.2	.8	.4
		.3	.5	7.1	
	Column Total	11487	20872	14	32373
		35.5	64.5	.0	100.0

Number of Missing Observations: 0

MONTH PRENATAL CARE BEGAN

BY BIRTH ORDER

BY RACE

MPCB MONTH PRENATAL CARE BEGAN by BO BIRTH ORDER
Controlling for..
XRACE Value = 0 TOTAL

MPCB	Count / Row Pct / Col Pct	BO 1ST 1	2ND 2	3RD 3	4TH 4	5TH 5	6TH 6	7TH 7	8TH 8	9TH AND OVER 9	NOT STATED 10	Row Total
NONE	0	265	291	259	172	118	82	39	27	18	8	1279
		20.7	22.8	20.3	13.4	9.2	6.4	3.0	2.1	1.4	.6	1.3
		.8	.9	1.4	2.0	3.1	4.8	5.1	7.8	5.5	5.6	
FIRST MONTH	1	6067	5793	3118	1356	547	234	113	43	41	14	17326
		35.0	33.4	18.0	7.8	3.2	1.4	.7	.2	.2	.1	17.1
		17.2	18.1	17.0	16.0	14.2	13.8	14.9	12.4	12.6	9.9	
SECOND MONTH	2	16583	15099	8149	3485	1413	582	235	105	75	39	45765
		36.2	33.0	17.8	7.6	3.1	1.3	.5	.2	.2	.1	45.2
		46.9	47.1	44.3	41.1	36.7	34.3	30.9	30.3	23.0	27.5	
THIRD MONTH	3	6638	5571	3312	1546	743	317	142	68	60	24	18421
		36.0	30.2	18.0	8.4	4.0	1.7	.8	.4	.3	.1	18.2
		18.8	17.4	18.0	18.2	19.3	18.7	18.7	19.6	18.4	16.9	
FOURTH MONTH	4	2652	2392	1535	777	451	195	75	35	51	13	8176
		32.4	29.3	18.8	9.5	5.5	2.4	.9	.4	.6	.2	8.1
		7.5	7.5	8.4	9.2	11.7	11.5	9.9	10.1	15.6	9.2	
FIFTH MONTH	5	1457	1315	859	500	261	114	74	28	29	5	4642
		31.4	28.3	18.5	10.8	5.6	2.5	1.6	.6	.6	.1	4.6
		4.1	4.1	4.7	5.9	6.8	6.7	9.7	8.1	8.9	3.5	
SIXTH MONTH	6	824	746	545	305	134	71	39	19	20	2	2705
		30.5	27.6	20.1	11.3	5.0	2.6	1.4	.7	.7	.1	2.7
		2.3	2.3	3.0	3.6	3.5	4.2	5.1	5.5	6.1	1.4	
SEVENTH MONTH	7	469	459	306	188	86	56	25	11	16	4	1620
		29.0	28.3	18.9	11.6	5.3	3.5	1.5	.7	1.0	.2	1.6
		1.3	1.4	1.7	2.2	2.2	3.3	3.3	3.2	4.9	2.8	
EIGHTH MONTH	8	211	220	191	86	65	33	11	9	8	1	835
		25.3	26.3	22.9	10.3	7.8	4.0	1.3	1.1	1.0	.1	.8
		.6	.7	1.0	1.0	1.7	1.9	1.4	2.6	2.5	.7	
NINTH MONTH	9	70	58	51	35	12	6	6		7	13	258
		27.1	22.5	19.8	13.6	4.7	2.3	2.3		2.7	5.0	.3
		.2	.2	.3	.4	.3	.4	.8		2.1	9.2	
NOT STATED	10	90	84	50	34	18	7	1	2	1	19	306
		29.4	27.5	16.3	11.1	5.9	2.3	.3	.7	.3	6.2	.3
		.3	.3	.3	.4	.5	.4	.1	.6	.3	13.4	
	Column Total	35326	32028	18375	8484	3848	1697	760	347	326	142	101333
		34.9	31.6	18.1	8.4	3.8	1.7	.8	.3	.3	.1	100.0

Number of Missing Observations: 0

TABLE 8

MPCB MONTH PRENATAL CARE BEGAN by BO BIRTH ORDER
Controlling for..
RACE Value = 1 WHITE

MPCB	Count / Row Pct / Col Pct	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	Row Total
NONE	0	129 30.6 .5	104 24.6 .5	82 19.4 .7	36 8.5 .7	31 7.3 1.4	23 5.5 2.6	6 1.4 1.6	1 .2 .6	5 1.2 3.2	5 1.2 6.0	422 .6
FIRST MONTH	1	4847 36.5 19.3	4528 34.1 19.8	2293 17.3 19.0	954 7.2 18.6	376 2.8 17.4	141 1.1 16.0	66 .5 17.3	25 .2 14.8	26 .2 16.7	8 .1 9.6	13264 19.2
SECOND MONTH	2	12861 37.1 51.3	11850 34.1 51.9	6027 17.4 50.0	2394 6.9 46.6	919 2.6 42.5	372 1.1 42.2	139 .4 36.4	65 .2 38.5	50 .1 32.1	27 .1 32.5	34704 50.3
THIRD MONTH	3	4357 37.1 17.4	3724 31.7 16.3	2010 17.1 16.7	930 7.9 18.1	411 3.5 19.0	163 1.4 18.5	71 .6 18.6	37 .3 21.9	29 .2 18.6	13 .1 15.7	11745 17.0
FOURTH MONTH	4	1413 32.5 5.6	1374 31.6 6.0	786 18.1 6.5	386 8.9 7.5	206 4.7 9.5	91 2.1 10.3	38 .9 9.9	15 .3 8.9	25 .6 16.0	8 .2 9.6	4342 6.3
FIFTH MONTH	5	685 32.8 2.7	613 29.3 2.7	375 18.0 3.1	217 10.4 4.2	109 5.2 5.0	35 1.7 4.0	35 1.7 9.2	12 .6 7.1	7 .3 4.5	1 .0 1.2	2089 3.0
SIXTH MONTH	6	368 32.4 1.5	311 27.4 1.4	235 20.7 1.9	118 10.4 2.3	54 4.8 2.5	23 2.0 2.6	15 1.3 3.9	8 .7 4.7	4 .4 2.6		1136 1.6
SEVENTH MONTH	7	220 34.4 .9	176 27.5 .8	125 19.6 1.0	56 8.8 1.1	25 3.9 1.2	20 3.1 2.3	8 1.3 2.1	4 .6 2.4	5 .8 3.2		639 .9
EIGHTH MONTH	8	104 31.4 .4	87 26.3 .4	75 22.7 .6	25 7.6 .5	22 6.6 1.0	9 2.7 1.0	2 .6 .5	2 .6 1.2	4 1.2 2.6	1 .3 1.2	331 .5
NINTH MONTH	9	42 36.5 .2	32 27.8 .1	20 17.4 .2	5 4.3 .1	1 .9 .0	2 1.7 .2	2 1.7 .5		1 .9 .6	10 8.7 12.0	115 .2
NOT STATED	10	48 27.7 .2	50 28.9 .2	34 19.7 .3	20 11.6 .4	9 5.2 .4	2 1.2 .2				10 5.8 12.0	173 .3
	Column Total	25074 36.4	22849 33.1	12062 17.5	5141 7.5	2163 3.1	881 1.3	382 .6	169 .2	156 .2	83 .1	68960 100.0

MPCB MONTH PRENATAL CARE BEGAN by BO BIRTH ORDER
Controlling for..
RACE Value = 2 NONWHITE

MPCB	Count / Row Pct / Col Pct	BO 1ST 1	2ND 2	3RD 3	4TH 4	5TH 5	6TH 6	7TH 7	8TH 8	9TH AND OVER 9	NOT STATED 10	Row Total
NONE	0	136	187	177	136	87	59	33	26	13	3	857
		15.9	21.8	20.7	15.9	10.2	6.9	3.9	3.0	1.5	.4	2.6
		1.3	2.0	2.8	4.1	5.2	7.2	8.7	14.6	7.6	5.1	
FIRST MONTH	1	1220	1265	825	402	171	93	47	18	15	6	4062
		30.0	31.1	20.3	9.9	4.2	2.3	1.2	.4	.4	.1	12.5
		11.9	13.8	13.1	12.0	10.1	11.4	12.4	10.1	8.8	10.2	
SECOND MONTH	2	3722	3249	2122	1091	494	210	96	40	25	12	11061
		33.6	29.4	19.2	9.9	4.5	1.9	.9	.4	.2	.1	34.2
		36.3	35.4	33.6	32.6	29.3	25.7	25.4	22.5	14.7	20.3	
THIRD MONTH	3	2281	1847	1302	616	332	154	71	31	31	11	6676
		34.2	27.7	19.5	9.2	5.0	2.3	1.1	.5	.5	.2	20.6
		22.2	20.1	20.6	18.4	19.7	18.9	18.8	17.4	18.2	18.6	
FOURTH MONTH	4	1239	1018	749	391	245	104	37	20	26	5	3834
		32.3	26.6	19.5	10.2	6.4	2.7	1.0	.5	.7	.1	11.8
		12.1	11.1	11.9	11.7	14.5	12.7	9.8	11.2	15.3	8.5	
FIFTH MONTH	5	772	702	484	283	152	79	39	16	22	4	2553
		30.2	27.5	19.0	11.1	6.0	3.1	1.5	.6	.9	.2	7.9
		7.5	7.6	7.7	8.5	9.0	9.7	10.3	9.0	12.9	6.8	
SIXTH MONTH	6	456	435	310	187	80	48	24	11	16	2	1569
		29.1	27.7	19.8	11.9	5.1	3.1	1.5	.7	1.0	.1	4.8
		4.4	4.7	4.9	5.6	4.7	5.9	6.3	6.2	9.4	3.4	
SEVENTH MONTH	7	249	283	181	132	61	36	17	7	11	4	981
		25.4	28.8	18.5	13.5	6.2	3.7	1.7	.7	1.1	.4	3.0
		2.4	3.1	2.9	3.9	3.6	4.4	4.5	3.9	6.5	6.8	
EIGHTH MONTH	8	107	133	116	61	43	24	9	7	4		504
		21.2	26.4	23.0	12.1	8.5	4.8	1.8	1.4	.8		1.6
		1.0	1.4	1.8	1.8	2.6	2.9	2.4	3.9	2.4		
NINTH MONTH	9	28	26	31	30	11	4	4		6	3	143
		19.6	18.2	21.7	21.0	7.7	2.8	2.8		4.2	2.1	.4
		.3	.3	.5	.9	.7	.5	1.1		3.5	5.1	
NOT STATED	10	42	34	16	14	9	5	1	2	1	9	133
		31.6	25.6	12.0	10.5	6.8	3.8	.8	1.5	.8	6.8	.4
		.4	.4	.3	.4	.5	.6	.3	1.1	.6	15.3	
	Column Total	10252	9179	6313	3343	1685	816	378	178	170	59	32373
		31.7	28.4	19.5	10.3	5.2	2.5	1.2	.5	.5	.2	100.0

Number of Missing Observations: 0

MONTH PRENATAL CARE BEGAN

BY BIRTH WEIGHT

BY RACE

MPCB MONTH PRENATAL CARE BEGAN by BW BIRTH WEIGHT IN GRAMS
Controlling for..
XRACE Value = 0 TOTAL

Page 1 of 1

MPCB	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
0 NONE	116	222	933	8	1279
	9.1	17.4	72.9	.6	1.3
	6.4	3.2	1.0	17.4	
1 FIRST MONTH	363	1116	15844	3	17326
	2.1	6.4	91.4	.0	17.1
	20.0	16.1	17.1	6.5	
2 SECOND MONTH	721	2761	42273	10	45765
	1.6	6.0	92.4	.0	45.2
	39.7	39.7	45.7	21.7	
3 THIRD MONTH	283	1248	16882	8	18421
	1.5	6.8	91.6	.0	18.2
	15.6	17.9	18.2	17.4	
4 FOURTH MONTH	145	683	7348		8176
	1.8	8.4	89.9		8.1
	8.0	9.8	7.9		
5 FIFTH MONTH	100	405	4134	3	4642
	2.2	8.7	89.1	.1	4.6
	5.5	5.8	4.5	6.5	
6 SIXTH MONTH	41	237	2426	1	2705
	1.5	8.8	89.7	.0	2.7
	2.3	3.4	2.6	2.2	
7 SEVENTH MONTH	13	157	1450		1620
	.8	9.7	89.5		1.6
	.7	2.3	1.6		
8 EIGHTH MONTH	3	60	770	2	835
	.4	7.2	92.2	.2	.8
	.2	.9	.8	4.3	
9 NINTH MONTH	9	24	225		258
	3.5	9.3	87.2		.3
	.5	.3	.2		
10 NOT STATED	21	40	234	11	306
	6.9	13.1	76.5	3.6	.3
	1.2	.6	.3	23.9	
Column Total	1815	6953	92519	46	101333
	1.8	6.9	91.3	.0	100.0

Number of Missing Observations: 0

MPCB MONTH PRENATAL CARE BEGAN by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 1 WHITE

Page 1 of 1

MPCB	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
NONE (0)	20	58	341	3	422
	4.7	13.7	80.8	.7	.6
	2.5	1.5	.5	11.5	
FIRST MONTH (1)	203	731	12329	1	13264
	1.5	5.5	93.0	.0	19.2
	24.9	19.5	19.2	3.8	
SECOND MONTH (2)	399	1755	32543	7	34704
	1.1	5.1	93.8	.0	50.3
	49.0	46.9	50.6	26.9	
THIRD MONTH (3)	100	616	11024	5	11745
	.9	5.2	93.9	.0	17.0
	12.3	16.5	17.1	19.2	
FOURTH MONTH (4)	42	283	4017		4342
	1.0	6.5	92.5		6.3
	5.2	7.6	6.2		
FIFTH MONTH (5)	25	135	1927	2	2089
	1.2	6.5	92.2	.1	3.0
	3.1	3.6	3.0	7.7	
SIXTH MONTH (6)	11	75	1049	1	1136
	1.0	6.6	92.3	.1	1.6
	1.3	2.0	1.6	3.8	
SEVENTH MONTH (7)	2	45	592		639
	.3	7.0	92.6		.9
	.2	1.2	.9		
EIGHTH MONTH (8)	1	15	315		331
	.3	4.5	95.2		.5
	.1	.4	.5		
NINTH MONTH (9)	5	11	99		115
	4.3	9.6	86.1		.2
	.6	.3	.2		
NOT STATED (10)	7	20	139	7	173
	4.0	11.6	80.3	4.0	.3
	.9	.5	.2	26.9	
Column Total	815	3744	64375	26	68960
	1.2	5.4	93.4	.0	100.0

MPCB MONTH PRENATAL CARE BEGAN by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 2 NONWHITE

Page 1 of 1

MPCB	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
0 NONE	96 11.2 9.6	164 19.1 5.1	592 69.1 2.1	5 .6 25.0	857 2.6
1 FIRST MONTH	160 3.9 16.0	385 9.5 12.0	3515 86.5 12.5	2 .0 10.0	4062 12.5
2 SECOND MONTH	322 2.9 32.2	1006 9.1 31.3	9730 88.0 34.6	3 .0 15.0	11061 34.2
3 THIRD MONTH	183 2.7 18.3	632 9.5 19.7	5858 87.7 20.8	3 .0 15.0	6676 20.6
4 FOURTH MONTH	103 2.7 10.3	400 10.4 12.5	3331 86.9 11.8		3834 11.8
5 FIFTH MONTH	75 2.9 7.5	270 10.6 8.4	2207 86.4 7.8	1 .0 5.0	2553 7.9
6 SIXTH MONTH	30 1.9 3.0	162 10.3 5.0	1377 87.8 4.9		1569 4.8
7 SEVENTH MONTH	11 1.1 1.1	112 11.4 3.5	858 87.5 3.0		981 3.0
8 EIGHTH MONTH	2 .4 .2	45 8.9 1.4	455 90.3 1.6	2 .4 10.0	504 1.6
9 NINTH MONTH	4 2.8 .4	13 9.1 .4	126 88.1 .4		143 .4
10 NOT STATED	14 10.5 1.4	20 15.0 .6	95 71.4 .3	4 3.0 20.0	133 .4
Column Total	1000 3.1	3209 9.9	28144 86.9	20 .1	32373 100.0

Number of Missing Observations: 0

NUMBER OF PRENATAL VISITS

BY EDUCATION OF MOTHER

BY RACE

PCVISIT NUMBER OF PRENATAL VISITS by EDUC EDUCATION OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

PCVISIT	Count / Row Pct / Col Pct	EDUC: NONE OR ELEM. (1)	H.S. 1-3 YEARS (2)	H.S. 4 YEARS (3)	COL.1-3 YEARS (4)	COL. 4+ YEARS (5)	NOT STATED (6)	Row Total
NONE	0	91	444	517	161	53	13	1279
		7.1	34.7	40.4	12.6	4.1	1.0	1.3
		2.6	2.4	1.4	.7	.3	7.9	
ONE	1	30	154	148	40	7	2	381
		7.9	40.4	38.8	10.5	1.8	.5	.4
		.8	.8	.4	.2	.0	1.2	
TWO	2	56	249	241	74	9	2	631
		8.9	39.5	38.2	11.7	1.4	.3	.6
		1.6	1.4	.6	.3	.0	1.2	
THREE	3	75	338	306	87	30	3	839
		8.9	40.3	36.5	10.4	3.6	.4	.8
		2.1	1.8	.8	.4	.2	1.8	
FOUR	4	108	419	476	139	52	4	1198
		9.0	35.0	39.7	11.6	4.3	.3	1.2
		3.0	2.3	1.2	.6	.3	2.4	
FIVE	5	138	522	607	222	80	5	1574
		8.8	33.2	38.6	14.1	5.1	.3	1.6
		3.9	2.8	1.6	1.0	.4	3.0	
SIX	6	166	734	830	323	143	2	2198
		7.6	33.4	37.8	14.7	6.5	.1	2.2
		4.7	4.0	2.2	1.5	.7	1.2	
SEVEN	7	149	624	820	330	145	4	2072
		7.2	30.1	39.6	15.9	7.0	.2	2.0
		4.2	3.4	2.1	1.5	.8	2.4	
EIGHT	8	236	1015	1482	615	343	8	3699
		6.4	27.4	40.1	16.6	9.3	.2	3.7
		6.7	5.5	3.9	2.8	1.8	4.8	
NINE	9	202	786	1354	598	381	6	3327
		6.1	23.6	40.7	18.0	11.5	.2	3.3
		5.7	4.3	3.5	2.7	2.0	3.6	
TEN	10	452	2006	3349	1586	1094	14	8501
		5.3	23.6	39.4	18.7	12.9	.2	8.4
		12.8	10.9	8.8	7.3	5.7	8.5	
(Continued)	Column Total	3543	18350	38168	21849	19258	165	101333
		3.5	18.1	37.7	21.6	19.0	.2	100.0

PCVISIT NUMBER OF PRENATAL VISITS by EDUC EDUCATION OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

PCVISIT	Count / Row Pct / Col Pct	EDUC: NONE OR ELEM. (1)	H.S. 1-3 YEARS (2)	H.S. 4 YEARS (3)	COL.1-3 YEARS (4)	COL. 4+ YEARS (5)	NOT STATED (6)	Row Total
ELEVEN	11	192	989	2116	1038	853	7	5195
		3.7	19.0	40.7	20.0	16.4	.1	5.1
		5.4	5.4	5.5	4.8	4.4	4.2	
TWELVE	12	487	2886	6785	4257	4045	15	18475
		2.6	15.6	36.7	23.0	21.9	.1	18.2
		13.7	15.7	17.8	19.5	21.0	9.1	
THIRTEEN	13	229	1171	2810	1729	1476	4	7419
		3.1	15.8	37.9	23.3	19.9	.1	7.3
		6.5	6.4	7.4	7.9	7.7	2.4	
FOURTEEN	14	271	1603	4149	2582	2687	9	11301
		2.4	14.2	36.7	22.8	23.8	.1	11.2
		7.6	8.7	10.9	11.8	14.0	5.5	
FIFTEEN	15	317	2178	6204	4154	4391	23	17267
		1.8	12.6	35.9	24.1	25.4	.1	17.0
		8.9	11.9	16.3	19.0	22.8	13.9	
SIXTEEN OR MORE	16	319	2150	5828	3845	3432	18	15592
		2.0	13.8	37.4	24.7	22.0	.1	15.4
		9.0	11.7	15.3	17.6	17.8	10.9	
NOT STATED	17	25	82	146	69	37	26	385
		6.5	21.3	37.9	17.9	9.6	6.8	.4
		.7	.4	.4	.3	.2	15.8	
	Column Total	3543	18350	38168	21849	19258	165	101333
		3.5	18.1	37.7	21.6	19.0	.2	100.0

Number of Missing Observations: 0

PCVISIT NUMBER OF PRENATAL VISITS by EDUC EDUCATION OF MOTHER
Controlling for..
RACE Value = 1 WHITE

PCVISIT	Count / Row Pct / Col Pct	EDUC: NONE OR ELEM. (1)	H.S. 1-3 YEARS (2)	H.S. 4 YEARS (3)	COL.1-3 YEARS (4)	COL. 4+ YEARS (5)	NOT STATED (6)	Row Total
NONE	0	54	112	149	66	35	6	422
		12.8	26.5	35.3	15.6	8.3	1.4	.6
		2.2	1.1	.6	.4	.2	6.1	
ONE	1	15	36	35	18	5		109
		13.8	33.0	32.1	16.5	4.6		.2
		.6	.3	.1	.1	.0		
TWO	2	38	69	53	22	2	1	185
		20.5	37.3	28.6	11.9	1.1	.5	.3
		1.6	.7	.2	.1	.0	1.0	
THREE	3	39	99	98	36	25	2	299
		13.0	33.1	32.8	12.0	8.4	.7	.4
		1.6	1.0	.4	.2	.2	2.0	
FOUR	4	75	131	163	47	30	1	447
		16.8	29.3	36.5	10.5	6.7	.2	.6
		3.1	1.3	.7	.3	.2	1.0	
FIVE	5	75	182	212	108	58	2	637
		11.8	28.6	33.3	17.0	9.1	.3	.9
		3.1	1.8	.9	.7	.4	2.0	
SIX	6	106	317	317	135	98	2	975
		10.9	32.5	32.5	13.8	10.1	.2	1.4
		4.3	3.1	1.3	.9	.6	2.0	
SEVEN	7	96	287	366	178	110	3	1040
		9.2	27.6	35.2	17.1	10.6	.3	1.5
		3.9	2.8	1.5	1.1	.7	3.1	
EIGHT	8	150	494	711	347	273	5	1980
		7.6	24.9	35.9	17.5	13.8	.3	2.9
		6.1	4.8	2.9	2.2	1.7	5.1	
NINE	9	141	425	736	379	309	4	1994
		7.1	21.3	36.9	19.0	15.5	.2	2.9
		5.8	4.1	3.0	2.4	1.9	4.1	
TEN	10	309	1053	1863	982	871	5	5083
		6.1	20.7	36.7	19.3	17.1	.1	7.4
		12.6	10.2	7.7	6.3	5.4	5.1	
(Continued)	Column Total	2449	10355	24159	15643	16256	98	68960
		3.6	15.0	35.0	22.7	23.6	.1	100.0

PCVISIT NUMBER OF PRENATAL VISITS by EDUC EDUCATION OF MOTHER
Controlling for..
RACE Value = 1 WHITE

PCVISIT	Count / Row Pct / Col Pct	EDUC: NONE OR ELEM. 1	H.S. 1-3 YEARS 2	H.S. 4 YEARS 3	COL.1-3 YEARS 4	COL. 4+ YEARS 5	NOT STATED 6	Row Total
ELEVEN	11	147	617	1385	743	719	3	3614
		4.1	17.1	38.3	20.6	19.9	.1	5.2
		6.0	6.0	5.7	4.7	4.4	3.1	
TWELVE	12	342	1772	4604	3250	3508	11	13487
		2.5	13.1	34.1	24.1	26.0	.1	19.6
		14.0	17.1	19.1	20.8	21.6	11.2	
THIRTEEN	13	166	750	1887	1277	1260	3	5343
		3.1	14.0	35.3	23.9	23.6	.1	7.7
		6.8	7.2	7.8	8.2	7.8	3.1	
FOURTEEN	14	196	1047	2857	1977	2243	5	8325
		2.4	12.6	34.3	23.7	26.9	.1	12.1
		8.0	10.1	11.8	12.6	13.8	5.1	
FIFTEEN	15	237	1419	4339	3081	3737	16	12829
		1.8	11.1	33.8	24.0	29.1	.1	18.6
		9.7	13.7	18.0	19.7	23.0	16.3	
SIXTEEN OR MORE	16	246	1508	4301	2949	2945	12	11961
		2.1	12.6	36.0	24.7	24.6	.1	17.3
		10.0	14.6	17.8	18.9	18.1	12.2	
NOT STATED	17	17	37	83	48	28	17	230
		7.4	16.1	36.1	20.9	12.2	7.4	.3
		.7	.4	.3	.3	.2	17.3	
	Column Total	2449	10355	24159	15643	16256	98	68960
		3.6	15.0	35.0	22.7	23.6	.1	100.0

PCVISIT NUMBER OF PRENATAL VISITS by EDUC EDUCATION OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

PCVISIT	Count / Row Pct / Col Pct	EDUC: NONE OR ELEM. (1)	H.S. 1-3 YEARS (2)	H.S. 4 YEARS (3)	COL.1-3 YEARS (4)	COL. 4+ YEARS (5)	NOT STATED (6)	Row Total
NONE	0	37	332	368	95	18	7	857
		4.3	38.7	42.9	11.1	2.1	.8	2.6
		3.4	4.2	2.6	1.5	.6	10.4	
ONE	1	15	118	113	22	2	2	272
		5.5	43.4	41.5	8.1	.7	.7	.8
		1.4	1.5	.8	.4	.1	3.0	
TWO	2	18	180	188	52	7	1	446
		4.0	40.4	42.2	11.7	1.6	.2	1.4
		1.6	2.3	1.3	.8	.2	1.5	
THREE	3	36	239	208	51	5	1	540
		6.7	44.3	38.5	9.4	.9	.2	1.7
		3.3	3.0	1.5	.8	.2	1.5	
FOUR	4	33	288	313	92	22	3	751
		4.4	38.3	41.7	12.3	2.9	.4	2.3
		3.0	3.6	2.2	1.5	.7	4.5	
FIVE	5	63	340	395	114	22	3	937
		6.7	36.3	42.2	12.2	2.3	.3	2.9
		5.8	4.3	2.8	1.8	.7	4.5	
SIX	6	60	417	513	188	45		1223
		4.9	34.1	41.9	15.4	3.7		3.8
		5.5	5.2	3.7	3.0	1.5		
SEVEN	7	53	337	454	152	35	1	1032
		5.1	32.7	44.0	14.7	3.4	.1	3.2
		4.8	4.2	3.2	2.4	1.2	1.5	
EIGHT	8	86	521	771	268	70	3	1719
		5.0	30.3	44.9	15.6	4.1	.2	5.3
		7.9	6.5	5.5	4.3	2.3	4.5	
NINE	9	61	361	618	219	72	2	1333
		4.6	27.1	46.4	16.4	5.4	.2	4.1
		5.6	4.5	4.4	3.5	2.4	3.0	
TEN	10	143	953	1486	604	223	9	3418
		4.2	27.9	43.5	17.7	6.5	.3	10.6
		13.1	11.9	10.6	9.7	7.4	13.4	
	Column Total	1094	7995	14009	6206	3002	67	32373
		3.4	24.7	43.3	19.2	9.3	.2	100.0

(Continued)

PCVISIT NUMBER OF PRENATAL VISITS by EDUC EDUCATION OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

PCVISIT	Count / Row Pct / Col Pct	EDUC: NONE OR ELEM. 1	H.S. 1-3 YEARS 2	H.S. 4 YEARS 3	COL.1-3 YEARS 4	COL. 4+ YEARS 5	NOT STATED 6	Row Total
ELEVEN	11	45 2.8 4.1	372 23.5 4.7	731 46.2 5.2	295 18.7 4.8	134 8.5 4.5	4 .3 6.0	1581 4.9
TWELVE	12	145 2.9 13.3	1114 22.3 13.9	2181 43.7 15.6	1007 20.2 16.2	537 10.8 17.9	4 .1 6.0	4988 15.4
THIRTEEN	13	63 3.0 5.8	421 20.3 5.3	923 44.5 6.6	452 21.8 7.3	216 10.4 7.2	1 .0 1.5	2076 6.4
FOURTEEN	14	75 2.5 6.9	556 18.7 7.0	1292 43.4 9.2	605 20.3 9.7	444 14.9 14.8	4 .1 6.0	2976 9.2
FIFTEEN	15	80 1.8 7.3	759 17.1 9.5	1865 42.0 13.3	1073 24.2 17.3	654 14.7 21.8	7 .2 10.4	4438 13.7
SIXTEEN OR MORE	16	73 2.0 6.7	642 17.7 8.0	1527 42.1 10.9	896 24.7 14.4	487 13.4 16.2	6 .2 9.0	3631 11.2
NOT STATED	17	8 5.2 .7	45 29.0 .6	63 40.6 .4	21 13.5 .3	9 5.8 .3	9 5.8 13.4	155 .5
	Column Total	1094 3.4	7995 24.7	14009 43.3	6206 19.2	3002 9.3	67 .2	32373 100.0

Number of Missing Observations: 0

NUMBER OF PRENATAL VISITS

BY AGE OF MOTHER

BY RACE

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

PCVISIT	Count / Row Pct / Col Pct	AGE 12	13	14	15	16	17	18	19	20	21	22	Row Total
NONE	0	1	4	14	21	33	60	86	92	99	107	86	1279
		.1	.3	1.1	1.6	2.6	4.7	6.7	7.2	7.7	8.4	6.7	1.3
		5.9	4.3	4.3	2.3	1.9	2.0	2.0	1.8	1.7	1.7	1.3	
ONE	1	1	2	1	13	8	24	30	30	40	23	36	381
		.3	.5	.3	3.4	2.1	6.3	7.9	7.9	10.5	6.0	9.4	.4
		5.9	2.2	.3	1.4	.5	.8	.7	.6	.7	.4	.6	
TWO	2		1	2	11	26	26	51	59	55	51	53	631
			.2	.3	1.7	4.1	4.1	8.1	9.4	8.7	8.1	8.4	.6
			1.1	.6	1.2	1.5	.9	1.2	1.1	.9	.8	.8	
THREE	3	1	3	6	20	26	43	51	79	75	77	60	839
		.1	.4	.7	2.4	3.1	5.1	6.1	9.4	8.9	9.2	7.2	.8
		5.9	3.2	1.8	2.2	1.5	1.4	1.2	1.5	1.3	1.2	.9	
FOUR	4	1	1	12	17	51	64	102	104	103	106	107	1198
		.1	.1	1.0	1.4	4.3	5.3	8.5	8.7	8.6	8.8	8.9	1.2
		5.9	1.1	3.7	1.9	2.9	2.1	2.4	2.0	1.8	1.7	1.7	
FIVE	5	1	8	22	37	46	87	110	137	125	145	139	1574
		.1	.5	1.4	2.4	2.9	5.5	7.0	8.7	7.9	9.2	8.8	1.6
		5.9	8.6	6.7	4.1	2.6	2.8	2.6	2.7	2.1	2.3	2.2	
SIX	6	2	7	15	43	88	106	159	178	180	185	176	2198
		.1	.3	.7	2.0	4.0	4.8	7.2	8.1	8.2	8.4	8.0	2.2
		11.8	7.5	4.6	4.7	5.0	3.5	3.8	3.5	3.1	3.0	2.8	
SEVEN	7	1	6	18	48	62	113	156	165	174	156	139	2072
		.0	.3	.9	2.3	3.0	5.5	7.5	8.0	8.4	7.5	6.7	2.0
		5.9	6.5	5.5	5.3	3.5	3.7	3.7	3.2	3.0	2.5	2.2	
EIGHT	8	2	6	27	63	128	183	252	259	294	286	268	3699
		.1	.2	.7	1.7	3.5	4.9	6.8	7.0	7.9	7.7	7.2	3.7
		11.8	6.5	8.3	6.9	7.2	6.0	6.0	5.0	5.0	4.6	4.2	
NINE	9	1	4	21	48	99	138	181	237	237	241	240	3327
		.0	.1	.6	1.4	3.0	4.1	5.4	7.1	7.1	7.2	7.2	3.3
		5.9	4.3	6.4	5.3	5.6	4.5	4.3	4.6	4.0	3.9	3.8	
TEN	10	2	11	32	115	237	344	500	532	591	606	614	8501
		.0	.1	.4	1.4	2.8	4.0	5.9	6.3	7.0	7.1	7.2	8.4
		11.8	11.8	9.8	12.6	13.3	11.3	11.9	10.3	10.1	9.8	9.6	
(Continued)	Column Total	17 .0	93 .1	326 .3	910 .9	1776 1.8	3055 3.0	4210 4.2	5150 5.1	5870 5.8	6207 6.1	6394 6.3	101333 100.0

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

PCVISIT	Count / Row Pct / Col Pct	AGE 23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	Row Total
NONE	0	75	55	292	162	70	18	1	3	1279
		5.9	4.3	22.8	12.7	5.5	1.4	.1	.2	1.3
		1.3	1.0	1.1	.8	1.0	1.7	3.0	4.8	
ONE	1	24	28	63	37	15	6			381
		6.3	7.3	16.5	9.7	3.9	1.6			.4
		.4	.5	.2	.2	.2	.6			
TWO	2	36	29	132	69	24	6			631
		5.7	4.6	20.9	10.9	3.8	1.0			.6
		.6	.5	.5	.3	.3	.6			
THREE	3	60	47	164	88	28	9	1	1	839
		7.2	5.6	19.5	10.5	3.3	1.1	.1	.1	.8
		1.0	.9	.6	.4	.4	.8	3.0	1.6	
FOUR	4	74	65	222	119	45	5			1198
		6.2	5.4	18.5	9.9	3.8	.4			1.2
		1.3	1.2	.8	.6	.6	.5			
FIVE	5	104	71	292	176	59	12	2	1	1574
		6.6	4.5	18.6	11.2	3.7	.8	.1	.1	1.6
		1.8	1.3	1.1	.9	.8	1.1	6.1	1.6	
SIX	6	136	110	435	246	114	18			2198
		6.2	5.0	19.8	11.2	5.2	.8			2.2
		2.3	2.0	1.6	1.2	1.6	1.7			
SEVEN	7	144	101	409	257	98	21		4	2072
		6.9	4.9	19.7	12.4	4.7	1.0		.2	2.0
		2.4	1.8	1.5	1.3	1.4	2.0		6.5	
EIGHT	8	229	202	781	497	197	23	1	1	3699
		6.2	5.5	21.1	13.4	5.3	.6	.0	.0	3.7
		3.9	3.7	2.9	2.5	2.7	2.2	3.0	1.6	
NINE	9	197	195	758	499	191	35	1	4	3327
		5.9	5.9	22.8	15.0	5.7	1.1	.0	.1	3.3
		3.3	3.5	2.8	2.5	2.6	3.3	3.0	6.5	
TEN	10	483	457	2063	1336	496	72	3	7	8501
		5.7	5.4	24.3	15.7	5.8	.8	.0	.1	8.4
		8.2	8.3	7.6	6.6	6.8	6.8	9.1	11.3	
(Continued)	Column Total	5888	5526	27295	20208	7253	1060	33	62	101333
		5.8	5.5	26.9	19.9	7.2	1.0	.0	.1	100.0

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

PCVISIT	Count / Row Pct / Col Pct	AGE 12	13	14	15	16	17	18	19	20	21	22	Row Total
ELEVEN	11	1	8	19	55	76	173	256	302	344	329	364	5195
		.0	.2	.4	1.1	1.5	3.3	4.9	5.8	6.6	6.3	7.0	5.1
		5.9	8.6	5.8	6.0	4.3	5.7	6.1	5.9	5.9	5.3	5.7	
TWELVE	12		11	40	129	269	497	620	834	937	1039	1095	18475
			.1	.2	.7	1.5	2.7	3.4	4.5	5.1	5.6	5.9	18.2
			11.8	12.3	14.2	15.1	16.3	14.7	16.2	16.0	16.7	17.1	
THIRTEEN	13	2	3	23	49	106	227	289	368	415	421	454	7419
		.0	.0	.3	.7	1.4	3.1	3.9	5.0	5.6	5.7	6.1	7.3
		11.8	3.2	7.1	5.4	6.0	7.4	6.9	7.1	7.1	6.8	7.1	
FOURTEEN	14		4	20	61	147	261	371	479	591	608	625	11301
			.0	.2	.5	1.3	2.3	3.3	4.2	5.2	5.4	5.5	11.2
			4.3	6.1	6.7	8.3	8.5	8.8	9.3	10.1	9.8	9.8	
FIFTEEN	15	1	6	28	95	177	344	519	685	793	923	955	17267
		.0	.0	.2	.6	1.0	2.0	3.0	4.0	4.6	5.3	5.5	17.0
		5.9	6.5	8.6	10.4	10.0	11.3	12.3	13.3	13.5	14.9	14.9	
SIXTEEN OR MORE	16		6	26	78	185	344	463	595	799	870	955	15592
			.0	.2	.5	1.2	2.2	3.0	3.8	5.1	5.6	6.1	15.4
			6.5	8.0	8.6	10.4	11.3	11.0	11.6	13.6	14.0	14.9	
NOT STATED	17		2		7	12	21	14	15	18	34	28	385
			.5		1.8	3.1	5.5	3.6	3.9	4.7	8.8	7.3	.4
			2.2		.8	.7	.7	.3	.3	.3	.5	.4	
(Continued)	Column Total	17	93	326	910	1776	3055	4210	5150	5870	6207	6394	101333
		.0	.1	.3	.9	1.8	3.0	4.2	5.1	5.8	6.1	6.3	100.0

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

Page 4 of 4

PCVISIT	Count / Row Pct / Col Pct	AGE 23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	Row Total
ELEVEN	11	298	298	1356	955	314	38	3	6	5195
		5.7	5.7	26.1	18.4	6.0	.7	.1	.1	5.1
		5.1	5.4	5.0	4.7	4.3	3.6	9.1	9.7	
TWELVE	12	1065	909	5194	4120	1483	222	4	7	18475
		5.8	4.9	28.1	22.3	8.0	1.2	.0	.0	18.2
		18.1	16.4	19.0	20.4	20.4	20.9	12.1	11.3	
THIRTEEN	13	420	435	2077	1517	544	63	2	4	7419
		5.7	5.9	28.0	20.4	7.3	.8	.0	.1	7.3
		7.1	7.9	7.6	7.5	7.5	5.9	6.1	6.5	
FOURTEEN	14	644	618	3264	2580	899	116	5	8	11301
		5.7	5.5	28.9	22.8	8.0	1.0	.0	.1	11.2
		10.9	11.2	12.0	12.8	12.4	10.9	15.2	12.9	
FIFTEEN	15	979	960	5110	4070	1412	197	5	8	17267
		5.7	5.6	29.6	23.6	8.2	1.1	.0	.0	17.0
		16.6	17.4	18.7	20.1	19.5	18.6	15.2	12.9	
SIXTEEN OR MORE	16	896	924	4583	3425	1238	195	5	5	15592
		5.7	5.9	29.4	22.0	7.9	1.3	.0	.0	15.4
		15.2	16.7	16.8	16.9	17.1	18.4	15.2	8.1	
NOT STATED	17	24	22	100	55	26	4		3	385
		6.2	5.7	26.0	14.3	6.8	1.0		.8	.4
		.4	.4	.4	.3	.4	.4		4.8	
	Column Total	5888	5526	27295	20208	7253	1060	33	62	101333
		5.8	5.5	26.9	19.9	7.2	1.0	.0	.1	100.0

Number of Missing Observations: 0

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
RACE Value = 1 WHITE

PCVISIT	Count / Row Pct / Col Pct	AGE 12	13	14	15	16	17	18	19	20	21	22	Row Total
NONE	0			6 1.4 6.9	6 1.4 2.0	10 2.4 1.3	20 4.7 1.3	28 6.6 1.2	25 5.9 .8	30 7.1 .9	31 7.3 .8	39 9.2 1.0	422 .6
ONE	1				4 3.7 1.3		6 5.5 .4	6 5.5 .3	11 10.1 .4	13 11.9 .4	7 6.4 .2	9 8.3 .2	109 .2
TWO	2				2 1.1 .7	4 2.2 .5	7 3.8 .4	20 10.8 .9	18 9.7 .6	13 7.0 .4	16 8.6 .4	18 9.7 .4	185 .3
THREE	3			2 .7 2.3	4 1.3 1.3	10 3.3 1.3	11 3.7 .7	17 5.7 .7	17 5.7 .6	32 10.7 .9	25 8.4 .7	30 10.0 .7	299 .4
FOUR	4			3 .7 3.4	7 1.6 2.3	15 3.4 1.9	21 4.7 1.3	33 7.4 1.5	36 8.1 1.2	37 8.3 1.1	37 8.3 1.0	37 8.3 .9	447 .6
FIVE	5		1 .2 5.6	3 .5 3.4	10 1.6 3.3	14 2.2 1.8	31 4.9 1.9	31 4.9 1.4	57 8.9 1.9	51 8.0 1.5	56 8.8 1.5	55 8.6 1.3	637 .9
SIX	6	1 .1 50.0	1 .1 5.6	7 .7 8.0	16 1.6 5.3	29 3.0 3.7	40 4.1 2.5	55 5.6 2.4	84 8.6 2.8	70 7.2 2.0	72 7.4 1.9	86 8.8 2.1	975 1.4
SEVEN	7			4 .4 4.6	12 1.2 3.9	24 2.3 3.1	54 5.2 3.4	75 7.2 3.3	83 8.0 2.8	83 8.0 2.4	63 6.1 1.7	65 6.3 1.6	1040 1.5
EIGHT	8			3 .2 3.4	14 .7 4.6	51 2.6 6.5	78 3.9 4.9	113 5.7 5.0	124 6.3 4.2	144 7.3 4.2	136 6.9 3.6	153 7.7 3.7	1980 2.9
NINE	9			1 .1 1.1	16 .8 5.3	45 2.3 5.8	71 3.6 4.5	95 4.8 4.2	118 5.9 4.0	128 6.4 3.7	139 7.0 3.7	143 7.2 3.5	1994 2.9
TEN	10		3 .1 16.7	7 .1 8.0	35 .7 11.5	86 1.7 11.0	172 3.4 10.8	241 4.7 10.6	285 5.6 9.6	308 6.1 8.9	344 6.8 9.2	338 6.6 8.3	5083 7.4
(Continued)	Column Total	2 .0	18 .0	87 .1	304 .4	781 1.1	1594 2.3	2274 3.3	2963 4.3	3459 5.0	3750 5.4	4081 5.9	68960 100.0

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
RACE Value = 1 WHITE

PCVISIT	Count / Row Pct / Col Pct	AGE 23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	Row Total
NONE	0	22 5.2 .6	21 5.0 .6	92 21.8 .5	55 13.0 .3	29 6.9 .5	8 1.9 1.1			422 .6
ONE	1	6 5.5 .2	4 3.7 .1	20 18.3 .1	17 15.6 .1	5 4.6 .1	1 .9 .1			109 .2
TWO	2	11 5.9 .3	8 4.3 .2	37 20.0 .2	16 8.6 .1	11 5.9 .2	4 2.2 .5			185 .3
THREE	3	18 6.0 .5	18 6.0 .5	62 20.7 .3	39 13.0 .2	9 3.0 .2	3 1.0 .4	1 .3 3.6	1 .3 2.5	299 .4
FOUR	4	28 6.3 .7	26 5.8 .7	98 21.9 .5	50 11.2 .3	19 4.3 .3				447 .6
FIVE	5	44 6.9 1.1	28 4.4 .7	126 19.8 .6	88 13.8 .6	31 4.9 .6	8 1.3 1.1	2 .3 7.1	1 .2 2.5	637 .9
SIX	6	48 4.9 1.2	54 5.5 1.4	215 22.1 1.1	120 12.3 .8	71 7.3 1.3	6 .6 .8			975 1.4
SEVEN	7	69 6.6 1.8	61 5.9 1.6	230 22.1 1.2	144 13.8 .9	60 5.8 1.1	12 1.2 1.6		1 .1 2.5	1040 1.5
EIGHT	8	128 6.5 3.3	114 5.8 3.0	455 23.0 2.3	322 16.3 2.0	128 6.5 2.3	16 .8 2.1	1 .1 3.6		1980 2.9
NINE	9	113 5.7 2.9	116 5.8 3.1	525 26.3 2.6	341 17.1 2.2	124 6.2 2.2	16 .8 2.1	1 .1 3.6	2 .1 5.0	1994 2.9
TEN	10	289 5.7 7.4	278 5.5 7.4	1376 27.1 6.9	924 18.2 5.9	343 6.7 6.2	46 .9 6.1	3 .1 10.7	5 .1 12.5	5083 7.4
(Continued)	Column Total	3886 5.6	3779 5.5	19888 28.8	15725 22.8	5541 8.0	760 1.1	28 .0	40 .1	68960 100.0

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
RACE Value = 1 WHITE

PCVISIT	Count / Row Pct / Col Pct	AGE 12	13	14	15	16	17	18	19	20	21	22	Row Total
ELEVEN	11	1	2	6	16	47	95	154	184	227	200	240	3614
		.0	.1	.2	.4	1.3	2.6	4.3	5.1	6.3	5.5	6.6	5.2
		50.0	11.1	6.9	5.3	6.0	6.0	6.8	6.2	6.6	5.3	5.9	
TWELVE	12		4	14	47	122	290	359	507	581	679	745	13487
			.0	.1	.3	.9	2.2	2.7	3.8	4.3	5.0	5.5	19.6
			22.2	16.1	15.5	15.6	18.2	15.8	17.1	16.8	18.1	18.3	
THIRTEEN	13		2	6	22	56	142	171	224	244	272	312	5343
			.0	.1	.4	1.0	2.7	3.2	4.2	4.6	5.1	5.8	7.7
			11.1	6.9	7.2	7.2	8.9	7.5	7.6	7.1	7.3	7.6	
FOURTEEN	14		1	6	20	76	139	221	340	389	406	428	8325
			.0	.1	.2	.9	1.7	2.7	4.1	4.7	4.9	5.1	12.1
			5.6	6.9	6.6	9.7	8.7	9.7	11.5	11.2	10.8	10.5	
FIFTEEN	15			9	35	80	192	332	419	511	597	641	12829
				.1	.3	.6	1.5	2.6	3.3	4.0	4.7	5.0	18.6
				10.3	11.5	10.2	12.0	14.6	14.1	14.8	15.9	15.7	
SIXTEEN OR MORE	16		3	10	35	107	218	318	424	587	650	730	11961
			.0	.1	.3	.9	1.8	2.7	3.5	4.9	5.4	6.1	17.3
			16.7	11.5	11.5	13.7	13.7	14.0	14.3	17.0	17.3	17.9	
NOT STATED	17		1		3	5	7	5	7	11	20	12	230
			.4		1.3	2.2	3.0	2.2	3.0	4.8	8.7	5.2	.3
			5.6		1.0	.6	.4	.2	.2	.3	.5	.3	
(Continued)	Column Total	2	18	87	304	781	1594	2274	2963	3459	3750	4081	68960
		.0	.0	.1	.4	1.1	2.3	3.3	4.3	5.0	5.4	5.9	100.0

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
RACE Value = 1 WHITE

PCVISIT	Count / Row Pct / Col Pct	AGE 23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	Row Total
ELEVEN	11	200	214	1000	739	248	33	3	5	3614
		5.5	5.9	27.7	20.4	6.9	.9	.1	.1	5.2
		5.1	5.7	5.0	4.7	4.5	4.3	10.7	12.5	
TWELVE	12	729	656	3989	3390	1191	176	4	4	13487
		5.4	4.9	29.6	25.1	8.8	1.3	.0	.0	19.6
		18.8	17.4	20.1	21.6	21.5	23.2	14.3	10.0	
THIRTEEN	13	291	305	1580	1246	421	44	2	3	5343
		5.4	5.7	29.6	23.3	7.9	.8	.0	.1	7.7
		7.5	8.1	7.9	7.9	7.6	5.8	7.1	7.5	
FOURTEEN	14	464	463	2474	2104	699	85	5	5	8325
		5.6	5.6	29.7	25.3	8.4	1.0	.1	.1	12.1
		11.9	12.3	12.4	13.4	12.6	11.2	17.9	12.5	
FIFTEEN	15	722	685	3981	3318	1142	157	3	5	12829
		5.6	5.3	31.0	25.9	8.9	1.2	.0	.0	18.6
		18.6	18.1	20.0	21.1	20.6	20.7	10.7	12.5	
SIXTEEN OR MORE	16	685	715	3567	2772	990	142	3	5	11961
		5.7	6.0	29.8	23.2	8.3	1.2	.0	.0	17.3
		17.6	18.9	17.9	17.6	17.9	18.7	10.7	12.5	
NOT STATED	17	19	13	61	40	20	3		3	230
		8.3	5.7	26.5	17.4	8.7	1.3		1.3	.3
		.5	.3	.3	.3	.4	.4		7.5	
	Column Total	3886	3779	19888	15725	5541	760	28	40	68960
		5.6	5.5	28.8	22.8	8.0	1.1	.0	.1	100.0

TABLE 11

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

PCVISIT	Count / Row Pct / Col Pct	AGE 12	13	14	15	16	17	18	19	20	21	22	Row Total
NONE	0	1	4	8	15	23	40	58	67	69	76	47	857
		.1	.5	.9	1.8	2.7	4.7	6.8	7.8	8.1	8.9	5.5	2.6
		6.7	5.3	3.3	2.5	2.3	2.7	3.0	3.1	2.9	3.1	2.0	
ONE	1	1	2	1	9	8	18	24	19	27	16	27	272
		.4	.7	.4	3.3	2.9	6.6	8.8	7.0	9.9	5.9	9.9	.8
		6.7	2.7	.4	1.5	.8	1.2	1.2	.9	1.1	.7	1.2	
TWO	2		1	2	9	22	19	31	41	42	35	35	446
			.2	.4	2.0	4.9	4.3	7.0	9.2	9.4	7.8	7.8	1.4
			1.3	.8	1.5	2.2	1.3	1.6	1.9	1.7	1.4	1.5	
THREE	3	1	3	4	16	16	32	34	62	43	52	30	540
		.2	.6	.7	3.0	3.0	5.9	6.3	11.5	8.0	9.6	5.6	1.7
		6.7	4.0	1.7	2.6	1.6	2.2	1.8	2.8	1.8	2.1	1.3	
FOUR	4	1	1	9	10	36	43	69	68	66	69	70	751
		.1	.1	1.2	1.3	4.8	5.7	9.2	9.1	8.8	9.2	9.3	2.3
		6.7	1.3	3.8	1.7	3.6	2.9	3.6	3.1	2.7	2.8	3.0	
FIVE	5	1	7	19	27	32	56	79	80	74	89	84	937
		.1	.7	2.0	2.9	3.4	6.0	8.4	8.5	7.9	9.5	9.0	2.9
		6.7	9.3	7.9	4.5	3.2	3.8	4.1	3.7	3.1	3.6	3.6	
SIX	6	1	6	8	27	59	66	104	94	110	113	90	1223
		.1	.5	.7	2.2	4.8	5.4	8.5	7.7	9.0	9.2	7.4	3.8
		6.7	8.0	3.3	4.5	5.9	4.5	5.4	4.3	4.6	4.6	3.9	
SEVEN	7	1	6	14	36	38	59	81	82	91	93	74	1032
		.1	.6	1.4	3.5	3.7	5.7	7.8	7.9	8.8	9.0	7.2	3.2
		6.7	8.0	5.9	5.9	3.8	4.0	4.2	3.7	3.8	3.8	3.2	
EIGHT	8	2	6	24	49	77	105	139	135	150	150	115	1719
		.1	.3	1.4	2.9	4.5	6.1	8.1	7.9	8.7	8.7	6.7	5.3
		13.3	8.0	10.0	8.1	7.7	7.2	7.2	6.2	6.2	6.1	5.0	
NINE	9	1	4	20	32	54	67	86	119	109	102	97	1333
		.1	.3	1.5	2.4	4.1	5.0	6.5	8.9	8.2	7.7	7.3	4.1
		6.7	5.3	8.4	5.3	5.4	4.6	4.4	5.4	4.5	4.2	4.2	
TEN	10	2	8	25	80	151	172	259	247	283	262	276	3418
		.1	.2	.7	2.3	4.4	5.0	7.6	7.2	8.3	7.7	8.1	10.6
		13.3	10.7	10.5	13.2	15.2	11.8	13.4	11.3	11.7	10.7	11.9	
(Continued)	Column Total	15 .0	75 .2	239 .7	606 1.9	995 3.1	1461 4.5	1936 6.0	2187 6.8	2411 7.4	2457 7.6	2313 7.1	32373 100.0

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

PCVISIT	Count / Row Pct / Col Pct	AGE 23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	Row Total
NONE	0	53 6.2 2.6	34 4.0 1.9	200 23.3 2.7	107 12.5 2.4	41 4.8 2.4	10 1.2 3.3	1 .1 20.0	3 .4 13.6	857 2.6
ONE	1	18 6.6 .9	24 8.8 1.4	43 15.8 .6	20 7.4 .4	10 3.7 .6	5 1.8 1.7			272 .8
TWO	2	25 5.6 1.2	21 4.7 1.2	95 21.3 1.3	53 11.9 1.2	13 2.9 .8	2 .4 .7			446 1.4
THREE	3	42 7.8 2.1	29 5.4 1.7	102 18.9 1.4	49 9.1 1.1	19 3.5 1.1	6 1.1 2.0			540 1.7
FOUR	4	46 6.1 2.3	39 5.2 2.2	124 16.5 1.7	69 9.2 1.5	26 3.5 1.5	5 .7 1.7			751 2.3
FIVE	5	60 6.4 3.0	43 4.6 2.5	166 17.7 2.2	88 9.4 2.0	28 3.0 1.6	4 .4 1.3			937 2.9
SIX	6	88 7.2 4.4	56 4.6 3.2	220 18.0 3.0	126 10.3 2.8	43 3.5 2.5	12 1.0 4.0			1223 3.8
SEVEN	7	75 7.3 3.7	40 3.9 2.3	179 17.3 2.4	113 10.9 2.5	38 3.7 2.2	9 .9 3.0		3 .3 13.6	1032 3.2
EIGHT	8	101 5.9 5.0	88 5.1 5.0	326 19.0 4.4	175 10.2 3.9	69 4.0 4.0	7 .4 2.3		1 .1 4.5	1719 5.3
NINE	9	84 6.3 4.2	79 5.9 4.5	233 17.5 3.1	158 11.9 3.5	67 5.0 3.9	19 1.4 6.3		2 .2 9.1	1333 4.1
TEN	10	194 5.7 9.7	179 5.2 10.2	687 20.1 9.3	412 12.1 9.2	153 4.5 8.9	26 .8 8.7		2 .1 9.1	3418 10.6
(Continued)	Column Total	2002 6.2	1747 5.4	7407 22.9	4483 13.8	1712 5.3	300 .9	5 .0	22 .1	32373 100.0

TABLE 11

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

PCVISIT (Count / Row Pct / Col Pct)	AGE 12	13	14	15	16	17	18	19	20	21	22	Row Total
11 ELEVEN		6	13	39	29	78	102	118	117	129	124	1581
		.4	.8	2.5	1.8	4.9	6.5	7.5	7.4	8.2	7.8	4.9
		8.0	5.4	6.4	2.9	5.3	5.3	5.4	4.9	5.3	5.4	
12 TWELVE		7	26	82	147	207	261	327	356	360	350	4988
		.1	.5	1.6	2.9	4.1	5.2	6.6	7.1	7.2	7.0	15.4
		9.3	10.9	13.5	14.8	14.2	13.5	15.0	14.8	14.7	15.1	
13 THIRTEEN	2	1	17	27	50	85	118	144	171	149	142	2076
	.1	.0	.8	1.3	2.4	4.1	5.7	6.9	8.2	7.2	6.8	6.4
	13.3	1.3	7.1	4.5	5.0	5.8	6.1	6.6	7.1	6.1	6.1	
14 FOURTEEN		3	14	41	71	122	150	139	202	202	197	2976
		.1	.5	1.4	2.4	4.1	5.0	4.7	6.8	6.8	6.6	9.2
		4.0	5.9	6.8	7.1	8.4	7.7	6.4	8.4	8.2	8.5	
15 FIFTEEN	1	6	19	60	97	152	187	266	282	326	314	4438
	.0	.1	.4	1.4	2.2	3.4	4.2	6.0	6.4	7.3	7.1	13.7
	6.7	8.0	7.9	9.9	9.7	10.4	9.7	12.2	11.7	13.3	13.6	
16 SIXTEEN OR MORE		3	16	43	78	126	145	171	212	220	225	3631
		.1	.4	1.2	2.1	3.5	4.0	4.7	5.8	6.1	6.2	11.2
		4.0	6.7	7.1	7.8	8.6	7.5	7.8	8.8	9.0	9.7	
17 NOT STATED		1		4	7	14	9	8	7	14	16	155
		.6		2.6	4.5	9.0	5.8	5.2	4.5	9.0	10.3	.5
		1.3		.7	.7	1.0	.5	.4	.3	.6	.7	
Column Total	15	75	239	606	995	1461	1936	2187	2411	2457	2313	32373
	.0	.2	.7	1.9	3.1	4.5	6.0	6.8	7.4	7.6	7.1	100.0

(Continued)

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

PCVISIT	Count / Row Pct / Col Pct	AGE 23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	Row Total
ELEVEN	11	98	84	356	216	66	5		1	1581
		6.2	5.3	22.5	13.7	4.2	.3		.1	4.9
		4.9	4.8	4.8	4.8	3.9	1.7		4.5	
TWELVE	12	336	253	1205	730	292	46		3	4988
		6.7	5.1	24.2	14.6	5.9	.9		.1	15.4
		16.8	14.5	16.3	16.3	17.1	15.3		13.6	
THIRTEEN	13	129	130	497	271	123	19		1	2076
		6.2	6.3	23.9	13.1	5.9	.9		.0	6.4
		6.4	7.4	6.7	6.0	7.2	6.3		4.5	
FOURTEEN	14	180	155	790	476	200	31		3	2976
		6.0	5.2	26.5	16.0	6.7	1.0		.1	9.2
		9.0	8.9	10.7	10.6	11.7	10.3		13.6	
FIFTEEN	15	257	275	1129	752	270	40	2	3	4438
		5.8	6.2	25.4	16.9	6.1	.9	.0	.1	13.7
		12.8	15.7	15.2	16.8	15.8	13.3	40.0	13.6	
SIXTEEN OR MORE	16	211	209	1016	653	248	53	2		3631
		5.8	5.8	28.0	18.0	6.8	1.5	.1		11.2
		10.5	12.0	13.7	14.6	14.5	17.7	40.0		
NOT STATED	17	5	9	39	15	6	1			155
		3.2	5.8	25.2	9.7	3.9	.6			.5
		.2	.5	.5	.3	.4	.3			
	Column Total	2002	1747	7407	4483	1712	300	5	22	32373
		6.2	5.4	22.9	13.8	5.3	.9	.0	.1	100.0

Number of Missing Observations: 0

NUMBER OF PRENATAL VISITS

BY MARITAL STATUS

BY RACE

PCVISIT NUMBER OF PRENATAL VISITS by STATUS MARITAL STATUS OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

STATUS

PCVISIT	Count / Row Pct / Col Pct	MARRIED 1	NOT MARRIED 2	NOT STATED 3	Row Total
NONE	0	287 22.4 .4	990 77.4 3.0	2 .2 5.0	1279 1.3
ONE	1	99 26.0 .1	281 73.8 .9	1 .3 2.5	381 .4
TWO	2	159 25.2 .2	471 74.6 1.4	1 .2 2.5	631 .6
THREE	3	253 30.2 .4	586 69.8 1.8		839 .8
FOUR	4	359 30.0 .5	839 70.0 2.6		1198 1.2
FIVE	5	606 38.5 .9	967 61.4 3.0	1 .1 2.5	1574 1.6
SIX	6	915 41.6 1.3	1279 58.2 3.9	4 .2 10.0	2198 2.2
SEVEN	7	959 46.3 1.4	1113 53.7 3.4		2072 2.0
EIGHT	8	1859 50.3 2.7	1837 49.7 5.6	3 .1 7.5	3699 3.7
NINE	9	1917 57.6 2.8	1405 42.2 4.3	5 .2 12.5	3327 3.3
TEN	10	4868 57.3 7.1	3632 42.7 11.2	1 .0 2.5	8501 8.4
(Continued)	Column Total	68727 67.8	32566 32.1	40 .0	101333 100.0

PCVISIT NUMBER OF PRENATAL VISITS by STATUS MARITAL STATUS OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

STATUS Page 2 of 2

PCVISIT	Count / Row Pct / Col Pct	MARRIED 1	NOT MARRIED 2	NOT STATED 3	Row Total
ELEVEN	11	3530	1665		5195
		67.9	32.1		5.1
		5.1	5.1		
TWELVE	12	13533	4937	5	18475
		73.3	26.7	.0	18.2
		19.7	15.2	12.5	
THIRTEEN	13	5328	2089	2	7419
		71.8	28.2	.0	7.3
		7.8	6.4	5.0	
FOURTEEN	14	8455	2843	3	11301
		74.8	25.2	.0	11.2
		12.3	8.7	7.5	
FIFTEEN	15	13214	4050	3	17267
		76.5	23.5	.0	17.0
		19.2	12.4	7.5	
SIXTEEN OR MORE	16	12171	3419	2	15592
		78.1	21.9	.0	15.4
		17.7	10.5	5.0	
NOT STATED	17	215	163	7	385
		55.8	42.3	1.8	.4
		.3	.5	17.5	
	Column Total	68727	32566	40	101333
		67.8	32.1	.0	100.0

Number of Missing Observations: 0

PCVISIT NUMBER OF PRENATAL VISITS by STATUS MARITAL STATUS OF MOTHER
Controlling for..
RACE Value = 1 WHITE

STATUS

Page 1 of 2

PCVISIT	Count / Row Pct / Col Pct	MARRIED 1	NOT MARRIED 2	NOT STATED 3	Row Total
NONE	0	165 39.1 .3	257 60.9 2.2		422 .6
ONE	1	61 56.0 .1	48 44.0 .4		109 .2
TWO	2	90 48.6 .2	94 50.8 .8	1 .5 3.8	185 .3
THREE	3	164 54.8 .3	135 45.2 1.2		299 .4
FOUR	4	239 53.5 .4	208 46.5 1.8		447 .6
FIVE	5	393 61.7 .7	243 38.1 2.1	1 .2 3.8	637 .9
SIX	6	614 63.0 1.1	358 36.7 3.1	3 .3 11.5	975 1.4
SEVEN	7	709 68.2 1.2	331 31.8 2.8		1040 1.5
EIGHT	8	1383 69.8 2.4	596 30.1 5.1	1 .1 3.8	1980 2.9
NINE	9	1512 75.8 2.6	480 24.1 4.1	2 .1 7.7	1994 2.9
TEN	10	3897 76.7 6.8	1185 23.3 10.1	1 .0 3.8	5083 7.4
(Continued)	Column Total	57240 83.0	11694 17.0	26 .0	68960 100.0

PCVISIT NUMBER OF PRENATAL VISITS by STATUS MARITAL STATUS OF MOTHER
Controlling for..
RACE Value = 1 WHITE

Page 2 of 2

PCVISIT	Count / Row Pct / Col Pct	STATUS: MARRIED (1)	NOT MARRIED (2)	NOT STATED (3)	Row Total
ELEVEN	11	2973	641		3614
		82.3	17.7		5.2
		5.2	5.5		
TWELVE	12	11602	1880	5	13487
		86.0	13.9	.0	19.6
		20.3	16.1	19.2	
THIRTEEN	13	4524	819		5343
		84.7	15.3		7.7
		7.9	7.0		
FOURTEEN	14	7127	1195	3	8325
		85.6	14.4	.0	12.1
		12.5	10.2	11.5	
FIFTEEN	15	11226	1602	1	12829
		87.5	12.5	.0	18.6
		19.6	13.7	3.8	
SIXTEEN OR MORE	16	10392	1567	2	11961
		86.9	13.1	.0	17.3
		18.2	13.4	7.7	
NOT STATED	17	169	55	6	230
		73.5	23.9	2.6	.3
		.3	.5	23.1	
	Column Total	57240	11694	26	68960
		83.0	17.0	.0	100.0

PCVISIT NUMBER OF PRENATAL VISITS by STATUS MARITAL STATUS OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

STATUS

PCVISIT	Count / Row Pct / Col Pct	MARRIED 1	NOT MARRIED 2	NOT STATED 3	Row Total
NONE	0	122 14.2 1.1	733 85.5 3.5	2 .2 14.3	857 2.6
ONE	1	38 14.0 .3	233 85.7 1.1	1 .4 7.1	272 .8
TWO	2	69 15.5 .6	377 84.5 1.8		446 1.4
THREE	3	89 16.5 .8	451 83.5 2.2		540 1.7
FOUR	4	120 16.0 1.0	631 84.0 3.0		751 2.3
FIVE	5	213 22.7 1.9	724 77.3 3.5		937 2.9
SIX	6	301 24.6 2.6	921 75.3 4.4	1 .1 7.1	1223 3.8
SEVEN	7	250 24.2 2.2	782 75.8 3.7		1032 3.2
EIGHT	8	476 27.7 4.1	1241 72.2 5.9	2 .1 14.3	1719 5.3
NINE	9	405 30.4 3.5	925 69.4 4.4	3 .2 21.4	1333 4.1
TEN	10	971 28.4 8.5	2447 71.6 11.7		3418 10.6
(Continued)	Column Total	11487 35.5	20872 64.5	14 .0	32373 100.0

PCVISIT NUMBER OF PRENATAL VISITS by STATUS MARITAL STATUS OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

STATUS Page 2 of 2

PCVISIT	Count / Row Pct / Col Pct	MARRIED 1	NOT MARRIED 2	NOT STATED 3	Row Total
ELEVEN	11	557 35.2 4.8	1024 64.8 4.9		1581 4.9
TWELVE	12	1931 38.7 16.8	3057 61.3 14.6		4988 15.4
THIRTEEN	13	804 38.7 7.0	1270 61.2 6.1	2 .1 14.3	2076 6.4
FOURTEEN	14	1328 44.6 11.6	1648 55.4 7.9		2976 9.2
FIFTEEN	15	1988 44.8 17.3	2448 55.2 11.7	2 .0 14.3	4438 13.7
SIXTEEN OR MORE	16	1779 49.0 15.5	1852 51.0 8.9		3631 11.2
NOT STATED	17	46 29.7 .4	108 69.7 .5	1 .6 7.1	155 .5
	Column Total	11487 35.5	20872 64.5	14 .0	32373 100.0

Number of Missing Observations: 0

NUMBER OF PRENATAL VISITS

BY BIRTH ORDER

BY RACE

PCVISIT NUMBER OF PRENATAL VISITS by BO BIRTH ORDER
Controlling for..
XRACE Value = 0 TOTAL

PCVISIT	Count / Row Pct / Col Pct	BO 1ST 1	2ND 2	3RD 3	4TH 4	5TH 5	6TH 6	7TH 7	8TH 8	9TH AND OVER 9	NOT STATED 10	Row Total
NONE	0	265 20.7 .8	291 22.8 .9	259 20.3 1.4	172 13.4 2.0	118 9.2 3.1	82 6.4 4.8	39 3.0 5.1	27 2.1 7.8	18 1.4 5.5	8 .6 5.6	1279 1.3
ONE	1	72 18.9 .2	94 24.7 .3	76 19.9 .4	55 14.4 .6	39 10.2 1.0	26 6.8 1.5	11 2.9 1.4	4 1.0 1.2	3 .8 .9	1 .3 .7	381 .4
TWO	2	115 18.2 .3	155 24.6 .5	145 23.0 .8	92 14.6 1.1	58 9.2 1.5	32 5.1 1.9	14 2.2 1.8	7 1.1 2.0	10 1.6 3.1	3 .5 2.1	631 .6
THREE	3	186 22.2 .5	240 28.6 .7	181 21.6 1.0	108 12.9 1.3	56 6.7 1.5	24 2.9 1.4	18 2.1 2.4	8 1.0 2.3	15 1.8 4.6	3 .4 2.1	839 .8
FOUR	4	308 25.7 .9	317 26.5 1.0	254 21.2 1.4	141 11.8 1.7	80 6.7 2.1	51 4.3 3.0	20 1.7 2.6	12 1.0 3.5	13 1.1 4.0	2 .2 1.4	1198 1.2
FIVE	5	444 28.2 1.3	462 29.4 1.4	302 19.2 1.6	176 11.2 2.1	89 5.7 2.3	53 3.4 3.1	25 1.6 3.3	14 .9 4.0	7 .4 2.1	2 .1 1.4	1574 1.6
SIX	6	625 28.4 1.8	623 28.3 1.9	440 20.0 2.4	241 11.0 2.8	130 5.9 3.4	70 3.2 4.1	29 1.3 3.8	16 .7 4.6	18 .8 5.5	6 .3 4.2	2198 2.2
SEVEN	7	662 31.9 1.9	606 29.2 1.9	398 19.2 2.2	198 9.6 2.3	113 5.5 2.9	39 1.9 2.3	29 1.4 3.8	13 .6 3.7	12 .6 3.7	2 .1 1.4	2072 2.0
EIGHT	8	1257 34.0 3.6	1038 28.1 3.2	728 19.7 4.0	362 9.8 4.3	158 4.3 4.1	71 1.9 4.2	36 1.0 4.7	22 .6 6.3	19 .5 5.8	8 .2 5.6	3699 3.7
NINE	9	1153 34.7 3.3	999 30.0 3.1	612 18.4 3.3	315 9.5 3.7	136 4.1 3.5	55 1.7 3.2	31 .9 4.1	5 .2 1.4	19 .6 5.8	2 .1 1.4	3327 3.3
TEN	10	2968 34.9 8.4	2657 31.3 8.3	1458 17.2 7.9	713 8.4 8.4	382 4.5 9.9	161 1.9 9.5	87 1.0 11.4	31 .4 8.9	36 .4 11.0	8 .1 5.6	8501 8.4
(Continued)	Column Total	35326 34.9	32028 31.6	18375 18.1	8484 8.4	3848 3.8	1697 1.7	760 .8	347 .3	326 .3	142 .1	101333 100.0

PCVISIT NUMBER OF PRENATAL VISITS by BO BIRTH ORDER
Controlling for..
XRACE Value = 0 TOTAL

PCVISIT	Count / Row Pct / Col Pct	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	Row Total
ELEVEN	11	1832	1722	927	412	189	61	25	8	14	5	5195
		35.3	33.1	17.8	7.9	3.6	1.2	.5	.2	.3	.1	5.1
		5.2	5.4	5.0	4.9	4.9	3.6	3.3	2.3	4.3	3.5	
TWELVE	12	6620	5985	3354	1431	604	278	101	45	35	22	18475
		35.8	32.4	18.2	7.7	3.3	1.5	.5	.2	.2	.1	18.2
		18.7	18.7	18.3	16.9	15.7	16.4	13.3	13.0	10.7	15.5	
THIRTEEN	13	2690	2478	1281	558	257	80	34	22	13	6	7419
		36.3	33.4	17.3	7.5	3.5	1.1	.5	.3	.2	.1	7.3
		7.6	7.7	7.0	6.6	6.7	4.7	4.5	6.3	4.0	4.2	
FOURTEEN	14	4100	3665	2060	888	324	149	60	28	19	8	11301
		36.3	32.4	18.2	7.9	2.9	1.3	.5	.2	.2	.1	11.2
		11.6	11.4	11.2	10.5	8.4	8.8	7.9	8.1	5.8	5.6	
FIFTEEN	15	6267	5599	3115	1364	544	208	89	36	31	14	17267
		36.3	32.4	18.0	7.9	3.2	1.2	.5	.2	.2	.1	17.0
		17.7	17.5	17.0	16.1	14.1	12.3	11.7	10.4	9.5	9.9	
SIXTEEN OR MORE	16	5633	4996	2725	1233	546	246	109	48	43	13	15592
		36.1	32.0	17.5	7.9	3.5	1.6	.7	.3	.3	.1	15.4
		15.9	15.6	14.8	14.5	14.2	14.5	14.3	13.8	13.2	9.2	
NOT STATED	17	129	101	60	25	25	11	3	1	1	29	385
		33.5	26.2	15.6	6.5	6.5	2.9	.8	.3	.3	7.5	.4
		.4	.3	.3	.3	.6	.6	.4	.3	.3	20.4	
	Column Total	35326	32028	18375	8484	3848	1697	760	347	326	142	101333
		34.9	31.6	18.1	8.4	3.8	1.7	.8	.3	.3	.1	100.0

Number of Missing Observations: 0

PCVISIT NUMBER OF PRENATAL VISITS by BO BIRTH ORDER
Controlling for..
RACE Value = 1 WHITE

PCVISIT	Count / Row Pct / Col Pct	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	Row Total
NONE	0	129 30.6 .5	104 24.6 .5	82 19.4 .7	36 8.5 .7	31 7.3 1.4	23 5.5 2.6	6 1.4 1.6	1 .2 .6	5 1.2 3.2	5 1.2 6.0	422 .6
ONE	1	31 28.4 .1	29 26.6 .1	19 17.4 .2	11 10.1 .2	9 8.3 .4	5 4.6 .6	3 2.8 .8	2 1.8 1.2			109 .2
TWO	2	46 24.9 .2	50 27.0 .2	40 21.6 .3	16 8.6 .3	17 9.2 .8	6 3.2 .7	3 1.6 .8	2 1.1 1.2	3 1.6 1.9	2 1.1 2.4	185 .3
THREE	3	84 28.1 .3	85 28.4 .4	67 22.4 .6	32 10.7 .6	11 3.7 .5	7 2.3 .8	8 2.7 2.1	1 .3 .6	4 1.3 2.6		299 .4
FOUR	4	139 31.1 .6	128 28.6 .6	83 18.6 .7	40 8.9 .8	27 6.0 1.2	14 3.1 1.6	8 1.8 2.1	4 .9 2.4	3 .7 1.9	1 .2 1.2	447 .6
FIVE	5	194 30.5 .8	202 31.7 .9	115 18.1 1.0	62 9.7 1.2	27 4.2 1.2	18 2.8 2.0	10 1.6 2.6	6 .9 3.6	2 .3 1.3	1 .2 1.2	637 .9
SIX	6	303 31.1 1.2	296 30.4 1.3	184 18.9 1.5	85 8.7 1.7	48 4.9 2.2	30 3.1 3.4	11 1.1 2.9	7 .7 4.1	8 .8 5.1	3 .3 3.6	975 1.4
SEVEN	7	352 33.8 1.4	318 30.6 1.4	195 18.8 1.6	88 8.5 1.7	54 5.2 2.5	13 1.3 1.5	9 .9 2.4	6 .6 3.6	4 .4 2.6	1 .1 1.2	1040 1.5
EIGHT	8	696 35.2 2.8	583 29.4 2.6	379 19.1 3.1	177 8.9 3.4	73 3.7 3.4	33 1.7 3.7	17 .9 4.5	12 .6 7.1	7 .4 4.5	3 .2 3.6	1980 2.9
NINE	9	708 35.5 2.8	606 30.4 2.7	377 18.9 3.1	189 9.5 3.7	68 3.4 3.1	22 1.1 2.5	14 .7 3.7	2 .1 1.2	6 .3 3.8	2 .1 2.4	1994 2.9
TEN	10	1831 36.0 7.3	1666 32.8 7.3	838 16.5 6.9	396 7.8 7.7	195 3.8 9.0	77 1.5 8.7	38 .7 9.9	18 .4 10.7	19 .4 12.2	5 .1 6.0	5083 7.4
(Continued)	Column Total	25074 36.4	22849 33.1	12062 17.5	5141 7.5	2163 3.1	881 1.3	382 .6	169 .2	156 .2	83 .1	68960 100.0

PCVISIT NUMBER OF PRENATAL VISITS by BO BIRTH ORDER
Controlling for..
RACE Value = 1 WHITE

PCVISIT	Count / Row Pct / Col Pct	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	Row Total
ELEVEN	11	1282	1258	627	255	121	39	16	3	8	5	3614
		35.5	34.8	17.3	7.1	3.3	1.1	.4	.1	.2	.1	5.2
		5.1	5.5	5.2	5.0	5.6	4.4	4.2	1.8	5.1	6.0	
TWELVE	12	4922	4559	2391	952	373	169	63	25	19	14	13487
		36.5	33.8	17.7	7.1	2.8	1.3	.5	.2	.1	.1	19.6
		19.6	20.0	19.8	18.5	17.2	19.2	16.5	14.8	12.2	16.9	
THIRTEEN	13	1987	1852	913	353	149	47	16	13	9	4	5343
		37.2	34.7	17.1	6.6	2.8	.9	.3	.2	.2	.1	7.7
		7.9	8.1	7.6	6.9	6.9	5.3	4.2	7.7	5.8	4.8	
FOURTEEN	14	3076	2804	1464	620	208	88	37	14	9	5	8325
		36.9	33.7	17.6	7.4	2.5	1.1	.4	.2	.1	.1	12.1
		12.3	12.3	12.1	12.1	9.6	10.0	9.7	8.3	5.8	6.0	
FIFTEEN	15	4791	4298	2224	928	365	121	52	21	21	8	12829
		37.3	33.5	17.3	7.2	2.8	.9	.4	.2	.2	.1	18.6
		19.1	18.8	18.4	18.1	16.9	13.7	13.6	12.4	13.5	9.6	
SIXTEEN OR MORE	16	4418	3953	2026	888	374	164	69	32	29	8	11961
		36.9	33.0	16.9	7.4	3.1	1.4	.6	.3	.2	.1	17.3
		17.6	17.3	16.8	17.3	17.3	18.6	18.1	18.9	18.6	9.6	
NOT STATED	17	85	58	38	13	13	5	2			16	230
		37.0	25.2	16.5	5.7	5.7	2.2	.9			7.0	.3
		.3	.3	.3	.3	.6	.6	.5			19.3	
	Column Total	25074	22849	12062	5141	2163	881	382	169	156	83	68960
		36.4	33.1	17.5	7.5	3.1	1.3	.6	.2	.2	.1	100.0

PCVISIT NUMBER OF PRENATAL VISITS by BO BIRTH ORDER
Controlling for..
RACE Value = 2 NONWHITE

PCVISIT	Count / Row Pct / Col Pct	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	Row Total
NONE	0	136 15.9 1.3	187 21.8 2.0	177 20.7 2.8	136 15.9 4.1	87 10.2 5.2	59 6.9 7.2	33 3.9 8.7	26 3.0 14.6	13 1.5 7.6	3 .4 5.1	857 2.6
ONE	1	41 15.1 .4	65 23.9 .7	57 21.0 .9	44 16.2 1.3	30 11.0 1.8	21 7.7 2.6	8 2.9 2.1	2 .7 1.1	3 1.1 1.8	1 .4 1.7	272 .8
TWO	2	69 15.5 .7	105 23.5 1.1	105 23.5 1.7	76 17.0 2.3	41 9.2 2.4	26 5.8 3.2	11 2.5 2.9	5 1.1 2.8	7 1.6 4.1	1 .2 1.7	446 1.4
THREE	3	102 18.9 1.0	155 28.7 1.7	114 21.1 1.8	76 14.1 2.3	45 8.3 2.7	17 3.1 2.1	10 1.9 2.6	7 1.3 3.9	11 2.0 6.5	3 .6 5.1	540 1.7
FOUR	4	169 22.5 1.6	189 25.2 2.1	171 22.8 2.7	101 13.4 3.0	53 7.1 3.1	37 4.9 4.5	12 1.6 3.2	8 1.1 4.5	10 1.3 5.9	1 .1 1.7	751 2.3
FIVE	5	250 26.7 2.4	260 27.7 2.8	187 20.0 3.0	114 12.2 3.4	62 6.6 3.7	35 3.7 4.3	15 1.6 4.0	8 .9 4.5	5 .5 2.9	1 .1 1.7	937 2.9
SIX	6	322 26.3 3.1	327 26.7 3.6	256 20.9 4.1	156 12.8 4.7	82 6.7 4.9	40 3.3 4.9	18 1.5 4.8	9 .7 5.1	10 .8 5.9	3 .2 5.1	1223 3.8
SEVEN	7	310 30.0 3.0	288 27.9 3.1	203 19.7 3.2	110 10.7 3.3	59 5.7 3.5	26 2.5 3.2	20 1.9 5.3	7 .7 3.9	8 .8 4.7	1 .1 1.7	1032 3.2
EIGHT	8	561 32.6 5.5	455 26.5 5.0	349 20.3 5.5	185 10.8 5.5	85 4.9 5.0	38 2.2 4.7	19 1.1 5.0	10 .6 5.6	12 .7 7.1	5 .3 8.5	1719 5.3
NINE	9	445 33.4 4.3	393 29.5 4.3	235 17.6 3.7	126 9.5 3.8	68 5.1 4.0	33 2.5 4.0	17 1.3 4.5	3 .2 1.7	13 1.0 7.6		1333 4.1
TEN	10	1137 33.3 11.1	991 29.0 10.8	620 18.1 9.8	317 9.3 9.5	187 5.5 11.1	84 2.5 10.3	49 1.4 13.0	13 .4 7.3	17 .5 10.0	3 .1 5.1	3418 10.6
(Continued)	Column Total	10252 31.7	9179 28.4	6313 19.5	3343 10.3	1685 5.2	816 2.5	378 1.2	178 .5	170 .5	59 .2	32373 100.0

PCVISIT NUMBER OF PRENATAL VISITS by BO BIRTH ORDER
Controlling for..
RACE Value = 2 NONWHITE

PCVISIT	BO: 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	Row Total
11 ELEVEN	550 34.8 5.4	464 29.3 5.1	300 19.0 4.8	157 9.9 4.7	68 4.3 4.0	22 1.4 2.7	9 .6 2.4	5 .3 2.8	6 .4 3.5		1581 4.9
12 TWELVE	1698 34.0 16.6	1426 28.6 15.5	963 19.3 15.3	479 9.6 14.3	231 4.6 13.7	109 2.2 13.4	38 .8 10.1	20 .4 11.2	16 .3 9.4	8 .2 13.6	4988 15.4
13 THIRTEEN	703 33.9 6.9	626 30.2 6.8	368 17.7 5.8	205 9.9 6.1	108 5.2 6.4	33 1.6 4.0	18 .9 4.8	9 .4 5.1	4 .2 2.4	2 .1 3.4	2076 6.4
14 FOURTEEN	1024 34.4 10.0	861 28.9 9.4	596 20.0 9.4	268 9.0 8.0	116 3.9 6.9	61 2.0 7.5	23 .8 6.1	14 .5 7.9	10 .3 5.9	3 .1 5.1	2976 9.2
15 FIFTEEN	1476 33.3 14.4	1301 29.3 14.2	891 20.1 14.1	436 9.8 13.0	179 4.0 10.6	87 2.0 10.7	37 .8 9.8	15 .3 8.4	10 .2 5.9	6 .1 10.2	4438 13.7
16 SIXTEEN OR MORE	1215 33.5 11.9	1043 28.7 11.4	699 19.3 11.1	345 9.5 10.3	172 4.7 10.2	82 2.3 10.0	40 1.1 10.6	16 .4 9.0	14 .4 8.2	5 .1 8.5	3631 11.2
17 NOT STATED	44 28.4 .4	43 27.7 .5	22 14.2 .3	12 7.7 .4	12 7.7 .7	6 3.9 .7	1 .6 .3	1 .6 .6	1 .6 .6	13 8.4 22.0	155 .5
Column Total	10252 31.7	9179 28.4	6313 19.5	3343 10.3	1685 5.2	816 2.5	378 1.2	178 .5	170 .5	59 .2	32373 100.0

Number of Missing Observations: 0

NUMBER OF PRENATAL VISITS

BY BIRTH WEIGHT

BY RACE

PCVISIT NUMBER OF PRENATAL VISITS by BW BIRTH WEIGHT IN GRAMS
Controlling for..
XRACE Value = 0 TOTAL

PCVISIT	Count / Row Pct / Col Pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
NONE	0	116	222	933	8	1279
		9.1	17.4	72.9	.6	1.3
		6.4	3.2	1.0	17.4	
ONE	1	59	72	249	1	381
		15.5	18.9	65.4	.3	.4
		3.3	1.0	.3	2.2	
TWO	2	88	96	444	3	631
		13.9	15.2	70.4	.5	.6
		4.8	1.4	.5	6.5	
THREE	3	109	131	599		839
		13.0	15.6	71.4		.8
		6.0	1.9	.6		
FOUR	4	164	172	861	1	1198
		13.7	14.4	71.9	.1	1.2
		9.0	2.5	.9	2.2	
FIVE	5	168	216	1189	1	1574
		10.7	13.7	75.5	.1	1.6
		9.3	3.1	1.3	2.2	
SIX	6	184	278	1734	2	2198
		8.4	12.6	78.9	.1	2.2
		10.1	4.0	1.9	4.3	
SEVEN	7	114	261	1697		2072
		5.5	12.6	81.9		2.0
		6.3	3.8	1.8		
EIGHT	8	162	441	3096		3699
		4.4	11.9	83.7		3.7
		8.9	6.3	3.3		
NINE	9	62	316	2949		3327
		1.9	9.5	88.6		3.3
		3.4	4.5	3.2		
TEN	10	189	803	7505	4	8501
		2.2	9.4	88.3	.0	8.4
		10.4	11.5	8.1	8.7	
(Continued)	Column Total	1815	6953	92519	46	101333
		1.8	6.9	91.3	.0	100.0

PCVISIT NUMBER OF PRENATAL VISITS by BW BIRTH WEIGHT IN GRAMS
Controlling for..
XRACE Value = 0 TOTAL

Page 2 of 2

PCVISIT	Count / Row Pct / Col Pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
ELEVEN	11	37	287	4869	2	5195
		.7	5.5	93.7	.0	5.1
		2.0	4.1	5.3	4.3	
TWELVE	12	93	1059	17322	1	18475
		.5	5.7	93.8	.0	18.2
		5.1	15.2	18.7	2.2	
THIRTEEN	13	25	349	7042	3	7419
		.3	4.7	94.9	.0	7.3
		1.4	5.0	7.6	6.5	
FOURTEEN	14	27	499	10772	3	11301
		.2	4.4	95.3	.0	11.2
		1.5	7.2	11.6	6.5	
FIFTEEN	15	110	805	16351	1	17267
		.6	4.7	94.7	.0	17.0
		6.1	11.6	17.7	2.2	
SIXTEEN OR MORE	16	89	893	14605	5	15592
		.6	5.7	93.7	.0	15.4
		4.9	12.8	15.8	10.9	
NOT STATED	17	19	53	302	11	385
		4.9	13.8	78.4	2.9	.4
		1.0	.8	.3	23.9	
	Column Total	1815	6953	92519	46	101333
		1.8	6.9	91.3	.0	100.0

Number of Missing Observations: 0

PCVISIT NUMBER OF PRENATAL VISITS by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 1 WHITE

Page 1 of 2

PCVISIT	Count / Row Pct / Col Pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
NONE	0	20 4.7 2.5	58 13.7 1.5	341 80.8 .5	3 .7 11.5	422 .6
ONE	1	12 11.0 1.5	15 13.8 .4	82 75.2 .1		109 .2
TWO	2	13 7.0 1.6	20 10.8 .5	151 81.6 .2	1 .5 3.8	185 .3
THREE	3	44 14.7 5.4	43 14.4 1.1	212 70.9 .3		299 .4
FOUR	4	65 14.5 8.0	64 14.3 1.7	317 70.9 .5	1 .2 3.8	447 .6
FIVE	5	65 10.2 8.0	86 13.5 2.3	486 76.3 .8		637 .9
SIX	6	103 10.6 12.6	116 11.9 3.1	755 77.4 1.2	1 .1 3.8	975 1.4
SEVEN	7	51 4.9 6.3	124 11.9 3.3	865 83.2 1.3		1040 1.5
EIGHT	8	85 4.3 10.4	210 10.6 5.6	1685 85.1 2.6		1980 2.9
NINE	9	30 1.5 3.7	177 8.9 4.7	1787 89.6 2.8		1994 2.9
TEN	10	96 1.9 11.8	427 8.4 11.4	4557 89.7 7.1	3 .1 11.5	5083 7.4
(Continued)	Column Total	815 1.2	3744 5.4	64375 93.4	26 .0	68960 100.0

PCVISIT NUMBER OF PRENATAL VISITS by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 1 WHITE

PCVISIT	Count / Row Pct / Col Pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
ELEVEN	11	20 .6 2.5	163 4.5 4.4	3429 94.9 5.3	2 .1 7.7	3614 5.2
TWELVE	12	50 .4 6.1	661 4.9 17.7	12776 94.7 19.8		13487 19.6
THIRTEEN	13	14 .3 1.7	196 3.7 5.2	5131 96.0 8.0	2 .0 7.7	5343 7.7
FOURTEEN	14	20 .2 2.5	292 3.5 7.8	8011 96.2 12.4	2 .0 7.7	8325 12.1
FIFTEEN	15	71 .6 8.7	502 3.9 13.4	12255 95.5 19.0	1 .0 3.8	12829 18.6
SIXTEEN OR MORE	16	47 .4 5.8	569 4.8 15.2	11342 94.8 17.6	3 .0 11.5	11961 17.3
NOT STATED	17	9 3.9 1.1	21 9.1 .6	193 83.9 .3	7 3.0 26.9	230 .3
	Column Total	815 1.2	3744 5.4	64375 93.4	26 .0	68960 100.0

PCVISIT NUMBER OF PRENATAL VISITS by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 2 NONWHITE

Page 1 of 2

PCVISIT	Count / Row Pct / Col Pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
NONE	0	96 11.2 9.6	164 19.1 5.1	592 69.1 2.1	5 .6 25.0	857 2.6
ONE	1	47 17.3 4.7	57 21.0 1.8	167 61.4 .6	1 .4 5.0	272 .8
TWO	2	75 16.8 7.5	76 17.0 2.4	293 65.7 1.0	2 .4 10.0	446 1.4
THREE	3	65 12.0 6.5	88 16.3 2.7	387 71.7 1.4		540 1.7
FOUR	4	99 13.2 9.9	108 14.4 3.4	544 72.4 1.9		751 2.3
FIVE	5	103 11.0 10.3	130 13.9 4.1	703 75.0 2.5	1 .1 5.0	937 2.9
SIX	6	81 6.6 8.1	162 13.2 5.0	979 80.0 3.5	1 .1 5.0	1223 3.8
SEVEN	7	63 6.1 6.3	137 13.3 4.3	832 80.6 3.0		1032 3.2
EIGHT	8	77 4.5 7.7	231 13.4 7.2	1411 82.1 5.0		1719 5.3
NINE	9	32 2.4 3.2	139 10.4 4.3	1162 87.2 4.1		1333 4.1
TEN	10	93 2.7 9.3	376 11.0 11.7	2948 86.2 10.5	1 .0 5.0	3418 10.6
(Continued)	Column Total	1000 3.1	3209 9.9	28144 86.9	20 .1	32373 100.0

PCVISIT NUMBER OF PRENATAL VISITS by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 2 NONWHITE

Page 2 of 2

PCVISIT	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
11 ELEVEN	17 1.1 1.7	124 7.8 3.9	1440 91.1 5.1		1581 4.9
12 TWELVE	43 .9 4.3	398 8.0 12.4	4546 91.1 16.2	1 .0 5.0	4988 15.4
13 THIRTEEN	11 .5 1.1	153 7.4 4.8	1911 92.1 6.8	1 .0 5.0	2076 6.4
14 FOURTEEN	7 .2 .7	207 7.0 6.5	2761 92.8 9.8	1 .0 5.0	2976 9.2
15 FIFTEEN	39 .9 3.9	303 6.8 9.4	4096 92.3 14.6		4438 13.7
16 SIXTEEN OR MORE	42 1.2 4.2	324 8.9 10.1	3263 89.9 11.6	2 .1 10.0	3631 11.2
17 NOT STATED	10 6.5 1.0	32 20.6 1.0	109 70.3 .4	4 2.6 20.0	155 .5
Column Total	1000 3.1	3209 9.9	28144 86.9	20 .1	32373 100.0

Number of Missing Observations: 0

MONTH PRENATAL CARE BEGAN

BY NUMBER OF PRENATAL VISITS

BY RACE

MPCB MONTH PRENATAL CARE BEGAN by PCVISIT NUMBER OF PRENATAL VISITS
Controlling for..
XRACE Value = 0 TOTAL

MPCB	Count / Row Pct / Col Pct	PCVISIT NONE 0	ONE 1	TWO 2	THREE 3	FOUR 4	FIVE 5	SIX 6	SEVEN 7	EIGHT 8	NINE 9	TEN 10	Row Total
NONE	0	1279 100.0 100.0											1279 1.3
FIRST MONTH	1		14 .1 3.7	25 .1 4.0	31 .2 3.7	46 .3 3.8	60 .3 3.8	105 .6 4.8	115 .7 5.6	225 1.3 6.1	245 1.4 7.4	757 4.4 8.9	17326 17.1
SECOND MONTH	2		46 .1 12.1	46 .1 7.3	63 .1 7.5	150 .3 12.5	224 .5 14.2	369 .8 16.8	391 .9 18.9	877 1.9 23.7	958 2.1 28.8	2819 6.2 33.2	45765 45.2
THIRD MONTH	3		22 .1 5.8	54 .3 8.6	95 .5 11.3	143 .8 11.9	220 1.2 14.0	333 1.8 15.2	387 2.1 18.7	801 4.3 21.7	838 4.5 25.2	2100 11.4 24.7	18421 18.2
FOURTH MONTH	4		21 .3 5.5	60 .7 9.5	88 1.1 10.5	121 1.5 10.1	220 2.7 14.0	323 4.0 14.7	371 4.5 17.9	641 7.8 17.3	601 7.4 18.1	1442 17.6 17.0	8176 8.1
FIFTH MONTH	5		34 .7 8.9	63 1.4 10.0	108 2.3 12.9	195 4.2 16.3	259 5.6 16.5	396 8.5 18.0	345 7.4 16.7	559 12.0 15.1	369 7.9 11.1	829 17.9 9.8	4642 4.6
SIXTH MONTH	6		46 1.7 12.1	84 3.1 13.3	123 4.5 14.7	181 6.7 15.1	248 9.2 15.8	350 12.9 15.9	249 9.2 12.0	368 13.6 9.9	206 7.6 6.2	381 14.1 4.5	2705 2.7
SEVENTH MONTH	7		51 3.1 13.4	104 6.4 16.5	132 8.1 15.7	182 11.2 15.2	217 13.4 13.8	233 14.4 10.6	169 10.4 8.2	174 10.7 4.7	80 4.9 2.4	142 8.8 1.7	1620 1.6
EIGHTH MONTH	8		80 9.6 21.0	138 16.5 21.9	150 18.0 17.9	144 17.2 12.0	102 12.2 6.5	81 9.7 3.7	39 4.7 1.9	37 4.4 1.0	16 1.9 .5	16 1.9 .2	835 .8
NINTH MONTH	9		63 24.4 16.5	51 19.8 8.1	41 15.9 4.9	25 9.7 2.1	16 6.2 1.0	2 .8 .1	1 .4 .0	4 1.6 .1	4 1.6 .1	2 .8 .0	258 .3
NOT STATED	10		4 1.3 1.0	6 2.0 1.0	8 2.6 1.0	11 3.6 .9	8 2.6 .5	6 2.0 .3	5 1.6 .2	13 4.2 .4	10 3.3 .3	13 4.2 .2	306 .3
(Continued)	Column Total	1279 1.3	381 .4	631 .6	839 .8	1198 1.2	1574 1.6	2198 2.2	2072 2.0	3699 3.7	3327 3.3	8501 8.4	101333 100.0

MPCB MONTH PRENATAL CARE BEGAN by PCVISIT NUMBER OF PRENATAL VISITS
Controlling for..
XRACE Value = 0 TOTAL

MPCB	PCVISIT ELEVEN 11	TWELVE 12	THIRTEEN 13	FOURTEEN 14	FIFTEEN 15	SIXTEEN OR MORE 16	NOT STATED 17	Row Total
0 NONE								1279 1.3
1 FIRST MONTH	478 2.8 9.2	2348 13.6 12.7	1260 7.3 17.0	2213 12.8 19.6	4758 27.5 27.6	4610 26.6 29.6	36 .2 9.4	17326 17.1
2 SECOND MONTH	2281 5.0 43.9	10500 22.9 56.8	3752 8.2 50.6	6064 13.3 53.7	9370 20.5 54.3	7780 17.0 49.9	75 .2 19.5	45765 45.2
3 THIRD MONTH	1340 7.3 25.8	3568 19.4 19.3	1610 8.7 21.7	2228 12.1 19.7	2275 12.4 13.2	2374 12.9 15.2	33 .2 8.6	18421 18.2
4 FOURTH MONTH	645 7.9 12.4	1350 16.5 7.3	581 7.1 7.8	553 6.8 4.9	591 7.2 3.4	544 6.7 3.5	24 .3 6.2	8176 8.1
5 FIFTH MONTH	291 6.3 5.6	484 10.4 2.6	144 3.1 1.9	170 3.7 1.5	191 4.1 1.1	195 4.2 1.3	10 .2 2.6	4642 4.6
6 SIXTH MONTH	107 4.0 2.1	152 5.6 .8	45 1.7 .6	47 1.7 .4	53 2.0 .3	58 2.1 .4	7 .3 1.8	2705 2.7
7 SEVENTH MONTH	42 2.6 .8	43 2.7 .2	14 .9 .2	10 .6 .1	12 .7 .1	10 .6 .1	5 .3 1.3	1620 1.6
8 EIGHTH MONTH	6 .7 .1	7 .8 .0	3 .4 .0	3 .4 .0	6 .7 .0	6 .7 .0	1 .1 .3	835 .8
9 NINTH MONTH		2 .8 .0		4 1.6 .0	1 .4 .0	3 1.2 .0	39 15.1 10.1	258 .3
10 NOT STATED	5 1.6 .1	21 6.9 .1	10 3.3 .1	9 2.9 .1	10 3.3 .1	12 3.9 .1	155 50.7 40.3	306 .3
Column Total	5195 5.1	18475 18.2	7419 7.3	11301 11.2	17267 17.0	15592 15.4	385 .4	101333 100.0

Number of Missing Observations: 0

MPCB MONTH PRENATAL CARE BEGAN by PCVISIT NUMBER OF PRENATAL VISITS
Controlling for..
RACE Value = 1 WHITE

MPCB (Count / Row Pct / Col Pct)	PCVISIT NONE 0	ONE 1	TWO 2	THREE 3	FOUR 4	FIVE 5	SIX 6	SEVEN 7	EIGHT 8	NINE 9	TEN 10	Row Total
0 NONE	422 100.0 100.0											422 .6
1 FIRST MONTH		7 .1 6.4	6 .0 3.2	18 .1 6.0	18 .1 4.0	31 .2 4.9	59 .4 6.1	69 .5 6.6	127 1.0 6.4	167 1.3 8.4	524 4.0 10.3	13264 19.2
2 SECOND MONTH		18 .1 16.5	17 .0 9.2	32 .1 10.7	80 .2 17.9	109 .3 17.1	205 .6 21.0	238 .7 22.9	559 1.6 28.2	654 1.9 32.8	1920 5.5 37.8	34704 50.3
3 THIRD MONTH		6 .1 5.5	14 .1 7.6	36 .3 12.0	50 .4 11.2	80 .7 12.6	167 1.4 17.1	196 1.7 18.8	456 3.9 23.0	517 4.4 25.9	1251 10.7 24.6	11745 17.0
4 FOURTH MONTH		4 .1 3.7	15 .3 8.1	29 .7 9.7	47 1.1 10.5	95 2.2 14.9	138 3.2 14.2	180 4.1 17.3	301 6.9 15.2	322 7.4 16.1	752 17.3 14.8	4342 6.3
5 FIFTH MONTH		5 .2 4.6	15 .7 8.1	33 1.6 11.0	57 2.7 12.8	105 5.0 16.5	141 6.7 14.5	159 7.6 15.3	247 11.8 12.5	174 8.3 8.7	381 18.2 7.5	2089 3.0
6 SIXTH MONTH		14 1.2 12.8	20 1.8 10.8	41 3.6 13.7	65 5.7 14.5	83 7.3 13.0	139 12.2 14.3	91 8.0 8.8	182 16.0 9.2	102 9.0 5.1	176 15.5 3.5	1136 1.6
7 SEVENTH MONTH		13 2.0 11.9	33 5.2 17.8	33 5.2 11.0	59 9.2 13.2	81 12.7 12.7	86 13.5 8.8	87 13.6 8.4	82 12.8 4.1	40 6.3 2.0	60 9.4 1.2	639 .9
8 EIGHTH MONTH		17 5.1 15.6	46 13.9 24.9	58 17.5 19.4	60 18.1 13.4	43 13.0 6.8	36 10.9 3.7	15 4.5 1.4	17 5.1 .9	9 2.7 .5	10 3.0 .2	331 .5
9 NINTH MONTH		24 20.9 22.0	19 16.5 10.3	16 13.9 5.4	8 7.0 1.8	7 6.1 1.1	1 .9 .1	1 .9 .1	1 .9 .1	2 1.7 .1		115 .2
10 NOT STATED		1 .6 .9		3 1.7 1.0	3 1.7 .7	3 1.7 .5	3 1.7 .3	4 2.3 .4	8 4.6 .4	7 4.0 .4	9 5.2 .2	173 .3
Column Total	422 .6	109 .2	185 .3	299 .4	447 .6	637 .9	975 1.4	1040 1.5	1980 2.9	1994 2.9	5083 7.4	68960 100.0

(Continued)

MPCB MONTH PRENATAL CARE BEGAN by PCVISIT NUMBER OF PRENATAL VISITS
Controlling for..
RACE Value = 1 WHITE

MPCB	PCVISIT ELEVEN 11	TWELVE 12	THIRTEEN 13	FOURTEEN 14	FIFTEEN 15	SIXTEEN OR MORE 16	NOT STATED 17	Row Total
0 NONE								422 .6
1 FIRST MONTH	379 2.9 10.5	1802 13.6 13.4	982 7.4 18.4	1738 13.1 20.9	3688 27.8 28.7	3621 27.3 30.3	28 .2 12.2	13264 19.2
2 SECOND MONTH	1733 5.0 48.0	8358 24.1 62.0	2819 8.1 52.8	4590 13.2 55.1	7128 20.5 55.6	6197 17.9 51.8	47 .1 20.4	34704 50.3
3 THIRD MONTH	890 7.6 24.6	2226 19.0 16.5	1071 9.1 20.0	1541 13.1 18.5	1527 13.0 11.9	1696 14.4 14.2	21 .2 9.1	11745 17.0
4 FOURTH MONTH	376 8.7 10.4	740 17.0 5.5	363 8.4 6.8	321 7.4 3.9	352 8.1 2.7	294 6.8 2.5	13 .3 5.7	4342 6.3
5 FIFTH MONTH	157 7.5 4.3	249 11.9 1.8	76 3.6 1.4	89 4.3 1.1	92 4.4 .7	106 5.1 .9	3 .1 1.3	2089 3.0
6 SIXTH MONTH	48 4.2 1.3	72 6.3 .5	20 1.8 .4	30 2.6 .4	27 2.4 .2	22 1.9 .2	4 .4 1.7	1136 1.6
7 SEVENTH MONTH	24 3.8 .7	20 3.1 .1	4 .6 .1	5 .8 .1	5 .8 .0	6 .9 .1	1 .2 .4	639 .9
8 EIGHTH MONTH	5 1.5 .1	5 1.5 .0	1 .3 .0	1 .3 .0	2 .6 .0	5 1.5 .0	1 .3 .4	331 .5
9 NINTH MONTH		1 .9 .0		4 3.5 .0	1 .9 .0	3 2.6 .0	27 23.5 11.7	115 .2
10 NOT STATED	2 1.2 .1	14 8.1 .1	7 4.0 .1	6 3.5 .1	7 4.0 .1	11 6.4 .1	85 49.1 37.0	173 .3
Column Total	3614 5.2	13487 19.6	5343 7.7	8325 12.1	12829 18.6	11961 17.3	230 .3	68960 100.0

MPCB MONTH PRENATAL CARE BEGAN by PCVISIT NUMBER OF PRENATAL VISITS
Controlling for..
RACE Value = 2 NONWHITE

MPCB	PCVISIT NONE 0	ONE 1	TWO 2	THREE 3	FOUR 4	FIVE 5	SIX 6	SEVEN 7	EIGHT 8	NINE 9	TEN 10	Row Total
0 NONE	857 100.0 100.0											857 2.6
1 FIRST MONTH		7 .2 2.6	19 .5 4.3	13 .3 2.4	28 .7 3.7	29 .7 3.1	46 1.1 3.8	46 1.1 4.5	98 2.4 5.7	78 1.9 5.9	233 5.7 6.8	4062 12.5
2 SECOND MONTH		28 .3 10.3	29 .3 6.5	31 .3 5.7	70 .6 9.3	115 1.0 12.3	164 1.5 13.4	153 1.4 14.8	318 2.9 18.5	304 2.7 22.8	899 8.1 26.3	11061 34.2
3 THIRD MONTH		16 .2 5.9	40 .6 9.0	59 .9 10.9	93 1.4 12.4	140 2.1 14.9	166 2.5 13.6	191 2.9 18.5	345 5.2 20.1	321 4.8 24.1	849 12.7 24.8	6676 20.6
4 FOURTH MONTH		17 .4 6.3	45 1.2 10.1	59 1.5 10.9	74 1.9 9.9	125 3.3 13.3	185 4.8 15.1	191 5.0 18.5	340 8.9 19.8	279 7.3 20.9	690 18.0 20.2	3834 11.8
5 FIFTH MONTH		29 1.1 10.7	48 1.9 10.8	75 2.9 13.9	138 5.4 18.4	154 6.0 16.4	255 10.0 20.9	186 7.3 18.0	312 12.2 18.2	195 7.6 14.6	448 17.5 13.1	2553 7.9
6 SIXTH MONTH		32 2.0 11.8	64 4.1 14.3	82 5.2 15.2	116 7.4 15.4	165 10.5 17.6	211 13.4 17.3	158 10.1 15.3	186 11.9 10.8	104 6.6 7.8	205 13.1 6.0	1569 4.8
7 SEVENTH MONTH		38 3.9 14.0	71 7.2 15.9	99 10.1 18.3	123 12.5 16.4	136 13.9 14.5	147 15.0 12.0	82 8.4 7.9	92 9.4 5.4	40 4.1 3.0	82 8.4 2.4	981 3.0
8 EIGHTH MONTH		63 12.5 23.2	92 18.3 20.6	92 18.3 17.0	84 16.7 11.2	59 11.7 6.3	45 8.9 3.7	24 4.8 2.3	20 4.0 1.2	7 1.4 .5	6 1.2 .2	504 1.6
9 NINTH MONTH		39 27.3 14.3	32 22.4 7.2	25 17.5 4.6	17 11.9 2.3	9 6.3 1.0	1 .7 .1		3 2.1 .2	2 1.4 .2	2 1.4 .1	143 .4
10 NOT STATED		3 2.3 1.1	6 4.5 1.3	5 3.8 .9	8 6.0 1.1	5 3.8 .5	3 2.3 .2	1 .8 .1	5 3.8 .3	3 2.3 .2	4 3.0 .1	133 .4
Column Total	857 2.6	272 .8	446 1.4	540 1.7	751 2.3	937 2.9	1223 3.8	1032 3.2	1719 5.3	1333 4.1	3418 10.6	32373 100.0

(Continued)

MPCB MONTH PRENATAL CARE BEGAN by PCVISIT NUMBER OF PRENATAL VISITS
Controlling for..
RACE Value = 2 NONWHITE

MPCB	Count / Row Pct / Col Pct	PCVISIT ELEVEN 11	TWELVE 12	THIRTEEN 13	FOURTEEN 14	FIFTEEN 15	SIXTEEN OR MORE 16	NOT STATED 17	Row Total
NONE	0								857 2.6
FIRST MONTH	1	99 2.4 6.3	546 13.4 10.9	278 6.8 13.4	475 11.7 16.0	1070 26.3 24.1	989 24.3 27.2	8 .2 5.2	4062 12.5
SECOND MONTH	2	548 5.0 34.7	2142 19.4 42.9	933 8.4 44.9	1474 13.3 49.5	2242 20.3 50.5	1583 14.3 43.6	28 .3 18.1	11061 34.2
THIRD MONTH	3	450 6.7 28.5	1342 20.1 26.9	539 8.1 26.0	687 10.3 23.1	748 11.2 16.9	678 10.2 18.7	12 .2 7.7	6676 20.6
FOURTH MONTH	4	269 7.0 17.0	610 15.9 12.2	218 5.7 10.5	232 6.1 7.8	239 6.2 5.4	250 6.5 6.9	11 .3 7.1	3834 11.8
FIFTH MONTH	5	134 5.2 8.5	235 9.2 4.7	68 2.7 3.3	81 3.2 2.7	99 3.9 2.2	89 3.5 2.5	7 .3 4.5	2553 7.9
SIXTH MONTH	6	59 3.8 3.7	80 5.1 1.6	25 1.6 1.2	17 1.1 .6	26 1.7 .6	36 2.3 1.0	3 .2 1.9	1569 4.8
SEVENTH MONTH	7	18 1.8 1.1	23 2.3 .5	10 1.0 .5	5 .5 .2	7 .7 .2	4 .4 .1	4 .4 2.6	981 3.0
EIGHTH MONTH	8	1 .2 .1	2 .4 .0	2 .4 .1	2 .4 .1	4 .8 .1	1 .2 .0		504 1.6
NINTH MONTH	9		1 .7 .0					12 8.4 7.7	143 .4
NOT STATED	10	3 2.3 .2	7 5.3 .1	3 2.3 .1	3 2.3 .1	3 2.3 .1	1 .8 .0	70 52.6 45.2	133 .4
	Column Total	1581 4.9	4988 15.4	2076 6.4	2976 9.2	4438 13.7	3631 11.2	155 .5	32373 100.0

Number of Missing Observations: 0

MEDICAL HISTORY

BY BIRTH WEIGHT

BY RACE

* * * C R O S S T A B U L A T I O N * * *

MEDS (tabulating 1) MEDICAL HISTORY, THIS PREGNANCY
by BW BIRTH WEIGHT IN GRAMS
by XRACE
Category = 0 TOTAL

MEDS	Count / Row pct / Col pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
NONE	MEDHI1	815	3749	68813	25	73402
		1.1	5.1	93.7	.0	72.4
		44.9	53.9	74.4	54.3	
ANEMIA	MEDHI2	47	201	2436	0	2684
		1.8	7.5	90.8	.0	2.6
		2.6	2.9	2.6	.0	
DIABETES	MEDHI3	43	199	2440	1	2683
		1.6	7.4	90.9	.0	2.6
		2.4	2.9	2.6	2.2	
HYPERTENSION	MEDHI4	197	854	4524	2	5577
		3.5	15.3	81.1	.0	5.5
		10.9	12.3	4.9	4.3	
ALL OTHERS	MEDHI5	860	2487	17048	10	20405
		4.2	12.2	83.5	.0	20.1
		47.4	35.8	18.4	21.7	
ONE OR MORE	MEDHI6	996	3199	23666	11	27872
		3.6	11.5	84.9	.0	27.5
		54.9	46.0	25.6	23.9	
UNKNOWN	MEDHI7	4	5	40	10	59
		6.8	8.5	67.8	16.9	.1
		.2	.1	.0	21.7	
	Column Total	1815	6953	92519	46	101333
		1.8	6.9	91.3	.0	100.0

Percents and totals based on respondents

101,333 valid cases; 0 missing cases

* * * C R O S S T A B U L A T I O N * * *

MEDS (tabulating 1) MEDICAL HISTORY, THIS PREGNANCY
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 1 WHITE

MEDS	Count / Row pct / Col pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
NONE	MEDHI1	369	2022	48774	15	51180
		.7	4.0	95.3	.0	74.2
		45.3	54.0	75.8	57.7	
ANEMIA	MEDHI2	15	78	1402	0	1495
		1.0	5.2	93.8	.0	2.2
		1.8	2.1	2.2	.0	
DIABETES	MEDHI3	20	116	1726	1	1863
		1.1	6.2	92.6	.1	2.7
		2.5	3.1	2.7	3.8	
HYPERTENSION	MEDHI4	93	496	3134	1	3724
		2.5	13.3	84.2	.0	5.4
		11.4	13.2	4.9	3.8	
ALL OTHERS	MEDHI5	389	1323	11144	4	12860
		3.0	10.3	86.7	.0	18.6
		47.7	35.3	17.3	15.4	
ONE OR MORE	MEDHI6	444	1718	15576	4	17742
		2.5	9.7	87.8	.0	25.7
		54.5	45.9	24.2	15.4	
UNKNOWN	MEDHI7	2	4	25	7	38
		5.3	10.5	65.8	18.4	.1
		.2	.1	.0	26.9	
	Column Total	815	3744	64375	26	68960
		1.2	5.4	93.4	.0	100.0

Percents and totals based on respondents

* * * C R O S S T A B U L A T I O N * * *

MEDS (tabulating 1) MEDICAL HISTORY, THIS PREGNANCY
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 2 NONWHITE

MEDS	Count / Row pct / Col pct	BW: UNDER 1500 GMS	1500 - 2499 GMS	2500+ GRAMS	UNKNOWN	Row Total
NONE	MEDHI1	446	1727	20039	10	22222
		2.0	7.8	90.2	.0	68.6
		44.6	53.8	71.2	50.0	
ANEMIA	MEDHI2	32	123	1034	0	1189
		2.7	10.3	87.0	.0	3.7
		3.2	3.8	3.7	.0	
DIABETES	MEDHI3	23	83	714	0	820
		2.8	10.1	87.1	.0	2.5
		2.3	2.6	2.5	.0	
HYPERTENSION	MEDHI4	104	358	1390	1	1853
		5.6	19.3	75.0	.1	5.7
		10.4	11.2	4.9	5.0	
ALL OTHERS	MEDHI5	471	1164	5904	6	7545
		6.2	15.4	78.3	.1	23.3
		47.1	36.3	21.0	30.0	
ONE OR MORE	MEDHI6	552	1481	8090	7	10130
		5.4	14.6	79.9	.1	31.3
		55.2	46.2	28.7	35.0	
UNKNOWN	MEDHI7	2	1	15	3	21
		9.5	4.8	71.4	14.3	.1
		.2	.0	.1	15.0	
	Column Total	1000	3209	28144	20	32373
		3.1	9.9	86.9	.1	100.0

Percents and totals based on respondents

101,333 valid cases; 0 missing cases

MATERNAL SMOKING

BY BIRTH WEIGHT

BY RACE

* * * C R O S S T A B U L A T I O N * * *

OMHS (tabulating 1) MATERNAL SMOKING, THIS PREGNANCY
by BW BIRTH WEIGHT IN GRAMS
by XRACE
Category = 0 TOTAL

OMHS	Count / Row pct / Col pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
NO TOBACCO USE	OMHIS1	1363	4903	76874	30	83170
		1.6	5.9	92.4	.0	82.1
		75.1	70.5	83.1	65.2	
SMOKED	OMHIS2	441	2025	15500	5	17971
		2.5	11.3	86.3	.0	17.7
		24.3	29.1	16.8	10.9	
SMOKING UNKNOWN	OMHIS3	11	25	145	11	192
		5.7	13.0	75.5	5.7	.2
		.6	.4	.2	23.9	
	Column Total	1815	6953	92519	46	101333
		1.8	6.9	91.3	.0	100.0

Percents and totals based on respondents

101,333 valid cases; 0 missing cases

* * * C R O S S T A B U L A T I O N * * *

OMHS (tabulating 1) MATERNAL SMOKING, THIS PREGNANCY
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 1 WHITE

OMHS	Count / Row pct / Col pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
NO TOBACCO USE	OMHIS1	567	2460	52282	16	55325
		1.0	4.4	94.5	.0	80.2
		69.6	65.7	81.2	61.5	
SMOKED	OMHIS2	245	1274	12002	3	13524
		1.8	9.4	88.7	.0	19.6
		30.1	34.0	18.6	11.5	
SMOKING UNKNOWN	OMHIS3	3	10	91	7	111
		2.7	9.0	82.0	6.3	.2
		.4	.3	.1	26.9	
	Column Total	815	3744	64375	26	68960
		1.2	5.4	93.4	.0	100.0

Percents and totals based on respondents

* * * C R O S S T A B U L A T I O N * * *

OMHS (tabulating 1) MATERNAL SMOKING, THIS PREGNANCY
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 2 NONWHITE

OMHS	Count / Row pct / Col pct	BW UNDER 1500 GMS	1500 - 2499 GMS	2500+ GRAMS	UNKNOWN	Row Total
		1	2	3	4	
NO TOBACCO USE	OMHIS1	796	2443	24592	14	27845
		2.9	8.8	88.3	.1	86.0
		79.6	76.1	87.4	70.0	
SMOKED	OMHIS2	196	751	3498	2	4447
		4.4	16.9	78.7	.0	13.7
		19.6	23.4	12.4	10.0	
SMOKING UNKNOWN	OMHIS3	8	15	54	4	81
		9.9	18.5	66.7	4.9	.3
		.8	.5	.2	20.0	
	Column Total	1000	3209	28144	20	32373
		3.1	9.9	86.9	.1	100.0

Percents and totals based on respondents

101,333 valid cases; 0 missing cases

MATERNAL WEIGHT GAIN

BY BIRTH WEIGHT

BY RACE

* * * C R O S S T A B U L A T I O N * * *

GAINED (tabulating 1) MATERNAL WEIGHT GAIN, THIS PREGNANCY
by BW BIRTH WEIGHT IN GRAMS
by XRACE
Category = 0 TOTAL

GAINED	Count / Row pct / Col pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
0-9 LBS	WEIGHT1	324	448	3135	3	3910
		8.3	11.5	80.2	.1	3.9
		17.9	6.4	3.4	6.5	
10-19 LBS	WEIGHT2	594	1434	10297	7	12332
		4.8	11.6	83.5	.1	12.2
		32.7	20.6	11.1	15.2	
20-29 LBS	WEIGHT3	461	2281	27263	6	30011
		1.5	7.6	90.8	.0	29.6
		25.4	32.8	29.5	13.0	
30-39 LBS	WEIGHT4	163	1509	27804	7	29483
		.6	5.1	94.3	.0	29.1
		9.0	21.7	30.1	15.2	
40+ LBS	WEIGHT5	124	1027	22148	5	23304
		.5	4.4	95.0	.0	23.0
		6.8	14.8	23.9	10.9	
UNKNOWN	WEIGHT6	149	254	1872	18	2293
		6.5	11.1	81.6	.8	2.3
		8.2	3.7	2.0	39.1	
	Column Total	1815	6953	92519	46	101333
		1.8	6.9	91.3	.0	100.0

Percents and totals based on respondents

101,333 valid cases; 0 missing cases

* * * C R O S S T A B U L A T I O N * * *

GAINED (tabulating 1) MATERNAL WEIGHT GAIN, THIS PREGNANCY
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 1 WHITE

GAINED	Count / Row pct / Col pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
0-9 LBS	WEIGHT1	128	183	1769	1	2081
		6.2	8.8	85.0	.0	3.0
		15.7	4.9	2.7	3.8	
10-19 LBS	WEIGHT2	280	684	6150	3	7117
		3.9	9.6	86.4	.0	10.3
		34.4	18.3	9.6	11.5	
20-29 LBS	WEIGHT3	206	1265	18860	5	20336
		1.0	6.2	92.7	.0	29.5
		25.3	33.8	29.3	19.2	
30-39 LBS	WEIGHT4	86	912	20485	6	21489
		.4	4.2	95.3	.0	31.2
		10.6	24.4	31.8	23.1	
40+ LBS	WEIGHT5	68	626	16129	3	16826
		.4	3.7	95.9	.0	24.4
		8.3	16.7	25.1	11.5	
UNKNOWN	WEIGHT6	47	74	982	8	1111
		4.2	6.7	88.4	.7	1.6
		5.8	2.0	1.5	30.8	
	Column Total	815	3744	64375	26	68960
		1.2	5.4	93.4	.0	100.0

Percents and totals based on respondents

* * * C R O S S T A B U L A T I O N * * *

GAINED (tabulating 1) MATERNAL WEIGHT GAIN, THIS PREGNANCY
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 2 NONWHITE

GAINED	Count / Row pct / Col pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
0-9 LBS	WEIGHT1	196	265	1366	2	1829
		10.7	14.5	74.7	.1	5.6
		19.6	8.3	4.9	10.0	
10-19 LBS	WEIGHT2	314	750	4147	4	5215
		6.0	14.4	79.5	.1	16.1
		31.4	23.4	14.7	20.0	
20-29 LBS	WEIGHT3	255	1016	8403	1	9675
		2.6	10.5	86.9	.0	29.9
		25.5	31.7	29.9	5.0	
30-39 LBS	WEIGHT4	77	597	7319	1	7994
		1.0	7.5	91.6	.0	24.7
		7.7	18.6	26.0	5.0	
40+ LBS	WEIGHT5	56	401	6019	2	6478
		.9	6.2	92.9	.0	20.0
		5.6	12.5	21.4	10.0	
UNKNOWN	WEIGHT6	102	180	890	10	1182
		8.6	15.2	75.3	.8	3.7
		10.2	5.6	3.2	50.0	
	Column Total	1000	3209	28144	20	32373
		3.1	9.9	86.9	.1	100.0

Percents and totals based on respondents

101,333 valid cases; 0 missing cases

OBSTETRIC PROCEDURES

BY BIRTH WEIGHT

BY RACE

* * * C R O S S T A B U L A T I O N * * *

OPROC (tabulating 1) OBSTETRIC PROCEDURES
by BW BIRTH WEIGHT IN GRAMS
by XRACE
Category = 0 TOTAL

OPROC	Count / Row pct / Col pct	BW: UNDER 1500 GMS	1500 - 2499 GMS	2500+ GRAMS	UNKNOWN	Row Total
		1	2	3	4	
NONE	OBP1	95	234	3777	6	4112
		2.3	5.7	91.9	.1	4.1
		5.2	3.4	4.1	13.0	
AMNIOCENTESIS	OBP2	74	357	2766	3	3200
		2.3	11.2	86.4	.1	3.2
		4.1	5.1	3.0	6.5	
ELECT FET MONITORING	OBP3	1507	6154	80794	26	88481
		1.7	7.0	91.3	.0	87.3
		83.0	88.5	87.3	56.5	
INDUCTION OF LABOR	OBP4	162	946	12559	3	13670
		1.2	6.9	91.9	.0	13.5
		8.9	13.6	13.6	6.5	
STIMULATION OF LABOR	OBP5	110	773	13354	0	14237
		.8	5.4	93.8	.0	14.0
		6.1	11.1	14.4	.0	
ULTRASOUND	OBP6	1200	4788	64863	22	70873
		1.7	6.8	91.5	.0	69.9
		66.1	68.9	70.1	47.8	
ALL OTHERS	OBP7	263	684	4382	1	5330
		4.9	12.8	82.2	.0	5.3
		14.5	9.8	4.7	2.2	
ONE OR MORE	OBP8	1717	6712	88683	31	97143
		1.8	6.9	91.3	.0	95.9
		94.6	96.5	95.9	67.4	
UNKNOWN	OBP9	3	7	59	9	78
		3.8	9.0	75.6	11.5	.1
		.2	.1	.1	19.6	
	Column Total	1815	6953	92519	46	101333
		1.8	6.9	91.3	.0	100.0

Percents and totals based on respondents

101,333 valid cases; 0 missing cases

* * * C R O S S T A B U L A T I O N * * *

OPROC (tabulating 1) OBSTETRIC PROCEDURES
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 1 WHITE

OPROC	Count / Row pct / Col pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
NONE	OBP1	35	92	2591	3	2721
		1.3	3.4	95.2	.1	3.9
		4.3	2.5	4.0	11.5	
AMNIOCENTESIS	OBP2	46	238	2267	0	2551
		1.8	9.3	88.9	.0	3.7
		5.6	6.4	3.5	.0	
ELECT FET MONITORING	OBP3	673	3294	56099	13	60079
		1.1	5.5	93.4	.0	87.1
		82.6	88.0	87.1	50.0	
INDUCTION OF LABOR	OBP4	66	513	9440	0	10019
		.7	5.1	94.2	.0	14.5
		8.1	13.7	14.7	.0	
STIMULATION OF LABOR	OBP5	44	358	9024	0	9426
		.5	3.8	95.7	.0	13.7
		5.4	9.6	14.0	.0	
ULTRASOUND	OBP6	566	2733	46792	13	50104
		1.1	5.5	93.4	.0	72.7
		69.4	73.0	72.7	50.0	
ALL OTHERS	OBP7	136	431	3241	0	3808
		3.6	11.3	85.1	.0	5.5
		16.7	11.5	5.0	.0	
ONE OR MORE	OBP8	779	3647	61744	16	66186
		1.2	5.5	93.3	.0	96.0
		95.6	97.4	95.9	61.5	
UNKNOWN	OBP9	1	5	40	7	53
		1.9	9.4	75.5	13.2	.1
		.1	.1	.1	26.9	
	Column Total	815	3744	64375	26	68960
		1.2	5.4	93.4	.0	100.0

Percents and totals based on respondents

* * * C R O S S T A B U L A T I O N * * *

OPROC (tabulating 1) OBSTETRIC PROCEDURES
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 2 NONWHITE

OPROC	Count / Row pct / Col pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
NONE	OBP1	60	142	1186	3	1391
		4.3	10.2	85.3	.2	4.3
		6.0	4.4	4.2	15.0	
AMNIOCENTESIS	OBP2	28	119	499	3	649
		4.3	18.3	76.9	.5	2.0
		2.8	3.7	1.8	15.0	
ELECT FET MONITORING	OBP3	834	2860	24695	13	28402
		2.9	10.1	86.9	.0	87.7
		83.4	89.1	87.7	65.0	
INDUCTION OF LABOR	OBP4	96	433	3119	3	3651
		2.6	11.9	85.4	.1	11.3
		9.6	13.5	11.1	15.0	
STIMULATION OF LABOR	OBP5	66	415	4330	0	4811
		1.4	8.6	90.0	.0	14.9
		6.6	12.9	15.4	.0	
ULTRASOUND	OBP6	634	2055	18071	9	20769
		3.1	9.9	87.0	.0	64.2
		63.4	64.0	64.2	45.0	
ALL OTHERS	OBP7	127	253	1141	1	1522
		8.3	16.6	75.0	.1	4.7
		12.7	7.9	4.1	5.0	
ONE OR MORE	OBP8	938	3065	26939	15	30957
		3.0	9.9	87.0	.0	95.6
		93.8	95.5	95.7	75.0	
UNKNOWN	OBP9	2	2	19	2	25
		8.0	8.0	76.0	8.0	.1
		.2	.1	.1	10.0	
	Column Total	1000	3209	28144	20	32373
		3.1	9.9	86.9	.1	100.0

Percents and totals based on respondents

101,333 valid cases; 0 missing cases

EVENTS OF LABOR/DELIVERY

BY BIRTH WEIGHT

BY RACE

* * * C R O S S T A B U L A T I O N * * *

EVENTS (tabulating 1) EVENTS OF LABOR AND/OR DELIVERY
by BW BIRTH WEIGHT IN GRAMS
by XRACE
Category = 0 TOTAL

EVENTS	Count / Row pct / Col pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
NONE	EVLAB1	488	3181	58448	18	62135
		.8	5.1	94.1	.0	61.3
		26.9	45.8	63.2	39.1	
MECONIUM	EVLAB2	32	285	6861	3	7181
		.4	4.0	95.5	.0	7.1
		1.8	4.1	7.4	6.5	
PREM RUPTURE	EVLAB3	436	961	2805	2	4204
		10.4	22.9	66.7	.0	4.1
		24.0	13.8	3.0	4.3	
DYSFUNCTIONAL LABOR	EVLAB4	9	151	4299	0	4459
		.2	3.4	96.4	.0	4.4
		.5	2.2	4.6	.0	
BREECH-MALPRESENT.	EVLAB5	399	642	3060	7	4108
		9.7	15.6	74.5	.2	4.1
		22.0	9.2	3.3	15.2	
FETAL DISTRESS	EVLAB6	269	950	8105	7	9331
		2.9	10.2	86.9	.1	9.2
		14.8	13.7	8.8	15.2	
ALL OTHERS	EVLAB7	811	1952	17543	10	20316
		4.0	9.6	86.4	.0	20.0
		44.7	28.1	19.0	21.7	
ONE OR MORE	EVLAB8	1324	3766	34006	18	39114
		3.4	9.6	86.9	.0	38.6
		72.9	54.2	36.8	39.1	
UNKNOWN	EVLAB9	3	6	65	10	84
		3.6	7.1	77.4	11.9	.1
		.2	.1	.1	21.7	
	Column Total	1815	6953	92519	46	101333
		1.8	6.9	91.3	.0	100.0

Percents and totals based on respondents

101,333 valid cases; 0 missing cases

* * * C R O S S T A B U L A T I O N * * *

EVENTS (tabulating 1) EVENTS OF LABOR AND/OR DELIVERY
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 1 WHITE

EVENTS	Count / Row pct / Col pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
NONE	EVLAB1	210	1697	41280	8	43195
		.5	3.9	95.6	.0	62.6
		25.8	45.3	64.1	30.8	
MECONIUM	EVLAB2	16	116	4047	1	4180
		.4	2.8	96.8	.0	6.1
		2.0	3.1	6.3	3.8	
PREM RUPTURE	EVLAB3	191	494	1893	0	2578
		7.4	19.2	73.4	.0	3.7
		23.4	13.2	2.9	.0	
DYSFUNCTIONAL LABOR	EVLAB4	5	82	2840	0	2927
		.2	2.8	97.0	.0	4.2
		.6	2.2	4.4	.0	
BREECH-MALPRESENT.	EVLAB5	182	413	2419	4	3018
		6.0	13.7	80.2	.1	4.4
		22.3	11.0	3.8	15.4	
FETAL DISTRESS	EVLAB6	130	514	5268	3	5915
		2.2	8.7	89.1	.1	8.6
		16.0	13.7	8.2	11.5	
ALL OTHERS	EVLAB7	389	1060	12309	6	13764
		2.8	7.7	89.4	.0	20.0
		47.7	28.3	19.1	23.1	
ONE OR MORE	EVLAB8	604	2041	23054	11	25710
		2.3	7.9	89.7	.0	37.3
		74.1	54.5	35.8	42.3	
UNKNOWN	EVLAB9	1	6	41	7	55
		1.8	10.9	74.5	12.7	.1
		.1	.2	.1	26.9	
	Column Total	815	3744	64375	26	68960
		1.2	5.4	93.4	.0	100.0

Percents and totals based on respondents

* * * C R O S S T A B U L A T I O N * * *

EVENTS (tabulating 1) EVENTS OF LABOR AND/OR DELIVERY
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 2 NONWHITE

EVENTS	Count / Row pct / Col pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
NONE	EVLAB1	278	1484	17168	10	18940
		1.5	7.8	90.6	.1	58.5
		27.8	46.2	61.0	50.0	
MECONIUM	EVLAB2	16	169	2814	2	3001
		.5	5.6	93.8	.1	9.3
		1.6	5.3	10.0	10.0	
PREM RUPTURE	EVLAB3	245	467	912	2	1626
		15.1	28.7	56.1	.1	5.0
		24.5	14.6	3.2	10.0	
DYSFUNCTIONAL LABOR	EVLAB4	4	69	1459	0	1532
		.3	4.5	95.2	.0	4.7
		.4	2.2	5.2	.0	
BREECH-MALPRESENT.	EVLAB5	217	229	641	3	1090
		19.9	21.0	58.8	.3	3.4
		21.7	7.1	2.3	15.0	
FETAL DISTRESS	EVLAB6	139	436	2837	4	3416
		4.1	12.8	83.1	.1	10.6
		13.9	13.6	10.1	20.0	
ALL OTHERS	EVLAB7	422	892	5234	4	6552
		6.4	13.6	79.9	.1	20.2
		42.2	27.8	18.6	20.0	
ONE OR MORE	EVLAB8	720	1725	10952	7	13404
		5.4	12.9	81.7	.1	41.4
		72.0	53.8	38.9	35.0	
UNKNOWN	EVLAB9	2	0	24	3	29
		6.9	.0	82.8	10.3	.1
		.2	.0	.1	15.0	
	Column Total	1000	3209	28144	20	32373
		3.1	9.9	86.9	.1	100.0

Percents and totals based on respondents

101,333 valid cases; 0 missing cases

METHOD OF DELIVERY

BY BIRTH WEIGHT

BY RACE

* * * C R O S S T A B U L A T I O N * * *

METHOD (tabulating 1) METHOD OF DELIVERY
by BW BIRTH WEIGHT IN GRAMS
by XRACE
Category = 0 TOTAL

METHOD	Count / Row pct / Col pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
VAGINAL	MDEL1	1096	4821	72321	24	78262
		1.4	6.2	92.4	.0	77.2
		60.4	69.3	78.2	52.2	
PRIMARY C-SECT	MDEL2	634	1668	12958	10	15270
		4.2	10.9	84.9	.1	15.1
		34.9	24.0	14.0	21.7	
REPEAT C-SECT	MDEL3	84	444	6831	3	7362
		1.1	6.0	92.8	.0	7.3
		4.6	6.4	7.4	6.5	
FORCEPS	MDEL4	24	257	4860	0	5141
		.5	5.0	94.5	.0	5.1
		1.3	3.7	5.3	.0	
VACUUM	MDEL5	10	326	8440	2	8778
		.1	3.7	96.1	.0	8.7
		.6	4.7	9.1	4.3	
UNKNOWN	MDEL6	2	7	56	9	74
		2.7	9.5	75.7	12.2	.1
		.1	.1	.1	19.6	
	Column Total	1815	6953	92519	46	101333
		1.8	6.9	91.3	.0	100.0

Percents and totals based on respondents

101,333 valid cases; 0 missing cases

* * * C R O S S T A B U L A T I O N * * *

METHOD (tabulating 1) METHOD OF DELIVERY
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 1 WHITE

METHOD	Count / Row pct / Col pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
VAGINAL	MDEL1	460	2466	50063	9	52998
		.9	4.7	94.5	.0	76.9
		56.4	65.9	77.8	34.6	
PRIMARY C-SECT	MDEL2	319	1026	9154	7	10506
		3.0	9.8	87.1	.1	15.2
		39.1	27.4	14.2	26.9	
REPEAT C-SECT	MDEL3	35	242	4843	3	5123
		.7	4.7	94.5	.1	7.4
		4.3	6.5	7.5	11.5	
FORCEPS	MDEL4	14	164	3798	0	3976
		.4	4.1	95.5	.0	5.8
		1.7	4.4	5.9	.0	
VACUUM	MDEL5	6	217	6635	1	6859
		.1	3.2	96.7	.0	9.9
		.7	5.8	10.3	3.8	
UNKNOWN	MDEL6	1	5	37	7	50
		2.0	10.0	74.0	14.0	.1
		.1	.1	.1	26.9	
	Column Total	815	3744	64375	26	68960
		1.2	5.4	93.4	.0	100.0

Percents and totals based on respondents

* * * C R O S S T A B U L A T I O N * * *

METHOD (tabulating 1) METHOD OF DELIVERY
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 2 NONWHITE

METHOD	Count / Row pct / Col pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
VAGINAL	MDEL1	636	2355	22258	15	25264
		2.5	9.3	88.1	.1	78.0
		63.6	73.4	79.1	75.0	
PRIMARY C-SECT	MDEL2	315	642	3804	3	4764
		6.6	13.5	79.8	.1	14.7
		31.5	20.0	13.5	15.0	
REPEAT C-SECT	MDEL3	49	202	1988	0	2239
		2.2	9.0	88.8	.0	6.9
		4.9	6.3	7.1	.0	
FORCEPS	MDEL4	10	93	1062	0	1165
		.9	8.0	91.2	.0	3.6
		1.0	2.9	3.8	.0	
VACUUM	MDEL5	4	109	1805	1	1919
		.2	5.7	94.1	.1	5.9
		.4	3.4	6.4	5.0	
UNKNOWN	MDEL6	1	2	19	2	24
		4.2	8.3	79.2	8.3	.1
		.1	.1	.1	10.0	
	Column Total	1000	3209	28144	20	32373
		3.1	9.9	86.9	.1	100.0

Percents and totals based on respondents

101,333 valid cases; 0 missing cases

CONDITIONS OF THE NEWBORN

BY BIRTH WEIGHT

BY RACE

* * * C R O S S T A B U L A T I O N * * *

CONDS (tabulating 1) CONDITIONS OF NEWBORN
by BW BIRTH WEIGHT IN GRAMS
by XRACE
Category = 0 TOTAL

CONDS	Count / Row pct / Col pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
NONE	COND1	742	5651	87975	23	94391
		.8	6.0	93.2	.0	93.1
		40.9	81.3	95.1	50.0	
ASSISTED VENTILATION	COND2	558	684	2411	10	3663
		15.2	18.7	65.8	.3	3.6
		30.7	9.8	2.6	21.7	
ALL OTHERS	COND3	774	819	2366	4	3963
		19.5	20.7	59.7	.1	3.9
		42.6	11.8	2.6	8.7	
ONE OR MORE	COND4	1071	1293	4493	13	6870
		15.6	18.8	65.4	.2	6.8
		59.0	18.6	4.9	28.3	
UNKNOWN	COND5	2	9	51	10	72
		2.8	12.5	70.8	13.9	.1
		.1	.1	.1	21.7	
	Column Total	1815	6953	92519	46	101333
		1.8	6.9	91.3	.0	100.0

Percents and totals based on respondents

101,333 valid cases; 0 missing cases

* * * C R O S S T A B U L A T I O N * * *

CONDS (tabulating 1) CONDITIONS OF NEWBORN
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 1 WHITE

CONDS	Count / Row pct / Col pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
NONE	COND1	309	2955	61144	13	64421
		.5	4.6	94.9	.0	93.4
		37.9	78.9	95.0	50.0	
ASSISTED VENTILATION	COND2	245	410	1642	5	2302
		10.6	17.8	71.3	.2	3.3
		30.1	11.0	2.6	19.2	
ALL OTHERS	COND3	401	529	1780	2	2712
		14.8	19.5	65.6	.1	3.9
		49.2	14.1	2.8	7.7	
ONE OR MORE	COND4	506	784	3198	6	4494
		11.3	17.4	71.2	.1	6.5
		62.1	20.9	5.0	23.1	
UNKNOWN	COND5	0	5	33	7	45
		.0	11.1	73.3	15.6	.1
		.0	.1	.1	26.9	
	Column Total	815	3744	64375	26	68960
		1.2	5.4	93.4	.0	100.0

Percents and totals based on respondents

* * * C R O S S T A B U L A T I O N * * *

CONDS (tabulating 1) CONDITIONS OF NEWBORN
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 2 NONWHITE

CONDS	Count / Row pct / Col pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
NONE	COND1	433	2696	26831	10	29970
		1.4	9.0	89.5	.0	92.6
		43.3	84.0	95.3	50.0	
ASSISTED VENTILATION	COND2	313	274	769	5	1361
		23.0	20.1	56.5	.4	4.2
		31.3	8.5	2.7	25.0	
ALL OTHERS	COND3	373	290	586	2	1251
		29.8	23.2	46.8	.2	3.9
		37.3	9.0	2.1	10.0	
ONE OR MORE	COND4	565	509	1295	7	2376
		23.8	21.4	54.5	.3	7.3
		56.5	15.9	4.6	35.0	
UNKNOWN	COND5	2	4	18	3	27
		7.4	14.8	66.7	11.1	.1
		.2	.1	.1	15.0	
	Column Total	1000	3209	28144	20	32373
		3.1	9.9	86.9	.1	100.0

Percents and totals based on respondents

101,333 valid cases; 0 missing cases

STATE LIBRARY OF NORTH CAROLINA
3 3091 00795 4852

Department of Environment, Health, and Natural Resources
State Center for Health and Environmental Statistics
P. O. Box 29538
Raleigh, N.C. 27626-0538
919/733-4728

400 copies of this public document were printed at a cost of $264.00 or 66¢ per copy.